

UNI-T Systems



USA price list

Effective June 4th, 2015

UPDATED - March 15th, 2019

update summary - p.160

artopex®



interactive links

index, page tabs & page references

→ document optimized for dual pages view

GENERAL INFORMATION

panels description	24
general characteristics	32
specification examples	39
finish choices chart	40

PANELS

N2 Series - rounded version

base panels	44
over-panels	57
Media panels	63

N7 Series - square version

base panels	69
over-panels	82
Media panels	88

CONNECTORS

N2 - connectors and connector covers	94
N7 - connectors and connector covers	101

ELECTRICITY

harnesses and power connectors	110
N2 - cable poles	114
N7 - cable poles	116

SURFACES

surfaces attached to panel	120
convergent tables and shared conference surfaces	129
counter tops	135

SUPPORTS

floor surface supports	143
intermediate supports	146

STORAGE & COMPLEMENTS

storage units	149
complements	155

Visual index

**BASE PANELS - N2 SERIES
(rounded)**

FABRIC

44


P8260
P8254
P8248
P8242
P8236
P8230
P8224
P8218
P8212



P6672
P6666
P6660
P6654
P6648
P6642
P6636
P6630
P6624
P6618
P6612

P5072
P5066
P5060
P5054
P5048
P5042
P5036
P5030
P5024
P5018
P5012

P4272
P4266
P4260
P4254
P4248
P4242
P4236
P4230
P4224
P4218
P4212



P3472
P3466
P3460
P3454
P3448
P3442
P3436
P3430
P3424
P3418
P3412

WITH VERTICAL CONDUITS

46


E8260
E8254
E8248
E8242
E8236
E8230
E8224
E8218



E6672
E6666
E6660
E6654
E6648
E6642
E6636
E6630
E6624
E6618

E5072
E5066
E5060
E5054
E5048
E5042
E5036
E5030
E5024
E5018

E4272
E4266
E4260
E4254
E4248
E4242
E4236
E4230
E4224
E4218




E3472
E3466
E3460
E3454
E3448
E3442
E3436
E3430
E3424
E3418

TRANSPARENT

48

PT8248
PT8242
PT8236
PT8230
PT8224
PT8218
PT8212



PT6648
PT6642
PT6636
PT6630
PT6624
PT6618
PT6612

PT5048
PT5042
PT5036
PT5030
PT5024
PT5018
PT5012

PT4248
PT4242
PT4236
PT4230
PT4224
PT4218
PT4212


PT3448
PT3442
PT3436
PT3430
PT3424
PT3418
PT3412

DOOR WITH FRAME

49


DOOR8242L

DOOR8242R




SLIDING DOOR 49

- DONSL6642
- DONSL6636
- DONSL5042
- DONSL5036





SLIDING DOOR SILL 49

- N5-DOTR42-W
- N5-DOTR36-W



**LAMINATE 2 SIDES
CABLE ACCESS 2 SIDES 50**

- PYEE5072
- PYEE5066
- PYEE5060
- PYEE5054
- PYEE5048
- PYEE5042
- PYEE5036
- PYEE5030
- PYEE5024
- PYEE5018
- PYEE5012





- PYEE4272
- PYEE4266
- PYEE4260
- PYEE4254
- PYEE4248
- PYEE4242
- PYEE4236
- PYEE4230
- PYEE4224
- PYEE4218
- PYEE4212

- PYEE3472
- PYEE3466
- PYEE3460
- PYEE3454
- PYEE3448
- PYEE3442
- PYEE3436
- PYEE3430
- PYEE3424
- PYEE3418
- PYEE3412

**LAMINATE 2 SIDES
CABLE ACCESS 1 SIDE 51**

- PYE5072
- PYE5066
- PYE5060
- PYE5054
- PYE5048
- PYE5042
- PYE5036
- PYE5030
- PYE5024
- PYE5018
- PYE5012





- PYE4272
- PYE4266
- PYE4260
- PYE4254
- PYE4248
- PYE4242
- PYE4236
- PYE4230
- PYE4224
- PYE4218
- PYE4212

- PYE3472
- PYE3466
- PYE3460
- PYE3454
- PYE3448
- PYE3442
- PYE3436
- PYE3430
- PYE3424
- PYE3418
- PYE3412

LAMINATE TO THE FLOOR 2 SIDES 52

- PY5072
- PY5066
- PY5060
- PY5054
- PY5048
- PY5042
- PY5036
- PY5030
- PY5024
- PY5018
- PY5012





- PY4272
- PY4266
- PY4260
- PY4254
- PY4248
- PY4242
- PY4236
- PY4230

- PY4224
- PY4218
- PY4212

- PY3472
- PY3466
- PY3460
- PY3454
- PY3448
- PY3442
- PY3436
- PY3430
- PY3424
- PY3418
- PY3412

**LAMINATE TO THE FLOOR 1 SIDE
FABRIC 1 SIDE WITH CABLE ACCESS 53**

- PYTE5072
- PYTE5066
- PYTE5060
- PYTE5054
- PYTE5048
- PYTE5042
- PYTE5036
- PYTE5030
- PYTE5024
- PYTE5018
- PYTE5012




- PYTE4272
- PYTE4266
- PYTE4260
- PYTE4254
- PYTE4248
- PYTE4242
- PYTE4236
- PYTE4230
- PYTE4224
- PYTE4218
- PYTE4212

- PYTE3472
- PYTE3466
- PYTE3460
- PYTE3454
- PYTE3448
- PYTE3442
- PYTE3436
- PYTE3430
- PYTE3424
- PYTE3418
- PYTE3412

**LAMINATE 1 SIDE FABRIC 1 SIDE WITH
CABLE ACCESS 2 SIDES** 55

- PYTEE5072
- PYTEE5066
- PYTEE5060
- PYTEE5054
- PYTEE5048
- PYTEE5042
- PYTEE5036
- PYTEE5030
- PYTEE5024
- PYTEE5018
- PYTEE5012




- PYTEE4272
- PYTEE4266
- PYTEE4260
- PYTEE4254
- PYTEE4248
- PYTEE4242
- PYTEE4236
- PYTEE4230
- PYTEE4224
- PYTEE4218
- PYTEE4212

- PYTEE3472
- PYTEE3466
- PYTEE3460
- PYTEE3454
- PYTEE3448
- PYTEE3442
- PYTEE3436
- PYTEE3430
- PYTEE3424
- PYTEE3418
- PYTEE3412

**OVER-PANELS - N2 SERIES
(rounded)**

FABRIC 57

- PE2472
- PE2466
- PE2460
- PE2454
- PE2448
- PE2442
- PE2436
- PE2430
- PE2424
- PE2418
- PE2412




- PE1672
- PE1666
- PE1660
- PE1654
- PE1648
- PE1642
- PE1636
- PE1630
- PE1624
- PE1618
- PE1612

- PE0872
- PE0866
- PE0860
- PE0854
- PE0848
- PE0842
- PE0836
- PE0830
- PE0824
- PE0818
- PE0812

WITH VERTICAL CONDUITS 58

- EE2472
- EE2466
- EE2460
- EE2454
- EE2448
- EE2442
- EE2436
- EE2430
- EE2424
- EE2418



- EE1672
- EE1666
- EE1660
- EE1654
- EE1648
- EE1642
- EE1636
- EE1630
- EE1624
- EE1618


- EE0872
- EE0866
- EE0860
- EE0854
- EE0848
- EE0842
- EE0836
- EE0830
- EE0824
- EE0818

TRANSPARENT 59

- PET2472
- PET2466
- PET2460
- PET2454
- PET2448
- PET2442
- PET2436
- PET2430
- PET2424
- PET2418
- PET2412


- PET1672
- PET1666
- PET1660
- PET1654
- PET1648
- PET1642
- PET1636
- PET1630
- PET1624
- PET1618
- PET1612

- PET0872
- PET0866
- PET0860
- PET0854
- PET0848
- PET0842
- PET0836
- PET0830
- PET0824
- PET0818
- PET0812



LAMINATE 2 SIDES 60

- PEY2472
- PEY2466
- PEY2460
- PEY2454
- PEY2448
- PEY2442
- PEY2436
- PEY2430
- PEY2424
- PEY2418
- PEY2412




PEY1672
PEY1666
PEY1660
PEY1654
PEY1648
PEY1642
PEY1636
PEY1630
PEY1624
PEY1618
PEY1612

PEY0872
PEY0866
PEY0860
PEY0854
PEY0848
PEY0842
PEY0836
PEY0830
PEY0824
PEY0818
PEY0812

LAMINATE 1 SIDE, FABRIC 1 SIDE 61

PEYT2472
PEYT2466
PEYT2460
PEYT2454
PEYT2448
PEYT2442
PEYT2436
PEYT2430
PEYT2424
PEYT2418
PEYT2412




PEYT1672
PEYT1666
PEYT1660
PEYT1654
PEYT1648
PEYT1642
PEYT1636
PEYT1630
PEYT1624
PEYT1618
PEYT1612

PEYT0872
PEYT0866
PEYT0860
PEYT0854
PEYT0848
PEYT0842
PEYT0836
PEYT0830
PEYT0824
PEYT0818
PEYT0812


MEDIA PANELS - N2 SERIES (rounded)

DOORS ON 2 SIDES 63

PELL1672
PELL1666
PELL1660
PELL1654
PELL1648
PELL1642
PELL1636
PELL1630
PELL1624
PELL1618
PELL1612




PELL0872
PELL0866
PELL0860
PELL0854
PELL0848
PELL0842
PELL0836
PELL0830
PELL0824
PELL0818
PELL0812




DOORS ON 2 SIDES AND VERTICAL CONDUIT OPENINGS 64

EELL1672
EELL1666
EELL1660
EELL1654
EELL1648
EELL1642
EELL1636
EELL1630
EELL1624
EELL1618




EELL0872
EELL0866
EELL0860
EELL0854
EELL0848
EELL0842
EELL0836
EELL0830
EELL0824
EELL0818




DOOR ON 1 SIDE 65

PELF1672
PELF1666
PELF1660
PELF1654
PELF1648
PELF1642
PELF1636
PELF1630
PELF1624
PELF1618
PELF1612




PELF0872
PELF0866
PELF0860
PELF0854
PELF0848
PELF0842
PELF0836
PELF0830
PELF0824
PELF0818
PELF0812




DOOR ON 1 SIDE AND VERTICAL CONDUIT OPENINGS 66

EELF1672
EELF1666
EELF1660
EELF1654
EELF1648
EELF1642
EELF1636
EELF1630
EELF1624
EELF1618




EELF0872
EELF0866
EELF0860
EELF0854
EELF0848
EELF0842
EELF0836
EELF0830
EELF0824
EELF0818




WITH METALLIC SURFACE
ON 2 SIDES

67

- PEFF1672
- PEFF1666
- PEFF1660
- PEFF1654
- PEFF1648
- PEFF1642
- PEFF1636
- PEFF1630
- PEFF1624
- PEFF1618
- PEFF1612




- PEFF0872
- PEFF0866
- PEFF0860
- PEFF0854
- PEFF0848
- PEFF0842
- PEFF0836
- PEFF0830
- PEFF0824
- PEFF0818
- PEFF0812




WITH METALLIC SURFACE ON 2 SIDES
AND VERTICAL CONDUIT OPENINGS

68

- EEFF1672
- EEFF1666
- EEFF1660
- EEFF1654
- EEFF1648
- EEFF1642
- EEFF1636
- EEFF1630
- EEFF1624
- EEFF1618



- EEFF0872
- EEFF0866
- EEFF0860
- EEFF0854
- EEFF0848
- EEFF0842
- EEFF0836
- EEFF0830
- EEFF0824
- EEFF0818




BASE PANELS - N7 SERIES
(square)

FABRIC

69


- P8260
- P8254
- P8248
- P8242
- P8236
- P8230
- P8224
- P8218
- P8212
- P6672



- P6666
- P6660
- P6654
- P6648
- P6642
- P6636
- P6630
- P6624
- P6618
- P6612

- P5072
- P5066
- P5060
- P5054
- P5048
- P5042
- P5036
- P5030
- P5024
- P5018
- P5012

- P4272
- P4266
- P4260
- P4254
- P4248
- P4242
- P4236
- P4230
- P4224
- P4218
- P4212




- P3472
- P3466
- P3460
- P3454
- P3448
- P3442
- P3436
- P3430
- P3424
- P3418
- P3412

WITH VERTICAL CONDUITS

71


- E8260
- E8254
- E8248
- E8242
- E8236
- E8230
- E8224
- E8218



- E6672
- E6666
- E6660
- E6654
- E6648
- E6642
- E6636
- E6630
- E6624
- E6618

- E5072
- E5066
- E5060
- E5054
- E5048
- E5042
- E5036
- E5030
- E5024
- E5018


- E4272
- E4266
- E4260
- E4254
- E4248
- E4242
- E4236
- E4230
- E4224
- E4218



- E3472
- E3466
- E3460
- E3454
- E3448
- E3442
- E3436
- E3430
- E3424
- E3418

TRANSPARENT 73

- PT8248
- PT8242
- PT8236
- PT8230
- PT8224
- PT8218
- PT8212



- PT6648
- PT6642
- PT6636
- PT6630
- PT6624
- PT6618
- PT6612


- PT5048
- PT5042
- PT5036
- PT5030
- PT5024
- PT5018
- PT5012

- PT4248
- PT4242
- PT4236
- PT4230
- PT4224
- PT4218
- PT4212

- PT3448
- PT3442
- PT3436
- PT3430
- PT3424
- PT3418
- PT3412


DOOR WITH FRAME 74

- DOOR8242L
- DOOR8242R




SLIDING DOOR 74

- DONSL6642
- DONSL6636
- DONSL5042
- DONSL5036




SLIDING DOOR SILL 74

- N5-DOTR42-W
- N5-DOTR36-W



LAMINATE 2 SIDES CABLE ACCESS 2 SIDES 75

- PYEE5072
- PYEE5066
- PYEE5060
- PYEE5054
- PYEE5048
- PYEE5042
- PYEE5036
- PYEE5030
- PYEE5024
- PYEE5018
- PYEE5012




- PYEE4272
- PYEE4266
- PYEE4260
- PYEE4254
- PYEE4248
- PYEE4242
- PYEE4236
- PYEE4230
- PYEE4224
- PYEE4218
- PYEE4212

- PYEE3472
- PYEE3466
- PYEE3460
- PYEE3454
- PYEE3448
- PYEE3442
- PYEE3436
- PYEE3430
- PYEE3424
- PYEE3418
- PYEE3412

LAMINATE 2 SIDES CABLE ACCESS 1 SIDE 76

- PYE5072
- PYE5066
- PYE5060
- PYE5054
- PYE5048
- PYE5042
- PYE5036
- PYE5030
- PYE5024
- PYE5018
- PYE5012




- PYE4272
- PYE4266
- PYE4260
- PYE4254
- PYE4248
- PYE4242
- PYE4236
- PYE4230
- PYE4224
- PYE4218
- PYE4212

- PYE3472
- PYE3466
- PYE3460
- PYE3454
- PYE3448
- PYE3442
- PYE3436
- PYE3430
- PYE3424
- PYE3418
- PYE3412

LAMINATE TO THE FLOOR 2 SIDES 77

- PY5072
- PY5066
- PY5060
- PY5054
- PY5048
- PY5042
- PY5036
- PY5030
- PY5024
- PY5018
- PY5012




PY4272
 PY4266
 PY4260
 PY4254
 PY4248
 PY4242
 PY4236
 PY4230
 PY4224
 PY4218
 PY4212
 PY3472

PY3466
 PY3460
 PY3454
 PY3448
 PY3442
 PY3436
 PY3430
 PY3424
 PY3418
 PY3412

**LAMINATE TO THE FLOOR 1 SIDE
 FABRIC 1 SIDE AND CABLE ACCESS 78**

PYTE5072
 PYTE5066
 PYTE5060
 PYTE5054
 PYTE5048
 PYTE5042
 PYTE5036
 PYTE5030
 PYTE5024
 PYTE5018
 PYTE5012




PYTE4272
 PYTE4266
 PYTE4260
 PYTE4254
 PYTE4248
 PYTE4242
 PYTE4236
 PYTE4230
 PYTE4224
 PYTE4218
 PYTE4212

PYTE3472
 PYTE3466
 PYTE3460
 PYTE3454
 PYTE3448
 PYTE3442
 PYTE3436
 PYTE3430
 PYTE3424
 PYTE3418
 PYTE3412

**LAMINATE 1 SIDE FABRIC 1 SIDE WITH
 CABLE ACCESS 2 SIDES 80**

PYTEE5072
 PYTEE5066
 PYTEE5060
 PYTEE5054
 PYTEE5048
 PYTEE5042
 PYTEE5036
 PYTEE5030
 PYTEE5024
 PYTEE5018
 PYTEE5012




PYTEE4272
 PYTEE4266
 PYTEE4260
 PYTEE4254
 PYTEE4248
 PYTEE4242
 PYTEE4236
 PYTEE4230
 PYTEE4224
 PYTEE4218
 PYTEE4212

PYTEE3472
 PYTEE3466
 PYTEE3460
 PYTEE3454
 PYTEE3448
 PYTEE3442
 PYTEE3436
 PYTEE3430
 PYTEE3424
 PYTEE3418
 PYTEE3412

**OVER-PANELS - N7 SERIES
 (square)**

FABRIC 82

PE2472
 PE2466
 PE2460
 PE2454
 PE2448
 PE2442
 PE2436
 PE2430
 PE2424
 PE2418
 PE2412




PE1672
 PE1666
 PE1660
 PE1654
 PE1648
 PE1642
 PE1636
 PE1630
 PE1624
 PE1618
 PE1612

PE0872
 PE0866
 PE0860
 PE0854
 PE0848
 PE0842
 PE0836
 PE0830
 PE0824
 PE0818
 PE0812

WITH VERTICAL CONDUITS 83

EE2472
 EE2466
 EE2460
 EE2454
 EE2448
 EE2442
 EE2436
 EE2430
 EE2424
 EE2418




EE1672
 EE1666
 EE1660
 EE1654
 EE1648
 EE1642
 EE1636
 EE1630
 EE1624
 EE1618

EE0872
 EE0866
 EE0860
 EE0854
 EE0848
 EE0842
 EE0836
 EE0830
 EE0824
 EE0818

TRANSPARENT

84

- PET2472
- PET2466
- PET2460
- PET2454
- PET2448
- PET2442
- PET2436
- PET2430
- PET2424
- PET2418
- PET2412




- PET1672
- PET1666
- PET1660
- PET1654
- PET1648
- PET1642
- PET1636
- PET1630
- PET1624
- PET1618
- PET1612

- PET0872
- PET0866
- PET0860
- PET0854
- PET0848
- PET0842
- PET0836
- PET0830
- PET0824
- PET0818
- PET0812

LAMINATE 2 SIDES

85

- PEY2472
- PEY2466
- PEY2460
- PEY2454
- PEY2448
- PEY2442
- PEY2436
- PEY2430
- PEY2424
- PEY2418
- PEY2412




- PEY1672
- PEY1666
- PEY1660
- PEY1654
- PEY1648
- PEY1642
- PEY1636
- PEY1630
- PEY1624
- PEY1618
- PEY1612

- PEY0872
- PEY0866
- PEY0860
- PEY0854
- PEY0848
- PEY0842
- PEY0836
- PEY0830
- PEY0824
- PEY0818
- PEY0812

LAMINATE 1 SIDE, FABRIC 1 SIDE

86

- PEYT2472
- PEYT2466
- PEYT2460
- PEYT2454
- PEYT2448
- PEYT2442
- PEYT2436
- PEYT2430
- PEYT2424
- PEYT2418
- PEYT2412



- PEYT1672
- PEYT1666
- PEYT1660
- PEYT1654
- PEYT1648
- PEYT1642
- PEYT1636
- PEYT1630
- PEYT1624
- PEYT1618
- PEYT1612


- PEYT0872
- PEYT0866
- PEYT0860
- PEYT0854
- PEYT0848
- PEYT0842
- PEYT0836
- PEYT0830
- PEYT0824
- PEYT0818
- PEYT0812

MEDIA PANELS - N7 SERIES (square)


DOORS ON 2 SIDES

88

- PELL1672
- PELL1666
- PELL1660
- PELL1654
- PELL1648
- PELL1642
- PELL1636
- PELL1630
- PELL1624
- PELL1618
- PELL1612




- PELL0872
- PELL0866
- PELL0860
- PELL0854
- PELL0848
- PELL0842
- PELL0836
- PELL0830
- PELL0824
- PELL0818
- PELL0812




DOORS ON 2 SIDES AND VERTICAL CONDUIT OPENINGS

89

- EELL1672
- EELL1666
- EELL1660
- EELL1654
- EELL1648
- EELL1642
- EELL1636
- EELL1630
- EELL1624
- EELL1618




- EELL0872
- EELL0866
- EELL0860
- EELL0854
- EELL0848
- EELL0842
- EELL0836
- EELL0830
- EELL0824
- EELL0818




DOOR ON 1 SIDE

90

- PELF1672
- PELF1666
- PELF1660
- PELF1654
- PELF1648
- PELF1642
- PELF1636
- PELF1630
- PELF1624
- PELF1618
- PELF1612




- PELF0872
- PELF0866
- PELF0860
- PELF0854
- PELF0848
- PELF0842
- PELF0836
- PELF0830
- PELF0824
- PELF0818
- PELF0812




DOOR ON 1 SIDE AND VERTICAL CONDUIT OPENINGS

91

- EELF1672
- EELF1666
- EELF1660
- EELF1654
- EELF1648
- EELF1642
- EELF1636
- EELF1630
- EELF1624
- EELF1618




- EELF0872
- EELF0866
- EELF0860
- EELF0854
- EELF0848
- EELF0842
- EELF0836
- EELF0830
- EELF0824
- EELF0818




WITH METALLIC SURFACE ON 2 SIDES

92

- PEFF1672
- PEFF1666
- PEFF1660
- PEFF1654
- PEFF1648
- PEFF1642
- PEFF1636
- PEFF1630
- PEFF1624
- PEFF1618
- PEFF1612




- PEFF0872
- PEFF0866
- PEFF0860
- PEFF0854
- PEFF0848
- PEFF0842
- PEFF0836
- PEFF0830
- PEFF0824
- PEFF0818
- PEFF0812




WITH METALLIC SURFACE ON 2 SIDES AND VERTICAL CONDUIT OPENINGS

93

- EEFF1672
- EEFF1666
- EEFF1660
- EEFF1654
- EEFF1648
- EEFF1642
- EEFF1636
- EEFF1630
- EEFF1624
- EEFF1618



- EEFF0872
- EEFF0866
- EEFF0860
- EEFF0854
- EEFF0848
- EEFF0842
- EEFF0836
- EEFF0830
- EEFF0824
- EEFF0818



CONNECTORS AND CONNECTOR COVERS - N2 SERIES (rounded)

STRAIGHT "S"

94

- C82S
- C66S
- C50S
- C42S
- C34S




- CE48S
- CE40S
- CE32S
- CE24S
- CE16S
- CE08S

WALL "W"

94

- C82W
- C66W
- C50W
- C42W
- C34W




- CE48W
- CE40W
- CE32W
- CE24W
- CE16W
- CE08W

"X"

95

- C82X
- C66X
- C50X
- C42X
- C34X




- CE48X
- CE40X
- CE32X
- CE24X
- CE16X
- CE08X

"X" FOR MEDIA PANELS

95

- CEL82X
- CEL66X
- CEL50X
- CEL42X



"B" 96

- C82B
- C66B
- C50B
- C42B
- C34B



- CE48B
- CE40B
- CE32B
- CE24B
- CE16B
- CE08B

"L" 97


- C82L
- C66L
- C50L
- C42L
- C34L



- CE48L
- CE40L
- CE32L
- CE24L
- CE16L
- CE08L

"T" 98

- C82T
- C66T
- C50T
- C42T
- C34T



- CE48T
- CE40T
- CE32T
- CE24T
- CE16T
- CE08T

"T" FOR MEDIA PANELS 98

- CEL82T
- CEL66T
- CEL50T
- CEL42T



"C" 99


- C82C
- C66C
- C50C
- C42C
- C34C



- CE48C
- CE40C
- CE32C
- CE24C
- CE16C
- CE08C

OFF-MODULE CONNECTORS 100

- N5-COM82T-N
- N5-COM66T-N
- N5-COM50T-N
- N5-COM42T-N
- N5-COM34T-N



CONNECTORS AND CONNECTOR COVERS - N7 SERIES (square)

STRAIGHT "S" 101


- C82S
- C66S
- C50S
- C42S
- C34S



- CE48S
- CE40S
- CE32S
- CE24S
- CE16S
- CE08S

WALL "W" 101


- C82W
- C66W
- C50W
- C42W
- C34W



- CE48W
- CE40W
- CE32W
- CE24W
- CE16W
- CE08W

"X" 102


- C82X
- C66X
- C50X
- C42X
- C34X
- CE48X
- CE40X



- CE32X
- CE24X
- CE16X
- CE08X

"X" FOR MEDIA PANELS 102

- CEL82X
- CEL66X
- CEL50X
- CEL42X



"B" 103

- C82B
- C66B
- C50B
- C42B
- C34B



- CE48B
- CE40B
- CE32B
- CE24B
- CE16B
- CE08B

"L" 104


- C82L
- C66L
- C50L
- C42L
- C34L



- CE48L
- CE40L
- CE32L
- CE24L
- CE16L
- CE08L

"T" 105


- C82T
- C66T
- C50T
- C42T
- C34T



- CE48T
- CE40T
- CE32T
- CE24T
- CE16T
- CE08T

"T" FOR MEDIA PANELS 105

- CEL82T
- CEL66T
- CEL50T
- CEL42T



"C" 106

- C82C
- C66C
- C50C
- C42C
- C34C



- CE48C
- CE40C
- CE32C
- CE24C
- CE16C
- CE08C


"U" 107

- C48U
- C40U
- C32U
- C24U
- C16U
- C08U




CONNECTOR COVERS WITH NOTCH(ES) 108

- ENJ72A
- ENJ66A
- ENJ60A
- ENJ54A
- ENJ48A
- ENJ42A
- ENJ36A
- ENJ30A
- ENJ24A
- ENJ18A
- ENJ12A




- ENJ72B
- ENJ66B
- ENJ60B
- ENJ54B
- ENJ48B
- ENJ42B
- ENJ36B
- ENJ30B
- ENJ24B
- ENJ18B
- ENJ12B



OFF-MODULE CONNECTORS 109


- N5-COM82T-N
- N5-COM66T-N
- N5-COM50T-N
- N5-COM42T-N
- N5-COM34T-N



ELECTRICITY

HARNESSES FOR STRAIGHT BASE PANELS 110


- iE-H72
- iE-H66
- iE-H60
- iE-H54
- iE-H48
- iE-H42
- iE-H36
- iE-H30



- iE-H24

HARNESSES FOR MEDIA AND LAMINATE PANELS TO THE FLOOR - 1 SIDE 111

- iE-HSS72
- iE-HSS66
- iE-HSS60
- iE-HSS54
- iE-HSS48
- iE-HSS42




- iE-HSS36
- iE-HSS30

- iE-HSS24


CONDUIT PANELS JUMPERS 111

- E2-EJS60
- E2-EJS54
- E2-EJS48
- E2-EJS42
- E2-EJS36
- E2-EJS30
- E2-EJS24
- iE-H18
- iE-H12
- iE-J21




COUPLINGS FOR MEDIA PANELS 112

- iE-i
- iE-Y




DUPLEX OUTLETS 112

- iE-DO1
- iE-DO2
- iE-DO3
- iE-DO4




WALL AND GROUND POWER CONNECTOR 113

- E2-ECJO




DIRECT CONNECT POWER FEED (FLOOR) 113

- iE-HDCPF




CEILING POWER CONNECTORS 113

- iE-EC15
- iE-EC18




OUTLET FOR POWER FEED CONNECTORS 113

- E2-ECWD




CABLE POLES N2 114

CPNH




TFCP23

- ENJ72
- ENJ66
- ENJ60
- ENJ54
- ENJ48
- ENJ42
- ENJ36
- ENJ30
- ENJ24
- ENJ18
- ENJ12




FOR MEDIA PANELS N2 115

CPMEDC
CPMEDF




CONNECTOR WIRE MANAGER N2 115

GR16L
GR08L




GR16BT
GR08BT




CABLE POLES N7 116

CPNH




CPMEDF



CONNECTOR WIRE MANAGER N7 116


GR16BT
GR08BT



CABLE POLES N7 117


TFCP23

- ENJ72
- ENJ66
- ENJ60
- ENJ54
- ENJ48
- ENJ42
- ENJ36
- ENJ30
- ENJ24
- ENJ18
- ENJ12




MEDIA DATA CHANNEL 118

- N1-DAT72
- N1-DAT66
- N1-DAT60
- N1-DAT54
- N1-DAT48
- N1-DAT42
- N1-DAT36
- N1-DAT30
- N1-DAT24
- N1-DAT18
- N1-DAT12




VERTICAL CABLE MANAGER 118

N1-VCM-N



ELECTRICAL CONSOLIDATION TOWERS 119


AC-ETC66
AC-ETC25



SURFACES

RECTANGULAR 120

- SSi3672
- SSi3666
- SSi3660
- SSi3654
- SSi3648
- SSi3066
- SSi3060
- SSi3054
- SSi3048



- SSi3042
- SSi3036
- SSi3030
- SSi3024


- SSi2472
- SSi2466
- SSi2460
- SSi2454
- SSi2448
- SSi2442
- SSi2436
- SSi2430
- SSi2424

- SSi1872
- SSi1866
- SSi1860
- SSi1854
- SSi1848
- SSi1842
- SSi1836
- SSi1830
- SSi1824


CONNECTING

121

- SSV36247224
- SSV36246624
- SSV36246024
- SSV30187221
- SSV30187218
- SSV30186621
- SSV30186618
- SSV30186021
- SSV30186018
- SSV30184821
- SSV30184818
- SSV24184218




- SSV24367224
- SSV24366624
- SSV24366024
- SSV18307221
- SSV18307218
- SSV18306621
- SSV18306618
- SSV18306021
- SSV18306018
- SSV18304821
- SSV18304818
- SSV18244218




DUAL-DEPTH

122

- SSW302472
- SSW302466
- SSW302460
- SSW302454
- SSW302448
- SSW302442
- SSW302436
- SSW302430
- SSW302424



- SSW241872
- SSW241866
- SSW241860
- SSW241854
- SSW241848
- SSW241842
- SSW241836
- SSW241830
- SSW241824




- SSW243072
- SSW243066
- SSW243060
- SSW243054
- SSW243048
- SSW243042
- SSW243036
- SSW243030
- SSW243024

- SSW182472
- SSW182466
- SSW182460
- SSW182454
- SSW182448
- SSW182442
- SSW182436
- SSW182430
- SSW182424

90° CORNER STRAIGHT INTERIOR

124


- SCS3048
- SCS3042
- SCS2448
- SCS2442
- SCS2436
- SCS1836




90° CORNER STRAIGHT INTERIOR (EXTENDED)

124

- SCS24243672
- SCS24243666
- SCS24243660
- SCS21213672
- SCS21213666
- SCS21213660




- SCS24247236
- SCS24246636
- SCS24246036
- SCS21217236
- SCS21216636
- SCS21216036



90° CORNER CURVED INTERIOR

125


- SCO30304848
- SCO30244848
- SCO24304848
- SCO24244848
- SCO24244242
- SCO24243636
- SCO18183636



90° CORNER CURVED INTERIOR (RIGHT EXTENDED)

126

- SCO30304872
- SCO30304866
- SCO30304860
- SCO30304854
- SCO30244872
- SCO30244866
- SCO30244860
- SCO30244854
- SCO30244272




- SCO30244266
- SCO30244260
- SCO30244254
- SCO30244248

- SCO24304872
- SCO24304866
- SCO24304860
- SCO24304854
- SCO24244872
- SCO24244866
- SCO24244860
- SCO24244854
- SCO24244272
- SCO24244266
- SCO24244260
- SCO24244254
- SCO24244248

90° CORNER CURVED INTERIOR (LEFT EXTENDED)

127

- SCO30307248
- SCO30306648
- SCO30306048
- SCO30305448




- SCO30247248
- SCO30246648
- SCO30246048
- SCO30245448

- SCO24307248
- SCO24307242
- SCO24306648
- SCO24306642
- SCO24306048
- SCO24306042
- SCO24305448
- SCO24305442
- SCO24304842

- SCO24247248
- SCO24247242
- SCO24246648
- SCO24246642
- SCO24246048
- SCO24246042
- SCO24245448
- SCO24245442
- SCO24244842

90° CORNER W. ERGONOMIC INTERIOR ACCESS 128

SCE24187236
SCE24186636
SCE24186036




SCE18243672
SCE18243666
SCE18243660


D-SHAPED TABLES

TELESCOPIC LEG 129


ROUNDED
SDSS3672A
SDSS3072A
SDSS3066A
SDSS3060A
SDSS3048A



ARCHED
SDSA3672A
SDSA3072A
SDSA3066A
SDSA3060A
SDSA3048A




RECTANGULAR
SDSi3672A
SDSi3072A
SDSi3066A
SDSi3060A
SDSi3048A




TUBULAR LEG WITH BASE PLATE 130


ROUNDED
SDSS3672 ..
SDSS3072 ..
SDSS3066 ..
SDSS3060 ..
SDSS3048 ..



ARCHED
SDSA3672 ..
SDSA3072 ..
SDSA3066 ..
SDSA3060 ..
SDSA3048 ..




RECTANGULAR
SDSi3672 ..
SDSi3072 ..
SDSi3066 ..
SDSi3060 ..
SDSi3048 ..




ROUND OR SQUARE TUBULAR LEGS 131

ROUNDED
SDSS3672 ..
SDSS3072 ..
SDSS3066 ..
SDSS3060 ..
SDSS3048 ..




ARCHED
SDSA3672 ..
SDSA3072 ..
SDSA3066 ..
SDSA3060 ..
SDSA3048 ..




RECTANGULAR

SDSi3672 ..
SDSi3072 ..
SDSi3066 ..
SDSi3060 ..
SDSi3048 ..




MONOLITHIC BASE 132


ROUNDED
SDSS3672G
SDSS3072G
SDSS3066G
SDSS3060G
SDSS3048G



ARCHED
SDSA3672G
SDSA3072G
SDSA3066G
SDSA3060G
SDSA3048G




RECTANGULAR
SDSi3672G
SDSi3072G
SDSi3066G
SDSi3060G
SDSi3048G




L-SHAPED TABLES 133

SSLSL487224
SSLSL486624
SSLSL486024
SSLSL427224
SSLSL426624
SSLSL426024




SSLSR487224
SSLSR486624
SSLSR486024
SSLSR427224
SSLSR426624
SSLSR426024




SHARED CONFERENCE SURFACES 134

N2 SERIES
SSXC62N2
SSXC50N2




N7 SERIES
SSXC62N7
SSXC50N7




COUNTER TOPS N2 AND N7

RECTANGULAR 135


N2 SERIES
SCTI72N2
SCTI66N2
SCTI60N2
SCTI54N2
SCTI48N2
SCTI42N2
SCTI36N2
SCTI30N2
SCTI24N2



N2 SERIES
SCTI72AN2
SCTI66AN2
SCTI60AN2
SCTI54AN2
SCTI48AN2
SCTI42AN2
SCTI36AN2
SCTI30AN2
SCTI24AN2




N2 SERIES
SCTI72ABN2
SCTI66ABN2
SCTI60ABN2
SCTI54ABN2
SCTI48ABN2
SCTI42ABN2
SCTI36ABN2
SCTI30ABN2
SCTI24ABN2




N7 SERIES


- SCTI72N7
- SCTI66N7
- SCTI60N7
- SCTI54N7
- SCTI48N7
- SCTI42N7
- SCTI36N7
- SCTI30N7
- SCTI24N7




- SCTLL72N2
- SCTLL66N2
- SCTLL60N2
- SCTLL54N2
- SCTLL48N2
- SCTLL42N2
- SCTLL36N2
- SCTLL30N2
- SCTLL24N2




- SCTU72AN2
- SCTU66AN2
- SCTU60AN2
- SCTU54AN2
- SCTU48AN2
- SCTU42AN2
- SCTU36AN2
- SCTU30AN2
- SCTU24AN2




- SCTI72AN7
- SCTI66AN7
- SCTI60AN7
- SCTI54AN7
- SCTI48AN7
- SCTI42AN7
- SCTI36AN7
- SCTI30AN7
- SCTI24AN7




- N7 SERIES
- SCTL72N7
 - SCTL66N7
 - SCTL60N7
 - SCTL54N7
 - SCTL48N7
 - SCTL42N7
 - SCTL36N7
 - SCTL30N7
 - SCTL24N7




- SCTO72N2
- SCTO66N2
- SCTO60N2
- SCTO54N2
- SCTO48N2
- SCTO42N2
- SCTO36N2
- SCTO30N2
- SCTO24N2




- SCTI72ABN7
- SCTI66ABN7
- SCTI60ABN7
- SCTI54ABN7
- SCTI48ABN7
- SCTI42ABN7
- SCTI36ABN7
- SCTI30ABN7
- SCTI24ABN7



- SCTL72AN7
- SCTL66AN7
- SCTL60AN7
- SCTL54AN7
- SCTL48AN7
- SCTL42AN7
- SCTL36AN7
- SCTL30AN7
- SCTL24AN7




- N7 SERIES
- SCTU72N7
 - SCTU66N7
 - SCTU60N7
 - SCTU54N7
 - SCTU48N7
 - SCTU42N7
 - SCTU36N7
 - SCTU30N7
 - SCTU24N7




RECTANGULAR EXTENDED 136

N2 SERIES


- SCTL72N2
- SCTL66N2
- SCTL60N2
- SCTL54N2
- SCTL48N2
- SCTL42N2
- SCTL36N2
- SCTL30N2
- SCTL24N2




- SCTLL72N7
- SCTLL66N7
- SCTLL60N7
- SCTLL54N7
- SCTLL48N7
- SCTLL42N7
- SCTLL36N7
- SCTLL30N7
- SCTLL24N7



- SCTU72AN7
- SCTU66AN7
- SCTU60AN7
- SCTU54AN7
- SCTU48AN7
- SCTU42AN7
- SCTU36AN7
- SCTU30AN7
- SCTU24AN7




- SCTL72AN2
- SCTL66AN2
- SCTL60AN2
- SCTL54AN2
- SCTL48AN2
- SCTL42AN2
- SCTL36AN2
- SCTL30AN2
- SCTL24AN2




ROUNDED EXTENDED 137

N2 SERIES

- SCTU72N2
- SCTU66N2
- SCTU60N2
- SCTU54N2
- SCTU48N2
- SCTU42N2
- SCTU36N2
- SCTU30N2
- SCTU24N2



- SCTO72N7
- SCTO66N7
- SCTO60N7
- SCTO54N7
- SCTO48N7
- SCTO42N7
- SCTO36N7
- SCTO30N7
- SCTO24N7




WITH 45° ANGLE END


138

N2 SERIES


- SCTIV72N2
- SCTIV66N2
- SCTIV60N2
- SCTIV54N2
- SCTIV48N2
- SCTIV42N2
- SCTIV36N2
- SCTIV30N2
- SCTIV24N2




- SCTVI72N7
- SCTVI66N7
- SCTVI60N7
- SCTVI54N7
- SCTVI48N7
- SCTVI42N7
- SCTVI36N7
- SCTVI30N7
- SCTVI24N7




- SCTUV72N2
- SCTUV66N2
- SCTUV60N2
- SCTUV54N2
- SCTUV48N2
- SCTUV42N2
- SCTUV36N2
- SCTUV30N2
- SCTUV24N2




- SCTVI72N2
- SCTVI66N2
- SCTVI60N2
- SCTVI54N2
- SCTVI48N2
- SCTVI42N2
- SCTVI36N2
- SCTVI30N2
- SCTVI24N2




- SCTIV72AN7
- SCTIV66AN7
- SCTIV60AN7
- SCTIV54AN7
- SCTIV48AN7
- SCTIV42AN7
- SCTIV36AN7
- SCTIV30AN7
- SCTIV24AN7




- SCTVU72N2
- SCTVU66N2
- SCTVU60N2
- SCTVU54N2
- SCTVU48N2
- SCTVU42N2
- SCTVU36N2
- SCTVU30N2
- SCTVU24N2




- SCTIV72AN2
- SCTIV66AN2
- SCTIV60AN2
- SCTIV54AN2
- SCTIV48AN2
- SCTIV42AN2
- SCTIV36AN2
- SCTIV30AN2
- SCTIV24AN2




- SCTVI72AN7
- SCTVI66AN7
- SCTVI60AN7
- SCTVI54AN7
- SCTVI48AN7
- SCTVI42AN7
- SCTVI36AN7
- SCTVI30AN7
- SCTVI24AN7



- N7 SERIES
- SCTLV72N7
- SCTLV66N7
- SCTLV60N7
- SCTLV54N7
- SCTLV48N7
- SCTLV42N7
- SCTLV36N7
- SCTLV30N7
- SCTLV24N7



- SCTVI72AN2
- SCTVI66AN2
- SCTVI60AN2
- SCTVI54AN2
- SCTVI48AN2
- SCTVI42AN2
- SCTVI36AN2
- SCTVI30AN2
- SCTVI24AN2




WITH 45° ANGLE END EXTENDED


140

N2 SERIES

- SCTLV72N2
- SCTLV66N2
- SCTLV60N2
- SCTLV54N2
- SCTLV48N2
- SCTLV42N2
- SCTLV36N2
- SCTLV30N2
- SCTLV24N2




- SCTVL72N7
- SCTVL66N7
- SCTVL60N7
- SCTVL54N7
- SCTVL48N7
- SCTVL42N7
- SCTVL36N7
- SCTVL30N7
- SCTVL24N7




N7 SERIES


- SCTIV72N7
- SCTIV66N7
- SCTIV60N7
- SCTIV54N7
- SCTIV48N7
- SCTIV42N7
- SCTIV36N7
- SCTIV30N7
- SCTIV24N7




- SCTVL72N2
- SCTVL66N2
- SCTVL60N2
- SCTVL54N2
- SCTVL48N2
- SCTVL42N2
- SCTVL36N2
- SCTVL30N2
- SCTVL24N2



- SCTUV72N7
- SCTUV66N7
- SCTUV60N7
- SCTUV54N7
- SCTUV48N7
- SCTUV42N7
- SCTUV36N7
- SCTUV30N7
- SCTUV24N7



- SCTVU72N7
- SCTVU66N7
- SCTVU60N7
- SCTVU54N7
- SCTVU48N7
- SCTVU42N7
- SCTVU36N7
- SCTVU30N7
- SCTVU24N7




FLOOR SURFACE SUPPORTS

ADJUSTABLE END GABLES 142

SSUEL30
SSUEL24
SSUEL21
SSUEL18




SSUER30
SSUER24
SSUER21
SSUER18




LAMINATE END PANELS 143

SSUL2836
SSUL2830
SSUL2824
SSUL2821
SSUL2818



SSUR2836
SSUR2830
SSUR2824
SSUR2821
SSUR2818




SSUL2812
SSUR2812




METAL / LAMINATE END PANELS 144

SSUXL2836
SSUXL2830
SSUXL2824
SSUXL2821
SSUXL2818




SSUXR2836
SSUXR2830
SSUXR2824
SSUXR2821
SSUXR2818




METAL END PANELS 145


SSUML2836
SSUML2830
SSUML2824
SSUML2821
SSUML2818




SSUMR2836
SSUMR2830
SSUMR2824
SSUMR2821
SSUMR2818



SSUOL2836
SSUOL2830
SSUOL2824
SSUOL2821
SSUOL2818



SSUOR2836
SSUOR2830
SSUOR2824
SSUOR2821
SSUOR2818



INTERMEDIATE SUPPORTS

RECESSED METAL SURFACE SUPPORTS 146

SSUOL2812
SSUOR2812




ADJUSTABLE INTERMEDIATE GABLE AND INTER. SUPPORTS 146

SSUA




SSUPI28



ASSORTED SUPPORTS 147

SSUCL
SSUCR




SSUB
SSUBL
SSUBR



AC-FJP2




AC-RSTF64
AC-RSTF52
AC-RSTF46




WALL MOUNT BRACKET 148

N1-WMS




STABILIZING FLOOR BRACKET KIT 148

N1-2GL8




METAL SUPPORT PEDESTALS 149

NP45-30-6612
NP45-24-6612
NP45-30-1212
NP45-24-1212



NP47-30-6612
NP47-24-6612
NP47-30-1212
NP47-24-1212



BRACKET KIT FOR PEDESTALS AND STORAGE 149


N1-GSU




SHELF UNITS STACKED AND ATTACHED TO PANELS

OPENED 150


SUBOA0872
SUBOA0866
SUBOA0860
SUBOA0854
SUBOA0848
SUBOA0842
SUBOA0836
SUBOA0830
SUBOA0824



SUBRO1672
SUBRO1666
SUBRO1660
SUBRO1654
SUBRO1648
SUBRO1642
SUBRO1636
SUBRO1630
SUBRO1624




SUOS1672
SUOS1666
SUOS1660
SUOS1654
SUOS1648
SUOS1642
SUOS1636
SUOS1630
SUOS1624




BT1654
BT1648
BT1642
BT1636
BT1630
BT1624
BT1618
BT1272
BT1266
BT1260
BT1254
BT1248
BT1242
BT1236
BT1230
BT1224
BT1218

SUBOR1672
SUBOR1666
SUBOR1660
SUBOR1654
SUBOR1648
SUBOR1642
SUBOR1636
SUBOR1630
SUBOR1624




SUOS0872
SUOS0866
SUOS0860
SUOS0854
SUOS0848
SUOS0842
SUOS0836
SUOS0830
SUOS0824



WITH SLIDING DOORS 152

SUBRGI1672
SUBRGI1666
SUBRGI1660
SUBRGI1654
SUBRGI1648
SUBRGI1642
SUBRGI1636
SUBRGI1630
SUBRGI1624




DIVIDERS 155

N1-ACDM




"OFF-MODULE" ADAPTERS FOR OVERHEAD STORAGE 155

N1-OMK16L
N1-OMK8L



SUBGIR1672
SUBGIR1666
SUBGIR1660
SUBGIR1654
SUBGIR1648
SUBGIR1642
SUBGIR1636
SUBGIR1630
SUBGIR1624




COAT HOOK & SIGNAGE MODULE 155

N1-HK



MARKERBOARDS 157


N1-WB3272
N1-WB3266
N1-WB3260
N1-WB3254
N1-WB3248
N1-WB3242
N1-WB3236
N1-WB3230
N1-WB3224
N1-WB3218
N1-WB1672
N1-WB1666
N1-WB1660
N1-WB1654
N1-WB1648
N1-WB1642
N1-WB1636
N1-WB1630
N1-WB1624
N1-WB1618



SHELF UNITS ATTACHED TO PANELS

OPENED OR CLOSED 153


SUFD1672
SUFD1666
SUFD1660
SUFD1654
SUFD1648
SUFD1642
SUFD1636
SUFD1630
SUFD1624




"OFF-MODULE" ADAPTERS FOR TACKBOARDS AND MARKERBOARDS 157

TACKBOARDS 156

BT3272
BT3266
BT3260
BT3254
BT3248
BT3242
BT3236
BT3230
BT3224
BT3218
BT1672
BT1666
BT1660




OMKMTK




ACCESSORY BARS & PRIVACY

PANELS 158


- ACB72
- ACB66
- ACB60
- ACB54
- ACB48
- ACB42
- ACB36
- ACB30
- ACB24
- ACB18



- VOGP1672
- VOGP1666
- VOGP1660
- VOGP1654
- VOGP1648
- VOGP1642
- VOGP1636
- VOGP1630
- VOGP1624
- VOGP1618



- VOGP0872
- VOGP0866
- VOGP0860
- VOGP0854
- VOGP0848
- VOGP0842
- VOGP0836
- VOGP0830
- VOGP0824
- VOGP0818



PANELS

The Uni-T panel system is composed of 3 principal elements: the panel, the metal connector and the connector cover.

Three types of panels are offered in the Uni-T system:

- The Base (or "regular") panel
- The Over-panel (stackable)
- The "Media" panel (stackable)

These three types of panels are available with vertical cable conduits, with the exception of transparent panels and laminate panels (1 or 2 sides).

Base Panels

Regular panels are used both as dividers and as support for work surfaces and hanging storage. They are available in a wide range of heights (34", 42", 50", 66", 82") and widths (12", 18", 24", 30", 36", 42", 48", 54", 60", 66", 72"). The following are the different types of base panels:

- Fabric-covered (power option available)
- Transparent (power option available)
- Laminate finish (power option available)

Base panels are equipped with a base raceway, 5½" x 2½" wide, providing ample space for a 8 wire 4-circuit modular electrical system and communication cables. The fire retardant base raceway cover includes knockouts for duplex outlets and AMP Flex-Mode communication jacks.

Over-Panels

Over-panels are generally used to add height to a base panel. Over-panels are available in the same wide range of fabrics and finishes as base panels, allowing a multitude of combinations and configurations.

Over-panels must be stacked on top of a base panel, a Media panel, or another over-panel. They are held in position between two "over-panel connectors" or two regular base connectors. Available in 3 heights (8", 16", 24") and 11 widths (12", 18", 24", 30", 36", 42", 48", 54", 60", 66", 72"). The following are the different types of over-panels:


- Straight, fabric-covered
- Straight, transparent
- Media panel
- Laminate finish

Media Panels

Media Panels allow the running of communication cables and cable access above the work surface. Available in two heights (8", 16") and 11 widths (12", 18", 24", 30", 36", 42", 48", 54", 60", 66", 72"). The Media Panel has sliding metal doors for access to electrical duplex outlets. Media Panels are available in 3 configurations:

- Sliding doors on both sides
- Sliding doors on one side, single fixed panel on the other side
- Single fixed panels on both sides (decorative surfaces)

Media panels used as cable conduits must be stacked on a base panel 34" H. to allow the running of cables to the Media connectors. If for decorative use only, Media Panels can be positioned at any height.



N2 SERIES AND N7 SERIES

The Uni-T collection has 2 series that differ in the shape of the trim: N2 is rounded and N7 is square. The shape follows on the trim, connector covers, top caps and raceway covers on the base panel. The following page describes the differences between the components of each series.



"Kliplok" Locking Clips

Made of metal and durable plastic, "Kliplok" clips are used to attach the panel to the metal connectors. These clips are included (no charge) with all regular panels.

Connectors & Connector Covers


Available in 5 heights (34", 42", 50", 66", 82"), the base metal connectors can attach together two, three or four panels or end a line of panels. They can also be used with over-panel connectors (available in 6 heights: 8", 16", 24", 32", 40", 48").

It is important to specify the type of connector required in the order. For example, to connect two panels at 90°, the "L" connector must be specified. Certain connectors are visible after installation, and require a connector cover. This cover is included when a "Connector Kit" is ordered or can be ordered separately. Connectors come standard in black only, with connector covers available in a painted metal finish. A connector cover cap the same color as the trim finish is also included with each base connector, see p.26-28.

<p>Fabric direction</p> <p>Artopex panel fabrics are all installed in a specific direction. Unless otherwise specified, the fabric is installed in the direction of the height of the panel (see drawing). For panels 66" or 72" wide, the fabric is automatically oriented at 90° ("Railroad"). To ensure uniformity, panels 60" wide or less can be ordered with 90° oriented fabric. In replacement of the fabric code, write the suffix RRT, followed by the fabric grade number and the name of the fabric with the mention "oriented at 90°".</p> <p>Fabric on tackboards is always oriented at 90° ("Railroad").</p>	<p>EXAMPLE:</p>  <p>Standard fabric N2-P5054-F-MD99</p>  <p>Fabric oriented at 90° N2-P5054-F-RRT2 fabric MD99 oriented at 90°</p>
--	---

PANELS

- A** Top trim supplied with base panel:
N2 - painted steel
N7 - painted aluminum
- B** N2 and N7 top trim end cap in plastic: removable to accept extension panel end covers for variable-height configurations
- C** "Kliplik" panel-to-connector locking clip
- D** Fabric-covered over-panel (also available with laminate and transparent finish)
- E** Finger-jointed wood frame
- F** Honey-combed fiberboard
- G** Acoustic septum (both sides)
- H** Sound-absorbent material (both sides)
- I** Sound-absorbent material (both sides)
- J** Fabric
- K** Full-width decorative surface for Media Panel
- L** Stackable Media Panel
- M** Upper glide track in 2 sections for Media Panel sliding doors
- N** Upper glide track expansion joint and cover. Allows adjustment for Media Panels configured at 90°.
- O** Media panel wire pass-through
- P** Bottom glide track in 3 sections for Media Panel sliding doors
- Q** Media Panel sliding doors
- R** Base Panel with raceway for electrical system and communication wires
- S** Quick-snap attachment support for electrical harness
- T** Raceway cover: N2 - in plastic
N7 - in steel
- U** Optional media channel: holds and shields communication wiring and modules
- V** Electrical harness for Media Panel
- W** Electrical jumpers. Connect electrical harnesses.
- X** Electrical harness for base raceway
- Y** Electrical duplex outlet module
- Z** Panel connector in steel with integrated attachment slots and adjustable leveling glide.
- AA** Connector cover: N2 - rounded
N7 - square
- BB** Connector cover top attachment bracket
- CC** Connector cover bottom attachment bracket
- DD** Top trim attachment clip
- EE** Connector cover cap: N2 - rounded
N7 - square
- FF** Electrical harness attachment bracket



C.O.M. Orders


COM orders (fabric supplied by the client) must clearly indicate the pattern, color, width and manufacturer of the fabric. If requested by Customer Service, a 12" x 12" (305 x 305 mm) sample must be sent prepaid to Customer Service, Artopex, 800 Vadnais, Granby, Quebec, Canada, J2J 1A7. Once the order or the sample has been approved, Customer Service will issue an acknowledgement with the instructions for shipment of the fabric to our plants.

Regardless of whether the fabric is supplied by the customer or by Artopex (to the customer's specifications), the delivery date will only be set after the fabric is received. The price of panels covered with fabric supplied by the customer corresponds to the lowest price for standard fabrics offered by Artopex.


CONNECTORS

The Uni-T panel system is comprised of 3 types of panel connectors (and connector covers): the base connectors, base connectors for Media panels and over-panel connectors. The diagrams below illustrate the connector to use for specific configurations.


Base and stackable connectors




"S" Straight




Bridge "B" 2 panels at 180°




"L" 2 panels at 90°




N7




"T" 3 panels at 90°



"X" 4 panels at 90°




N2




N7

"C" End-of-panel-run



"W" Wall



Off-Module




N2




N7

N2 Series (rounded) and N7 Series (square) connector cover
"C" End-of-panel-run configuration

Base connectors for Media panels




Media "T" 3 panels at 90°



Media "X" 4 panels at 90°

DESCRIPTION OF CONNECTORS - N2 SERIES (rounded)



K
Connector Kits include:
• Connector
• Connector cover

Note: The connector is black. The metal connector cover has a plastic finish at the base. The plastic top cap is included and is the same color as the trim chosen for connector cover (Black, Charcoal, Frost).



C
Connector Cover

Note: The metal connector cover has a plastic finish at the base. The plastic top cap is included and is the same color as the trim chosen for connector cover (Black, Charcoal, Frost).



Q
Connector only

The connector is black.

Specification – Base connectors and stackable connectors

N2				
Product code	Height	Configuration	Assembly	Trim
N2-C (Base panels)	82"	C End-of-run	K Connector Kit (connector + cover) C Connector Cover Q Connector only For connector "X", specify also the trim color applied on the plastic top end cap.	One color: N Black F Charcoal A Frost Two colors: NW Black / Silver NC Black / Ashen NP Black / Champagne FW Charcoal / Silver FC Charcoal / Ashen FP Charcoal / Champagne AW Frost / Silver AH Frost / Polar White
	66"	S Straight 180°		
	50"	L 90°		
	42"	T 90°		
	34"	X 90°		
		B Bridge 180°		
N2-CE (Over-panels)	48"	W Wall		
	40"			
	32"			
	24"			
	16"			
	8"			


Specification – Base connectors for Media panels

N2				
Product code	Height	Configuration	Assembly	Trim
N2-CEL (Media panels)	82"	T 90°	K Connector Kit (connector + cover) C Connector Cover Q Connector only For connector "X", specify also the trim color applied on the plastic top end cap.	One color: N Black F Charcoal A Frost Two colors: NW Black / Silver NC Black / Ashen NP Black / Champagne FW Charcoal / Silver FC Charcoal / Ashen FP Charcoal / Champagne AW Frost / Silver AH Frost / Polar White
	66"	X 90°		
	50"			
	42"			

Specification example:

If the required product is a Connector Kit for 2 base panels 66" H. in an "L" configuration with a charcoal+champagne trim finish, the code would be: **N2-C66LK-FP**.

DESCRIPTION OF CONNECTORS - N7 SERIES (square)



K

Connector Kits include:
 • Connector
 • Connector cover

Note: The connector is black. The connector cover is metal. The plastic top cap is included and is the same color as the trim chosen for connector cover (Black, Charcoal, White or Frost).



C

Connector Cover

Note: The connector cover is metal. The plastic top cap is included and is the same color as the trim chosen for connector cover (Black, Charcoal, White or Frost).



Q

Connector only

The connector is black.

Specification – Base connectors and stackable connectors

N7					
Product code	Height	Configuration	Assembly	Trim	
N7-C (Base panels)	82"	C End-of-run	K Connector Kit (connector + cover) C Connector Cover Q Connector only For connector "X", specify also the trim color applied on the plastic top end cap.	One color: N Black F Charcoal A Frost H Polar White Two colors: AW Frost / Silver	
	66"	S Straight 180°			
	50"	L 90°			
	42"	T 90°			
	34"	X 90°			
N7-CE (Over-panels)	48"	B Bridge 180°			
	40"	W Wall			
	32"				
	24"				
	16"				
	8"				

Specification – Base connectors for Media panels

N7				
Product code	Height	Configuration	Assembly	Trim
N7-CEL (Media panels)	82"	T 90°	K Connector Kit (connector + cover) C Connector Cover Q Connector only For connector "X", specify also the trim color applied on the plastic top end cap.	One color: N Black F Charcoal A Frost H Polar White Two colors: AW Frost / Silver
	66"	X 90°		
	50"			
	42"			

Specification example:

If the required product is a Connector Kit for 4 base panels 50" H. in an "X" configuration with a white trim, the code would be: **N7-C50XK-H**.


PANELS & ELECTRICITY

The Uni-T series panels are designed to be equipped with an electrical system, communication cables and the necessary hardware. This page and the next explain the different power and connection options when using the base panel, over-panel and Media panel with or without vertical conduit.

PANELS WITH VERTICAL CONDUITS


Panels with vertical conduits allow for the running of cables between the different levels such as the base, the Media panel and the top of the panel. Over-panels can also be specified with vertical conduits.

A pole for running the cables to the conduits is available as well as a special top cap kit. Panels 24" or more wide have two conduits and panels 18" wide have one. Panels 12" wide are not available with vertical conduits.



CABLE POLES (for power feed)

Three types of poles are available: The regular pole, the pole for panels with vertical conduits and the Media panel pole. The pole differs according to the chosen series (N2 or N7).



Regular Pole

Generally used with a base panel or a configuration of base panel and over-panel(s). Runs cables between the base panel and the power source in the ceiling. It is 12' long and can be cut to size during the installation, see p.114 and 116.


Media Panel Poles

Run cables from the Media panel (and/or base of panel) and the power source in the ceiling or floor. For the N2 series, a plastic casing (black) allows for cables to exit at the proper height on the Media panel. For the N7 series, the regular pole is used. It is 50" long (power source in floor) or 12' (power source in ceiling) and can be cut to size during installation, see p. 114-116.

Pole for panels with vertical conduits

This pole is always installed on panels with vertical conduits. Runs cables from one of the conduits to the power source in the ceiling. Length is 10', can be cut to size. A special top cap kit must be ordered when this pole is specified, see p.114 and 117. Also for use when the regular or Media poles cannot be installed (Example: Near "X" connectors).

Configuration examples




PANELS & ELECTRICITY (cont'd)


ELECTRICITY

The running of cables and installation of electrical components such as the distribution harness and the electrical duplexes can be configured in a variety of ways. Horizontally, the base panels are "powered" at the base whereas Media panels allow for the running and access to cables above the work surface. Vertically, using panels with vertical conduits, it is possible to conceal cables within the panels. Cable poles are used to run cables vertically outside of the panels.


Power source in the ceiling



Power source in floor or wall




Run power between the base panel and the Media panel




Run power from the ceiling to the Media panel or the base of panel


Cable poles
(regular, Media panel or
for panels with vertical
conduits)



Cover with female outlet for
power feed connectors
(Power Connector and box not
included).





Run power from the floor or wall to the base of the panel



INTEGRATED ELECTRICAL SYSTEM

-Electrical system: 8 wire 4-circuit system rated at 20 Amps (US), 15 Amps (CAN) each.

-Normal rating for each grounded circuit: Single-phase rated 120/240 Volt, 20 Amp, 60 Hertz or three-phase current rated 120/208 Volt, 20 AMP, 60 Hertz.



Duplex rated 15 Amp (US and CAN)

Maximum number of duplexes: 13 (US) or 12 (CAN) per circuit and up to 52 (US) or 48 (CAN) per electrical entry.

Number of duplexes per base panel:


- 12" and 18" wide: none
- 24" wide: 2 duplexes can be installed.
- 30" to 72" wide: 4 duplexes can be installed.

Duplexes can be installed back-to-back in the base panel or side-by-side in the Media panel.


Communication knockout

Number of openings per panel:

- 12" to 30" wide: none
- 36" to 72" wide: 2 openings (back-to-back)



Communication mounting plate installed into the opening (N2 or N7).




Cover with openings allow communication cables to pass through (N2).

Data channel for Media panel

Number of openings per channel:

- 12" to 30" wide: none
- 36" to 72" wide: 2 openings



Communication mounting plate installed into the data channel opening.

NB.: Communication receptacles and mounting plates are not included. They are available through local dealers.

Space available in raceway and cable poles	WITHOUT elect. system	WITH elect. system
Base raceway	1" x 4 1/2"	1" x 2 1/2"
8" Media panel doors on 2 sides (code PELL)	2 1/2" x 5 3/4"	2 1/2" x 2 1/2"
8" Media panel doors on 1 side (code PELF)	1 1/4" x 5 3/4"	1 1/4" x 2 1/2"
16" Media panel doors on 2 sides (code PELL)	2 1/2" x 13 3/4"	2 1/2" x 10 1/2"
16" Media panel doors on 1 side (code PELF)	1 1/4" x 13 3/4"	1 1/4" x 10 3/4"
Clip inside Media panel	1 1/4" x 1 1/2"	1 1/4" x 1 1/2"
Cable pole N2	equiv. 1 1/4" x 1 3/4"	equiv. 1 x 1 3/4"
Cable pole N7	equiv. 1 1/16" x 2 1/4"	equiv. 1 1/16" x 2 1/4"

GENERAL CHARACTERISTICS

This section includes information regarding work surfaces, storage and accessories for the Uni-T System.

The collection has 2 furniture series:

Lima and **Mike** that differ in surface thickness and choice of edge band.

L Lima 1"	M Mike 1½"
------------------------	-------------------------



MATERIALS

Work surfaces and floor surface supports are made of 1" (25mm) thick pressed wood in the **Lima** series and 1½" (38mm) thick for the **Mike** series. The surfaces can be ordered either in thermally fused laminate (T.F.L.) or high pressure laminate (H.P.L.). Specifying high pressure laminate surfaces (H.P.L.) adds 1/16" (1.6mm) to the thickness of the surface.

There is a 3/32" (2.5mm) thick PVC edge band on surfaces that can be specified in matching or contrast colors; striped or fluted. Other furniture components such as the floor surface supports are also finished with the 3/32" (2.5mm) PVC edge in matching T.F.L. colors.

As a rule, components such as storage sides, backs and doors are made with 11/16" (17,5 mm) thick pressed wood and are finished with the 3/32" (2.5mm) PVC edge band in matching T.F.L. colors.

This price list contains only a partial selection of the storage units available. Refer to the Take Off freestanding price list for many products to complete your office layout.

LAMINATE FINISHES

Laminate finish choices are specified in 4 categories:


- The "Surface" finish (applies to the top of work surfaces, counter tops and tables).
- The "Edge Band" finish (applies to the edge of the surface).
- The "Base" finish (applies to the side, back and shelves of storage and on the base of tables and floor surface supports).
- The "Front" finish (applies to storage doors)

Casters and internal structural or mechanical components have a black finish.

Please refer to the product description and finish chart for more details, see p.40-41.

WOOD GRAIN DIRECTION

Surfaces



Generally, the wood grain runs parallel to the longest side of the surface whereas the wood grain on symmetrical corner surfaces is positioned at 45°.


Legs, Doors

The wood grain is positioned vertically on:

- tables bases
- surface supports
- sides of storage

-horizontally on:

- flipper doors



ASSEMBLY AND HARDWARE

Assembled products such as **storage units** (except open and closed shelf units) and **pedestals** are delivered assembled with the exception of levelers and pulls.

The knockdown products are shipped with the necessary hardware (brackets & screws) attached to the furniture. Work surfaces and various tables with a choice of legs are shipped with the hardware to attach the legs to the surfaces.



IMPORTANT: All components that are attached to a Uni-T panel must be specified from the Uni-T price list.

GROMMETS

Factory installed rectangular grommets are included on work surfaces and tables. If grommets are not required, choose the "NG" option (no upcharge).



The grommet with the Artopex logo consists of a cover with 2 openings:


- The first is for large caliber cables (monitor, computer, lamp, etc).
- The second is for small wires (cellphone, USB cable, etc).
- The dimension of the cut-out is 3 3/8" x 1 1/8".

The plastic grommets are available 2 colors: White (G1) or Charcoal (G2). The color must be indicated when specifying the product.

SURFACES WITH GROMMETS

Rectangular surfaces 42" or less have 1 grommet in the center and those 48" or longer have 2 grommets. Corner surfaces have 1 grommet positioned in the back center of the corner. If the corner surface has one side 60" long or more, it will have 2 grommets aligned on the longest side near each end. "D" shaped surfaces have 1 grommet.

1- Position of grommets on RECTANGULAR and CORNER surfaces




2- Position of grommets on "D" TABLES



MULTI-OUTLETS (option)

A recessed multi-outlet can be ordered on most surfaces where indicated. The cut-out for the multi-outlet is done in factory but the electrical box must be installed on site.

- The black plastic multi-outlet has:
- 2 electrical outlets with a ground 13 AMP circuit-breaker;
 - 2 punch outs for communication outlets;
 - 1 retractable cover that can be closed when not in use;
 - 1 conventional outlet plug, UL and CSA compliant.




UCC Recessed surface outlet with conventional wall connection



A clearance of 5" is required behind the pedestal for the installation of a multi-outlet. Refer to the specification tables on pages 36-37 for the clearance of the various pedestals.

Specify the location of the multi-outlet in the "Options" section (M-Outlet). The illustrations below explain the positioning of multi-outlets according to the type of surface.

1- Position of multi-outlets on RECTANGULAR and CORNER surfaces



2- Position of multi-outlets on "D" TABLES



The specification of a multi-outlet automatically replaces the existing grommet.

WORK SURFACE AND SUPPORTS

The Uni-T system work surfaces consist of a surface resting on a variety of supports: cantilevers, floor supports or lateral supports. Each support has at least one multi-hooked bracket (in increments of 1" - 25mm) so it can be solidly attached to the panel. These supports must be ordered separately, unless otherwise indicated in the price list (see p.142 to 148).

Intermediate floor supports and the intermediate adjustable leg are installed off-module.

- It is recommended to use an intermediate support on all surfaces 48" and longer (T.F.L.) and 54" and longer (H.P.L.).



STIFFENER


A stiffener is recommended for attached surfaces 54" long or more. See p.147-148.

Different supports are available depending on the installation: a central bracket at the junction of two panels, an intermediate support or a surface supporting pedestal.

- A central bracket is included with 66" and 72" long surfaces and installs at the junction of two surface-supporting panels.
- A corner bracket is included with corner surfaces.


Floor Surface Supports 28" H. - FIXED

- 1" T.F.L. panel or metal frame made of 1" x 3" metal tubes with or without laminate or perforated metal panel.
- Height adjustment of 1 1/2" (38mm).



Surface Supports - HEIGHT-ADJUSTABLE

- With the end panel and intermediate height-adjustable leg, the supported surface is height-adjustable from 27" to 32" (Lima series) or 27 1/2" to 32 1/2" (Mike series).
- The end panel installs on the outside end of the surface it supports.




STABILIZING FLOOR BRACKET KIT

The stabilizing floor bracket kit installs on a base panel (N2 or N7) to make it freestanding.


- The brackets are attached with a clamp on to the connector and come with a finishing cap.
- Allows for a height-adjustment of 2 1/2" H.




Do not attach anything to the base panel (open-shelf units, counter tops, etc.)




CONVERGENT TABLES AND SHARED CONFERENCE SURFACES



Rounded Surfaces



Arched Surfaces



Rectangular Surface

Convergent tables ("D" and "L" shaped) serve as the main work surface or meeting surface of a workstation. They must be attached to a panel and are available in a variety of shapes, with a choice of metal legs or a laminate monolithic leg. The laminate monolithic leg is offered in all "base" laminate finishes.



Round 4" leg

Metal telescopic leg, 4" in diameter allowing for a height adjustment of 4".



TUBULAR leg set

(2) round tubular metal legs, 2 1/2" diameter allowing for a height adjustment of 13/16" H.

OR

(2) square tubular metal legs, 2 1/2" x 2 1/2" with a height adjustment of 2".



TUBULAR leg WITH BASE PLATE

Round 4" diameter tubular leg with round or square base plate. The plate is 18" in diameter or 18" x 18". Height adjustment from 27" to 30" H. under the surface.




MONOLITHIC leg


4" x 12" rectangular base made of 1" thermally fused laminate panels. Levelers allow for a 1 1/2" (38mm) height adjustment.

Shared Conference Surfaces

Shared conference surfaces are designed to be used with Uni-T system panel attached surfaces. The width of the shared surface includes the thickness of the panel and accommodates the rounded or square connector cover at the end of the panel. It is important to choose the surface corresponding to the panel series (N2 or N7) to which it will be installed. The hardware to attach it to the supports of the two surfaces is included.




Round notch (N2)




Square notch (N7)

COUNTER TOPS

A variety of counter tops are available: rectangular, extended, rounded, with or without notch, etc. A notch at one or both ends and the metal supports to attach the counter top to the panel are round or square, corresponding to the panel series (N2 or N7) to which it will be installed.



Round notch (N2)



Square notch (N7)

Counter top for N7 panels

Flipper door cabinet with optional Noki lock and off-module adaptors



Laminate floor end panel

D-shaped rectangular table with laminate leg

SPECIFICATION CHART - INTERIOR CLEARANCE FOR LAMINATE STORAGE UNITS


INTERIOR CLEARANCE (horizontal) UNDER SURFACES

The Uni-T surfaces are offered with different interior clearances for laminate pedestals, filling and storage. This chart illustrates the clearance available under the surfaces. These storage units are offered in the current Take Off freestanding price list.

LAMINATE				
SURFACE depth	LAMINATE STORAGE depth (as offered in the current Take Off price list)			
	18"	20"	21"	24"
18"	Does not fit	Does not fit	Does not fit	Does not fit
21"	 3 7/8" Space	 1" Space	 1/8" Space	Does not fit
24"	 6 1/8" Space	 4" Space	 3 1/8" Space	 1/8" Space
30"	 12 1/8" Space	 10" Space	 9" Space	 6" Space
36"	 18 1/8" Space	 16" Space	 15 1/8" Space	 12 1/8" Space

INTERIOR CLEARANCE (vertical) UNDER SURFACES















Pictured is the vertical space used when a LAMINATE storage unit(s) is placed under a 29" high surface.



SPECIFICATION CHART - INTERIOR CLEARANCE FOR METAL STORAGE UNITS


INTERIOR CLEARANCE (horizontal) UNDER SURFACES

The Uni-T surfaces are offered with different interior clearances for metal pedestals and filing. This chart illustrates the clearance available under the work surfaces. These storage units are offered in the current Metal price list with the exception of the NP45/47 series which can be found on p.149.

METAL					
SURFACE depth	METAL STORAGE depth			SUPPORT PEDESTAL depth	
	18"	22"	28"	23½" (NP45/47)	29½" (NP45/47)
18"	Does not fit	Does not fit	Does not fit	Does not fit	Does not fit
21"	 2 7/8" Space	Does not fit	Does not fit	Does not fit	Does not fit
24"	 5/8" Space	 1 7/8" Space	Does not fit	 1/4" Space	Does not fit
30"	 11 7/8" Space	 7 7/8" Space	 1 7/8" Space	 6 1/4" Space	 1/4" Space
36"	 17 7/8" Space	 13 7/8" Space	 7 7/8" Space	 12 1/4" Space	 6 1/4" Space

INTERIOR CLEARANCE (vertical) UNDER SURFACES

Pictured is the vertical space used when a METAL storage unit (with 6" or 12" drawers) is placed under a 29" high surface.




* The other 2 drawer lateral filing cabinets with metal or laminate fronts are too high and will, therefore, cause interference with the surface.

STORAGE UNITS

The storage units listed below are designed specifically for use with the Uni-T system. For a selection of complementary freestanding storage units (pedestals, cabinets, etc.), please refer to the current Take Off freestanding price list.


Open Shelf 8" H. with shared access

- Open storage on both sides of the panel.
- Installed on top of the panel.
- Laminate with metal supports.
- 2 models of supports: rounded (N2) and square (N7).
- Internal division can be specified in a contrasting color: White (BW) or Charcoal (F).




Open Shelf 16" H. with shared access

- 1 section of open storage on opposite sides of the panel.
- Installed on top of the panel.
- Laminate with metal supports.
- 2 models of supports: rounded (N2) and square (N7).
- A tackboard for Take Off low hutches can be installed on the side that is not open.



Sliding Door Cabinets 16" H. with shared access


- 1 sliding door in frosted acrylic on both sides.
- Installed on top of the panel.
- Laminate with metal supports.
- 2 models of supports: rounded (N2) and square (N7).
- Choice of pulls.




Support pedestals - Metal

The support pedestals (metal) are used as supports for surfaces 24" or 30" deep (the use of a multi-outlet is not possible on the surface above the support pedestal).

- Lock & key included, Noki lock available as an option.
- Brackets are included to attach the back of the pedestal to the base panel (N2 or N7).
- 2 models of pulls: Series 45 (central aluminum pull) or Series 47 (full-width integrated pull).
- Available in all current Artopex metal finishes.




45 Series



47 Series


Open Shelf Unit 16" or 8" H.

- Attaches to the panel connectors.
- Metal shelf and back, laminate sides.




Flipper Door Cabinets

- Attaches to the panel connectors.
- Metal shelf and back; laminate sides, top and door(s).
- Flipper doors available with standard closing mechanism or "Easy-Down" soft closing option.
- Noki electronic lock and key lock available as an option.




Dividers

The dividers are installed on the metal shelf of open or closed shelves (ordered separately).



Off-Module Adapters

Off module adapters are for hanging an open shelf unit 16" or 8" H. off the top of a panel.




8" H. Open shelf units with white internal division (option)



ACCESSORIES

Tackboards

- Tackboards are attached to the panel connector.




Markerboards

- Markerboards are made of high-gloss white H.P.L. and are attached to the panel connector.
- Comes with a silver marker tray (markers not included).



Accessory Bars


- The painted metal accessory bar is 4" H. It attaches to the panel connector.



For use with Artopex accessories; see current Accessories price list.

Privacy Panels 16" or 8" H.

- Clear glass or frosted (on 1 side) acrylic screen, 1/4" thick, inserted into a full length rail.
- Attached to the top cap of the Uni-T panel (N2 or N7 series).
- DO NOT install a glass screen on a panel connected to a panel of a different height.



Hook

- The coat hook hangs off the top of the panel or between two stackable panels.



Signage Module

- The identification plaque is 2" H. x 8" L. and pins on to fabric panels only.




SPECIFICATION EXAMPLES

Here are some examples of codes applied to different products.

BASE PANEL - LAMINATE 1 SIDE (TO THE FLOOR), FABRIC 1 SIDE

Dimensions: 50" x 42"




Ordering code:
N7-PYTE5042-H-GX-SR81

S SPECIFY				
	Code	Trim	Lamin.	Fabric
N7 -	PYTE5042	H	GX	SR81

Series: N7 (square)
Trim: Polar White
Laminate: Galaxy - 1 side
Fabric: Strata, Glacial color (grade 1) - 1 side

TRANSPARENT OVER-PANEL

Dimensions: 16" x 48"




Ordering code:
N7-PET1648-H-Gi

S SPECIFY			
	Code	Trim	Acrylic
N7 -	PET1648	H	Gi

Series: N7 (square)
Trim: Polar White
Acrylic: Frosted

D-SHAPED TABLE - RECTANGULAR

Dimensions: 36" x 72"




Ordering code:
NL-SDSi3672G-SGX/0GX-BW-NG-UCC

S SPECIFY							O OPTION
	Series	Code	Surface	Edge	Base	Grom.	M-Outlet
N	H	SDSi3672G	H	0GX	BW	NG	UCC

Series: Lima (top 1")
Surface: Galaxy (H.P.L.)
Edge band: Galaxy (regular edge)
Base: White
Grommet: Remove and replace by a multi-outlet module
Multi-outlet option: UCC

FLIPPER DOOR CABINET

Dimensions: 42" x 14" x 16"



Ordering code:
NL-SUFD1642-DW-GX/BW-3002-L

S SPECIFY						O OPTION
	Code	Mecan.	Base	Fronts	Metal	Noki
NL-	SUFD1642	DW	GX	BW	3002	L


Mechanism: "Easy-Down" soft closing system
Base: Galaxy
Front: White
Metal (shelf): Polar White
 Option of Noki lock

FINISH CHOICES CHART



This is the coding system to use in the specific fields of the price list with reference to choice of colors. Some exceptions apply, see the charts below or finish cards.



***NOTE**, Colors (especially dark colors) may vary between TFL and HPL.



PANELS




SURFACE













TRIM - N2	FABRIC	T.F.L. LAMINATE	T.F.L.	H.P.L.	
1 COLOR FINISH	<p>Please refer to the current Artopex Panel Fabric card.</p> <p>PANEL WITH 2 FABRICS Panels can be covered in different fabrics on each side.</p> <p>For this option, the higher grade fabric price will apply on both sides. For more information, contact Customer Service.</p> <p>C.O.M. ORDERS See p.11.</p>	DOLOMITE FINISH	DOLOMITE FINISH	MAT FINISH	
Charcoal (F) Frost (A) Black (N)		Charcoal (MF) Frost (MA) White (MBW)	Antique White (MAW) * Charcoal (MF) * Frost (MA) * White (MBW) *	Antique White (SAW) * Cayenne Maple (SCM) Charcoal (SF) Cherry (SCH) Chestnut (SCG) Dark Oak (SDK) Douglas Pine (SDP)	
2 COLORS FINISH		SUPERMAT FINISH	SUEDE FINISH	Frost (SA) Honey (SHO) Maritime Maple (SEM) Mocha (SPM) Tobacco Cherry (STC) White (SBW) Willow Grey (SWG) **	
Charcoal / Silver (FW) Charcoal / Ashen (FC) Charcoal / Champagne (FP) Frost / Silver (AW) Frost / Polar White (AH) Black / Silver (NW) Black / Ashen (NC) Black / Champagne (NP)		<p>Chestnut (MCG) Douglas Pine (MDP) Willow Grey (MWG)</p> <p>AURA FINISH</p> <p>Carbon (MCB) Dalia (MDA) Galaxy (MGX) Ginger Root (MGG) Sea Salt (MSM) Twilight (MTL)</p>	Cayenne Maple (MCM) Cherry (MCH) Dark Oak (MDK) Honey (MHO)	<p>Carbon (SCB) Dalia (SDA) Galaxy (SGX) Ginger Root (SGG) Sea Salt (SSM) Sesame (SSE) Twilight (STL)</p>	
TRIM - N7		ACRYLIC	H.P.L. LAMINATE	SUPERMAT FINISH	NATURAL FINISH
1 COLOR FINISH		Frosted (Gi) Clear (CL)	DOLOMITE FINISH	Chestnut (MCG) Douglas Pine (MDP) Maritime Maple (MEM) Mocha (MPM) Tobacco Cherry (MTC) Willow Grey (MWG) *	<p>Carbon (SCB) Dalia (SDA) Galaxy (SGX) Ginger Root (SGG) Sea Salt (SSM) Sesame (SSE) Twilight (STL)</p>
Polar White (H) Charcoal (F) Frost (A) Black (N)			Antique White (SAW) Black (SSN)	AURA FINISH	
2 COLORS FINISH			SUEDE FINISH	Carbon (MCB) Dalia (MDA) Galaxy (MGX) Ginger Root (MGG) Sea Salt (MSM) Sesame (MSE) Twilight (MTL)	
Frost / Silver (AW)			Cayenne Maple (SCM) Cherry (SCH) Dark Oak (SDK) Honey (SHO)		
			SUPERMAT FINISH		
		Maritime Maple (SEM) Mocha (SPM) Tobacco Cherry (STC)			
		AURA FINISH			
		Sesame (SSE)			
			<p>* NOT AVAILABLE FOR MIKE SERIES (1½" THICK SURFACE).</p>		

** Willow Grey: Matt finish, and not supermat like T.F.L.

FINISH CHOICES CHART (cont'd)

Some products have specific finish choices due to the nature of their components. For the metal support pedestals, refer to the current Artopex metal Finishes chart to view the finishes.




EDGE BANDS (surface)			BASE / FRONT	ACCESSORIES LEGS / BASES	CABINETS WITH SHARED ACCESS
REGULAR EDGES	FLUTED EDGES	STRIPED EDGES	T.F.L.	METAL	PULLS
Aluminum (0W) Antique White (0AW) * Black (0N) * Carbon (0CB) Cayenne Maple (0CM) Charcoal (0F) Cherry (0CH) Chestnut (0CG) Dalia (0DA) Dark Oak (0DK) Douglas Pine (0DP) Frost (0A) Galaxy (0GX) Ginger Root (0GG) Honey (0HO) Maritime Maple (0EM) Mocha (0PM) Sea Salt (0SM) Sesame (0SE) Tobacco Cherry (0TC) Twilight (0TL) White (0BW) Willow Grey (0WG)	Aluminum (3W) Antique White (3AW) * Black (3N) * Carbon (3CB) Cayenne Maple (3CM) Charcoal (3F) Cherry (3CH) Chestnut (3CG) Dalia (3DA) Dark Oak (3DK) Douglas Pine (3DP) Frost (3A) Galaxy (3GX) Ginger Root (3GG) Honey (3HO) Maritime Maple (3EM) Mocha (3PM) Sea Salt (3SM) Sesame (3SE) Tobacco Cherry (3TC) Twilight (3TL) White (3BW) Willow Grey (3WG)	Multiply Maple (V1) Coordinate with surface finishes: Maritime Maple - Mocha Douglas Pine  Image Actual Size 1" thick surface Edges STRIPED (WIDE) Maple/Honey Striped (R1) Coordinate with surface finishes: Maritime Maple - Honey  Image Actual Size 1" thick surface	DOLOMITE FINISH Antique White (AW) Black (SN) Charcoal (F) Frost (A) White (BW) SUEDE FINISH Cayenne Maple (CM) Cherry (CH) Dark Oak (DK) Honey (HO) SUPERMAT FINISH Chestnut (CG) Douglas Pine (DP) Maritime Maple (EM) Mocha (PM) Tobacco Cherry (TC) Willow Grey (WG) AURA FINISH Carbon (CB) Dalia (DA) Galaxy (GX) Ginger Root (GG) Sea Salt (SM) Sesame (SE) Twilight (TL)	Silver (3090) Polar White (3002) Charcoal (3064) Black (3067)  PRIVACY PANELS METAL Silver (3090) Polar White (3002) Ashen (3370) Champagne (3311) Charcoal (3064) Frost (3065) Black (3067) GLASS Clear (VG6) ACRYLIC Frosted (Gi)	 TN - Nickel TECHNO  DN - Nickel DECO  J - Satin Chrome  X - Aluminum  YN - Brushed Nickel  YA - Antique Nickel  YB - Brushed Bronze
					
* NOT AVAILABLE FOR MIKE SERIES (1½" THICK SURFACE).					



Price list

base panels



Straight base panel (rounded N2 series), fabric-covered.

Base raceway 5 1/2" high x 2 1/2" wide accommodates communication wiring and 8 wire 4-circuit electrical cabling (not included). Connectors NOT included.

*** 90° Oriented fabric ("Railroad"): On panels 66" & 72" wide, fabric is automatically oriented at 90°.**

To ensure uniformity, all panels & over-panels 60" wide or less (except 82" high panels) can be ordered with 90° oriented fabric.


For information on this option (no charge), refer to p.24.

Dimensions		Code	Price					Specifications	
A	B		C.O.M/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
82	60	P8260	849	913	935	977	1040	10.3	86
82	54	P8254	783	843	867	954	969	9.2	78
82	48	P8248	716	770	793	882	895	8.2	70
82	42	P8242	648	697	719	760	824	7.2	62
82	36	P8236	584	627	650	690	752	6.2	54
82	30	P8230	514	552	569	585	639	5.2	46
82	24	P8224	449	483	497	510	548	4.2	38
82	18	P8218	386	415	427	447	480	3.2	30
82	12	P8212	318	342	353	375	407	2.2	22

66	72	P6672 *	880	930	976	992	1008	9.9	88
66	66	P6666 *	824	870	914	945	975	9.1	79
66	60	P6660	769	826	851	881	948	8.3	72
66	54	P6654	711	763	785	818	884	7.5	65
66	48	P6648	650	699	719	741	809	6.6	58
66	42	P6642	589	633	652	670	705	5.8	51
66	36	P6636	532	572	590	605	638	5.0	44
66	30	P6630	469	504	518	535	550	4.2	37
66	24	P6624	409	440	454	468	484	3.4	30
66	18	P6618	353	380	392	403	414	2.6	23
66	12	P6612	294	316	325	336	344	1.8	16

50	72	P5072 *	736	792	834	887	938	7.5	74
50	66	P5066 *	689	740	779	828	877	6.9	68
50	60	P5060	647	708	730	768	831	6.3	62
50	54	P5054	597	655	675	694	739	5.7	56
50	48	P5048	549	601	619	637	674	5.2	50
50	42	P5042	496	543	560	576	616	4.4	44
50	36	P5036	450	493	508	521	559	3.8	38
50	30	P5030	396	433	447	460	474	3.2	32
50	24	P5024	347	381	393	404	426	2.6	26
50	18	P5018	300	330	341	352	374	2.0	20
50	12	P5012	252	276	284	292	301	1.3	14

base panels (cont'd)



Dimensions		Code	Price					Specifications	
A	B		C.O.M/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
42	72	P4272 *	669	706	741	795	846	6.4	59
42	66	P4266 *	627	662	696	748	801	5.8	55
42	60	P4260	587	631	649	669	695	5.3	50
42	54	P4254	542	583	601	618	647	4.8	46
42	48	P4248	497	535	551	568	600	4.3	41
42	42	P4242	450	484	498	516	528	3.7	37
42	36	P4236	409	440	453	472	504	3.2	32
42	30	P4230	360	386	397	409	429	2.7	28
42	24	P4224	316	339	350	360	382	2.2	23
42	18	P4218	273	295	303	316	327	1.7	19
42	12	P4212	229	245	252	259	270	1.1	14

34	72	P3472 *	601	634	666	713	758	5.2	50
34	66	P3466 *	570	598	626	674	721	4.7	46
34	60	P3460	529	569	584	625	681	4.3	42
34	54	P3454	490	526	542	558	590	3.9	38
34	48	P3448	450	484	498	516	548	3.5	34
34	42	P3442	407	438	451	470	502	3.0	30
34	36	P3436	371	398	411	430	462	2.6	26
34	30	P3430	327	351	362	383	416	2.2	22
34	24	P3424	288	309	319	330	351	1.8	18
34	18	P3418	252	270	281	292	312	1.3	14
34	12	P3412	211	227	233	241	250	0.9	10

S SPECIFY


N2 - - -

S Code: Consult the product code above.

Trim: Uni-T finishes / N2, see p.27.

Fabric: Specify the code, refer to the current Artopex panel fabric card.

base panels with vertical conduits



Straight base panel (rounded N2 series) with vertical conduits, fabric-covered.
 Base raceway 5 1/2" high x 2 1/2" wide accomodates communication wiring and 8 wire 4-circuit electrical cabling (not included).
 Vertical conduits allow wiring to pass from over-panel or Media panel to base or from ceiling to base.
 Panels have two conduits (one at each end), except panels 18" wide that have one central conduit.

Connectors NOT included.

*** 90° Oriented fabric ("Railroad"):** On panels 66" & 72" wide, fabric is automatically oriented at 90°.

To ensure uniformity, all panels & over-panels 60" wide or less (except 82" high panels) can be ordered with 90° oriented fabric. For information on this option (no charge), refer to p.24.




Important:

Order a special Top Cap ONLY when the Vertical Conduit Cable Pole is used (see "Cable Poles" & "Top Caps" on p.29).

Dimensions		Code	Price					Specifications	
A	B		C.O.M/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
82	60	E8260	857	921	942	981	1042	10.3	86
82	54	E8254	793	854	877	960	974	9.2	78
82	48	E8248	730	784	807	892	905	8.2	70
82	42	E8242	666	716	736	776	836	7.2	62
82	36	E8236	603	649	670	708	768	6.2	54
82	30	E8230	537	576	594	608	660	5.2	46
82	24	E8224	475	510	526	538	572	4.2	38
82	18	E8218	393	422	435	453	484	3.2	30
66	72	E6672 *	858	905	952	968	981	9.9	88
66	66	E6666 *	805	850	894	924	950	9.1	79
66	60	E6660	756	813	836	864	925	8.3	72
66	54	E6654	701	754	774	805	867	7.5	65
66	48	E6648	645	693	713	734	796	6.6	58
66	42	E6642	587	631	650	667	700	5.8	51
66	36	E6636	535	575	591	606	637	5.0	44
66	30	E6630	475	510	524	540	553	4.2	37
66	24	E6624	420	451	465	477	493	3.4	30
66	18	E6618	351	377	388	399	409	2.6	23
50	72	E5072 *	734	774	814	864	912	7.5	74
50	66	E5066 *	688	726	762	810	854	6.9	68
50	60	E5060	648	697	717	752	810	6.3	62
50	54	E5054	602	647	667	684	725	5.7	56
50	48	E5048	554	596	614	630	664	5.2	50
50	42	E5042	505	542	559	573	612	4.4	44
50	36	E5036	461	496	510	523	558	3.8	38
50	30	E5030	409	440	453	465	479	3.2	32
50	24	E5024	363	392	402	413	431	2.6	26
50	18	E5018	305	328	338	349	370	2.0	20

base panels with vertical conduits (cont'd)



Dimensions		Code	Price					Specifications	
A	B		C.O.M/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
42	72	E4272 *	671	708	744	795	845	6.4	59
42	66	E4266 *	630	666	700	750	801	5.8	55
42	60	E4260	593	638	656	673	700	5.3	50
42	54	E4254	550	591	608	625	652	4.8	46
42	48	E4248	506	546	560	576	607	4.3	41
42	42	E4242	461	496	510	527	538	3.7	37
42	36	E4236	422	453	466	484	515	3.2	32
42	30	E4230	374	402	413	425	443	2.7	28
42	24	E4224	332	356	367	376	398	2.2	23
42	18	E4218	279	300	308	321	331	1.7	19

34	72	E3472 *	607	640	673	718	762	5.2	50
34	66	E3466 *	572	603	634	681	726	4.7	46
34	60	E3460	538	579	594	634	688	4.3	42
34	54	E3454	501	538	553	569	600	3.9	38
34	48	E3448	462	497	510	528	559	3.5	34
34	42	E3442	421	453	465	484	515	3.0	30
34	36	E3436	384	414	426	444	475	2.6	26
34	30	E3430	343	369	378	399	430	2.2	22
34	24	E3424	304	327	337	348	369	1.8	18
34	18	E3418	259	277	288	298	319	1.3	14

S SPECIFY


N2 - - -

S Code: Consult the product code above.

Trim: Uni-T finishes / N2, see p.27.

Fabric: Specify the code, refer to the current Artopex panel fabric card.

transparent base panels




Transparent straight base panel (rounded N2 series), available in Clear or Frosted acrylic finish.
 Base raceway 5½" high x 2½" wide accomodates communication wiring and 8 wire 4-circuit electrical cabling (not included).
 Connectors NOT included.

Dimensions			Specifications		
A	B	Code	Price	Cu.Ft.	lb
82	48	PT8248	1196	8.2	66
82	42	PT8242	1112	7.2	60
82	36	PT8236	1007	6.2	53
82	30	PT8230	901	5.2	47
82	24	PT8224	794	4.2	40
82	18	PT8218	703	3.2	33
82	12	PT8212	601	2.2	27

66	48	PT6648	1086	6.6	55
66	42	PT6642	901	5.8	50
66	36	PT6636	858	5.0	45
66	30	PT6630	776	4.2	39
66	24	PT6624	679	3.4	33
66	18	PT6618	598	2.6	28
66	12	PT6612	518	1.8	22

50	48	PT5048	899	5.2	45
50	42	PT5042	828	4.4	41
50	36	PT5036	760	3.8	36
50	30	PT5030	689	3.2	31
50	24	PT5024	617	2.6	27
50	18	PT5018	507	2.0	22
50	12	PT5012	431	1.3	17



42	48	PT4248	832	4.3	40
42	42	PT4242	760	3.7	36
42	36	PT4236	691	3.2	32
42	30	PT4230	602	2.7	27
42	24	PT4224	527	2.2	23
42	18	PT4218	462	1.7	19
42	12	PT4212	396	1.1	15


34	48	PT3448	734	3.5	34
34	42	PT3442	674	3.0	31
34	36	PT3436	615	2.6	27
34	30	PT3430	538	2.2	24
34	24	PT3424	462	1.8	20
34	18	PT3418	402	1.3	16
34	12	PT3412	344	0.9	13

S SPECIFY

N2 - - -

S Code: Consult the product code above.
Trim: Uni-T / N2 finishes, see p.27.
Acrylic: Clear (CL) or Frosted (G).

doors - with frame and sliding



Door with frame, can be installed to open left or right.
 When manufactured, the door is positioned to open left or right but can be reversed on site or during a reconfiguration.
 Doorknob and lock included. The painted metal sill is height-adjustable.
 Door with frame has the dimensions of a 82" x 42" straight panel.


Dimensions			Specifications			
A	B	C	Code	Price	Cu.Ft.	lb
OPENS LEFT						
82	42		DOOR8242L	2496	8.7	80
OPENS RIGHT						
82	42		DOOR8242R	2496	8.7	80

S SPECIFY

N2 - Code - Trim - Surface

S Code: Consult the product code above.
 Trim: Uni-T / N2 finishes, see p.27.
 Surface: Specify a surface color (H.P.L. only), see p.40.

sliding door



Sliding door (on casters), can be installed on a straight base panel or panel combination of the same width ("B" dimension).
 Must be installed on a base panel or panel combination of the same height or more as the sliding door in order to install the upper door guide, included with the door.
 It is possible to install over-panels on top of the base panel on which the sliding door is installed.
 Can be installed to slide either left or right (universal mounting).
 Overhead storage cannot be installed on the back of the base panel on which the sliding door is installed.
 Panel configuration on which the door is installed must be stable to ensure the smooth operation of the open-close system.
 A rolling sill can be installed to prevent wear of the flooring (see below).

66	48	42	DONSL6642	1620	5.8	48
66	42	36	DONSL6636	1560	5.0	44
50	48	42	DONSL5042	1470	4.4	39
50	42	36	DONSL5036	1423	3.8	36


C: Approximate interior space between two base panels.

S SPECIFY

N2 - Code - Trim - Acrylic

S Code: Consult the product code above.
 Trim: Uni-T / N2 finishes, see p.27.
 Acrylic: Clear (CL) or Frosted (G).


sliding door sill



Rolling sill for sliding door to prevent wear of the flooring. Aluminum finish.

For 42" door	N5-DOTR42-W	150	4.8	20
For 36" door	N5-DOTR36-W	141	4.2	17

base panels - laminate 2 sides



Straight base panel (rounded N2 series), with laminate finish (T.F.L. or H.P.L.) and cable access on both sides.

The wood grain is positioned horizontally. Both sides have the same laminate finish.

Base raceway 5 1/2" high x 2 1/2" wide accomodates communication wiring and 8 wire 4-circuit electrical cabling (not included).

Connectors NOT included.

Dimensions		Code	Price		Specifications	
A	B		T.F.L.	H.P.L.	Cu.Ft.	lb
50	72	PYEE5072	844	1224	7.5	128
50	66	PYEE5066	792	1148	6.9	118
50	60	PYEE5060	746	1082	6.3	107
50	54	PYEE5054	692	1003	5.7	97
50	48	PYEE5048	639	927	5.2	86
50	42	PYEE5042	582	844	4.4	76
50	36	PYEE5036	532	771	3.8	65
50	30	PYEE5030	474	687	3.2	55
50	24	PYEE5024	420	609	2.6	44
50	18	PYEE5018	370	537	2.0	33
50	12	PYEE5012	317	460	1.3	23
42	72	PYEE4272	766	1111	6.4	104
42	66	PYEE4266	719	1043	5.8	95
42	60	PYEE4260	675	979	5.3	87
42	54	PYEE4254	626	908	4.8	79
42	48	PYEE4248	576	835	4.3	71
42	42	PYEE4242	525	761	3.7	62
42	36	PYEE4236	475	689	3.2	54
42	30	PYEE4230	421	610	2.7	46
42	24	PYEE4224	373	541	2.2	38
42	18	PYEE4218	326	473	1.7	30
42	12	PYEE4212	277	402	1.1	21
34	72	PYEE3472	697	1011	5.2	85
34	66	PYEE3466	662	960	4.7	78
34	60	PYEE3460	617	895	4.3	71
34	54	PYEE3454	573	831	3.9	64
34	48	PYEE3448	529	767	3.5	57
34	42	PYEE3442	482	699	3.0	50
34	36	PYEE3436	437	634	2.6	43
34	30	PYEE3430	388	563	2.2	36
34	24	PYEE3424	345	500	1.8	29
34	18	PYEE3418	305	442	1.3	23
34	12	PYEE3412	260	377	0.9	16

S SPECIFY

N2 - - -


S Code: Consult the product code above.

Trim: Uni-T / N2 finishes, see p.27.

Laminate: Specify the finish, see p.40.

The laminate is available in either Thermally Fused Laminate (T.F.L.) or High Pressure Laminate (H.P.L.). Refer to the finishes table, p.40.

base panels - laminate 2 sides (cont'd)



Straight base panel (rounded N2 series), with laminate finish (T.F.L. or H.P.L.) on both sides, with cable access on one side. **The wood grain is positioned horizontally. Both sides have the same laminate finish.** Base raceway 5½" high x 2½" wide accomodates communication wiring and 8 wire 4-circuit electrical cabling (not included). To provide electricity to this panel, use the harness for Media panels **HSS**, see p.110. Connectors NOT included.

Dimensions		Code	Price		Specifications	
A	B		T.F.L.	H.P.L.	Cu.Ft.	lb
50	72	PYE5072	779	1130	7.5	132
50	66	PYE5066	729	1057	6.9	121
50	60	PYE5060	685	993	6.3	110
50	54	PYE5054	634	919	5.7	100
50	48	PYE5048	583	845	5.2	89
50	42	PYE5042	528	766	4.4	78
50	36	PYE5036	494	716	3.8	67
50	30	PYE5030	438	635	3.2	56
50	24	PYE5024	386	560	2.6	45
50	18	PYE5018	338	490	2.0	34
50	12	PYE 5012	287	416	1.3	24

42	72	PYE4272	717	1040	6.4	107
42	66	PYE4266	673	976	5.8	99
42	60	PYE4260	631	915	5.3	90
42	54	PYE4254	584	847	4.8	82
42	48	PYE4248	537	779	4.3	73
42	42	PYE4242	487	706	3.7	64
42	36	PYE4236	442	641	3.2	56
42	30	PYE4230	391	567	2.7	47
42	24	PYE4224	344	499	2.2	39
42	18	PYE4218	299	434	1.7	30
42	12	PYE4212	253	367	1.1	22

34	72	PYE3472	649	941	5.2	88
34	66	PYE3466	616	893	4.7	81
34	60	PYE3460	573	831	4.3	74
34	54	PYE3454	531	770	3.9	67
34	48	PYE3448	490	711	3.5	59
34	42	PYE3442	444	644	3.0	52
34	36	PYE3436	404	586	2.6	45
34	30	PYE3430	358	519	2.2	38
34	24	PYE3424	317	460	1.8	31
34	18	PYE3418	278	403	1.3	23
34	12	PYE3412	235	341	0.9	16

S SPECIFY

N2 - Code - Trim - Laminate


S Code: Consult the product code above.

Trim: Uni-T / N2 finishes, see p.27.

Laminate: Specify the finish, see p.40.

The laminate is available in either Thermally Fused Laminate (T.F.L.) or High Pressure Laminate (H.P.L.). Refer to the finishes table, p.40.

base panels - laminate 2 sides [to the floor]



Straight base panel (rounded N2 series), with laminate finish (T.F.L. or H.P.L.) on both sides, without cable access.

The wood grain is positioned horizontally.

Both sides have the same laminate finish.

Connectors NOT included.

Dimensions		Code	Price		Specifications	
A	B		T.F.L.	H.P.L.	Cu.Ft.	lb
50	72	PY5072	703	1019	7.5	136
50	66	PY5066	661	958	6.9	125
50	60	PY5060	625	906	6.3	113
50	54	PY5054	583	845	5.7	102
50	48	PY5048	542	786	5.2	91
50	42	PY5042	497	721	4.4	80
50	36	PY5036	459	666	3.8	69
50	30	PY5030	409	593	3.2	58
50	24	PY5024	364	528	2.6	46
50	18	PY5018	322	467	2.0	35
50	12	PY5012	278	403	1.3	24
42	72	PY4272	696	1009	6.4	111
42	66	PY4266	649	941	5.8	102
42	60	PY4260	604	876	5.3	93
42	54	PY4254	556	806	4.8	84
42	48	PY4248	507	735	4.3	75
42	42	PY4242	457	663	3.7	67
42	36	PY4236	405	587	3.2	58
42	30	PY4230	360	522	2.7	49
42	24	PY4224	320	464	2.2	40
42	18	PY4218	282	409	1.7	31
42	12	PY4212	242	351	1.1	22
34	72	PY3472	628	911	5.2	92
34	66	PY3466	592	858	4.7	84
34	60	PY3460	546	792	4.3	77
34	54	PY3454	503	729	3.9	69
34	48	PY3448	460	667	3.5	62
34	42	PY3442	414	600	3.0	54
34	36	PY3436	366	531	2.6	47
34	30	PY3430	327	474	2.2	39
34	24	PY3424	293	425	1.8	32
34	18	PY3418	261	378	1.3	24
34	12	PY3412	224	325	0.9	17

S SPECIFY

N2 - - -



S Code: Consult the product code above.

Trim: Uni-T / N2 finishes, see p.27.

Laminate: Specify the finish, see p.40.

The laminate is available in either Thermally Fused Laminate (T.F.L.) or High Pressure Laminate (H.P.L.). Refer to the finishes table, p.40.

base panels - laminate 1 side (to the floor), fabric 1 side



Straight base panel (rounded N2 series), with laminate finish (T.F.L. or H.P.L.) on 1 side and non tackable fabric-covered on the other, with cable access on the fabric side.

The wood grain is positioned horizontally.

Base raceway 5½" high x 2½" wide accommodates communication wiring and 8 wire 4-circuit electrical cabling (not included).

To provide electricity to this panel, use the harness for Media panels HSS, see p.110.

*** 90° Oriented fabric ("Railroad"):** On panels 66" & 72" wide, fabric is automatically oriented at 90°.

To ensure uniformity, all panels & over-panels 60" wide or less can be ordered with 90° oriented fabric. For information on this option (no charge), refer to p.24.

Connectors NOT included.

Dimensions		Code	T.F.L. Price					H.P.L. Price					Specifications	
A	B		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
50	72	PYTE5072 *	703	738	780	833	884	914	949	991	1044	1095	7.5	105
50	66	PYTE5066 *	655	685	724	773	822	852	882	920	970	1018	6.9	96
50	60	PYTE5060	612	652	674	712	774	796	836	858	895	958	6.3	88
50	54	PYTE5054	561	597	618	637	682	729	766	787	805	850	5.7	79
50	48	PYTE5048	512	542	561	579	616	666	696	715	732	770	5.2	71
50	42	PYTE5042	458	484	501	517	557	595	621	638	654	694	4.4	62
50	36	PYTE5036	410	432	448	461	498	533	555	571	584	621	3.8	53
50	30	PYTE5030	355	372	385	398	413	462	478	492	505	519	3.2	45
50	24	PYTE5024	305	318	330	341	363	397	409	422	433	455	2.6	36
50	18	PYTE5018	257	266	277	288	310	334	343	354	365	387	2.0	28
50	12	PYTE5012	208	211	219	227	237	270	274	281	289	299	1.3	19

50	72	PYTE4272 *	641	679	714	768	818	833	871	906	960	1011	6.4	85
50	66	PYTE4266 *	598	634	668	719	772	777	813	847	899	952	5.8	78
50	60	PYTE4260	558	602	619	639	666	725	769	787	807	833	5.3	72
50	54	PYTE4254	512	552	570	587	616	666	706	723	741	770	4.8	65
50	48	PYTE4248	465	503	519	536	568	605	642	659	675	707	4.3	58
50	42	PYTE4242	417	451	465	483	495	542	576	590	608	620	3.7	52
50	36	PYTE4236	375	406	419	438	470	488	518	532	550	582	3.2	45
50	30	PYTE4230	325	351	362	374	394	423	448	459	472	491	2.7	38
50	24	PYTE4224	279	303	314	323	345	363	386	397	407	429	2.2	32
50	18	PYTE4218	235	257	265	278	289	306	328	336	349	360	1.7	25
50	12	PYTE4212	190	207	213	220	231	247	264	270	277	288	1.1	18

base panels - laminate 1 side [to the floor], fabric 1 side [cont'd]

Dimensions		Code	T.F.L. Price					H.P.L. Price					Specifications	
A	B		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
34	72	PYTE3472 *	573	606	638	685	730	745	778	810	857	902	5.2	71
34	66	PYTE3466 *	541	570	597	646	692	703	732	760	808	854	4.7	65
34	60	PYTE3460	499	539	554	595	651	649	689	704	745	801	4.3	59
34	54	PYTE3454	459	495	512	527	559	597	633	649	665	697	3.9	54
34	48	PYTE3448	418	452	466	484	516	543	578	592	609	641	3.5	48
34	42	PYTE3442	374	405	418	437	469	486	517	530	549	581	3.0	42
34	36	PYTE3436	337	364	377	396	428	438	465	478	497	529	2.6	36
34	30	PYTE3430	292	316	327	348	381	380	403	414	435	468	2.2	31
34	24	PYTE3424	252	273	283	294	315	328	348	358	369	390	1.8	25
34	18	PYTE3418	215	232	243	254	275	280	297	308	319	340	1.3	19
34	12	PYTE3412	173	188	195	202	211	225	240	247	254	263	0.9	13

S SPECIFY

N2 - Code - Trim - Laminate - Fabric

S Code: Consult the product code above.



Trim: Uni-T / N2 finishes, see p.27.

Laminate: Specify the finish, see p.40.

The laminate is available in either Thermally Fused Laminate (T.F.L) or High Pressure Laminate (H.P.L.). Refer to the finishes table, p.40.

Fabric: Specify the code, refer to the current Artopex panel fabric card.

base panels - laminate 1 side, fabric 1 side



Straight base panel (rounded N2 series), with laminate finish (T.F.L. or H.P.L.) on 1 side and non tackable fabric-covered on the other, with cable access on both sides.

The wood grain is positioned horizontally.

Base raceway 5½" high x 2½" wide accommodates communication wiring and 8 wire 4-circuit electrical cabling (not included).

* 90° Oriented fabric ("Railroad"): On panels 66" & 72" wide, fabric is automatically oriented at 90°.

To ensure uniformity, all panels & over-panels 60" wide or less can be ordered with 90° oriented fabric. For information on this option (no charge), refer to p.24. Connectors NOT included.

Dimensions		Code	T.F.L. Price					H.P.L. Price					Specifications	
A	B		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
50	72	PYTEE5072 *	774	799	823	858	888	1006	1031	1055	1090	1120	7.5	101
50	66	PYTEE5066 *	729	750	771	803	829	948	969	990	1022	1048	6.9	93
50	60	PYTEE5060	690	722	726	746	787	897	929	933	953	994	6.3	85
50	54	PYTEE5054	642	672	678	681	706	835	865	870	874	899	5.7	76
50	48	PYTEE5048	596	623	628	633	652	775	801	807	811	831	5.2	68
50	42	PYTEE5042	546	570	575	581	605	710	734	739	745	769	4.4	60
50	36	PYTEE5036	502	524	530	535	559	653	674	681	685	709	3.8	52
50	30	PYTEE5030	450	469	475	482	485	585	604	610	617	620	3.2	43
50	24	PYTEE5024	403	420	428	435	448	524	541	549	555	569	2.6	35
50	18	PYTEE5018	359	374	383	392	407	467	482	491	499	515	2.0	27
50	12	PYTEE5012	312	325	332	340	345	406	418	426	434	439	1.3	18

42	72	PYTEE4272 *	707	711	730	767	795	919	923	943	979	1007	6.4	81
42	66	PYTEE4266 *	668	670	689	723	754	868	870	889	923	954	5.8	75
42	60	PYTEE4260	630	642	645	647	651	819	831	834	836	840	5.3	69
42	54	PYTEE4254	586	598	603	605	614	762	774	779	781	790	4.8	62
42	48	PYTEE4248	542	554	560	563	578	705	717	723	726	740	4.3	56
42	42	PYTEE4242	496	508	514	520	523	645	657	663	669	671	3.7	49
42	36	PYTEE4236	457	469	475	485	509	594	606	612	622	646	3.2	43
42	30	PYTEE4230	408	419	426	431	446	530	542	548	554	568	2.7	37
42	24	PYTEE4224	365	376	385	391	409	475	486	495	500	519	2.2	30
42	18	PYTEE4218	323	337	344	355	365	420	434	441	452	462	1.7	24
42	12	PYTEE4212	281	292	300	307	319	365	376	385	391	403	1.1	18

base panels - laminate 1 side, fabric 1 side [cont'd]

Dimensions		Code	T.F.L. Price					H.P.L. Price					Specifications	
A	B		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
34	72	PYTEE3472 *	631	636	655	684	707	820	825	844	874	897	5.2	67
34	66	PYTEE3466 *	601	604	618	649	673	781	784	799	829	854	4.7	62
34	60	PYTEE3460	572	578	580	603	637	744	749	751	774	809	4.3	56
34	54	PYTEE3454	534	539	545	550	557	694	699	705	710	717	3.9	51
34	48	PYTEE3448	495	502	507	512	526	644	650	656	660	674	3.5	46
34	42	PYTEE3442	453	460	466	474	491	589	596	602	610	627	3.0	40
34	36	PYTEE3436	418	425	433	443	462	543	550	559	569	587	2.6	35
34	30	PYTEE3430	375	382	391	405	427	488	494	503	517	539	2.2	29
34	24	PYTEE3424	338	344	354	361	373	439	446	456	462	474	1.8	24
34	18	PYTEE3418	303	309	322	331	345	394	400	413	422	436	1.3	18
34	12	PYTEE3412	263	271	282	289	299	342	350	361	368	378	0.9	13

S SPECIFY

N2 - Code - Trim - Laminate - Fabric

S Code: Consult the product code above.


Trim: Uni-T / N2 finishes, see p.27.

Laminate: Specify the finish, see p.40.

The laminate is available in either Thermally Fused Laminate (T.F.L) or High Pressure Laminate (H.P.L.). Refer to the finishes table, p.40.

Fabric: Specify the code, refer to the current Artopex panel fabric card.

over-panels



Fabric-covered over-panel (rounded N2 series).

Can be installed on top of any straight panel or straight over-panel. Connectors NOT included.

* 90° Oriented fabric ("Railroad"): On panels 66" & 72" wide, fabric is automatically oriented at 90°.

To ensure uniformity, all panels & over-panels 60" wide or less can be ordered with 90° oriented fabric. For information on this option (no charge), refer to p.24.

Dimensions		Code	Price					Specifications	
A	B		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
24	72	PE2472 *	391	409	430	462	494	3.7	35
24	66	PE2466 *	374	393	411	427	442	3.4	33
24	60	PE2460	298	320	327	332	344	3.1	31
24	54	PE2454	288	310	316	320	332	2.8	28
24	48	PE2448	277	298	304	316	328	2.5	25
24	42	PE2442	268	289	294	306	318	2.2	22
24	36	PE2436	244	263	268	279	292	1.9	19
24	30	PE2430	216	232	238	250	262	1.6	16
24	24	PE2424	202	217	223	235	248	1.3	13
24	18	PE2418	187	201	207	213	226	1.0	10
24	12	PE2412	175	188	194	206	217	0.7	7

16	72	PE1672 *	366	384	403	432	462	2.5	25
16	66	PE1666 *	350	367	384	399	414	2.3	23
16	60	PE1660	281	303	308	315	327	2.1	21
16	54	PE1654	267	288	294	300	312	1.9	19
16	48	PE1648	250	267	274	286	298	1.7	17
16	42	PE1642	237	254	261	266	278	1.5	15
16	36	PE1636	221	238	243	255	267	1.3	13
16	30	PE1630	167	180	187	199	211	1.1	11
16	24	PE1624	152	164	169	182	194	0.9	9
16	18	PE1618	139	149	154	161	173	0.7	7
16	12	PE1612	119	128	140	152	165	0.4	5

8	72	PE0872 *	347	364	382	414	446	1.3	17
8	66	PE0866 *	318	334	350	367	382	1.2	13
8	60	PE0860	215	232	238	244	270	1.1	12
8	54	PE0854	205	220	228	234	246	1.0	11
8	48	PE0848	189	204	210	222	235	0.9	10
8	42	PE0842	177	190	197	210	222	0.8	9
8	36	PE0836	165	178	185	197	210	0.7	8
8	30	PE0830	152	163	167	180	193	0.6	7
8	24	PE0824	116	124	131	143	157	0.5	6
8	18	PE0818	106	113	127	135	149	0.3	5
8	12	PE0812	97	105	117	130	142	0.2	4


S SPECIFY

N2 - -

S Code: Consult the product code above.

Fabric: Specify the code, refer to the current Artopex panel fabric card.

over-panels with vertical conduits



Fabric-covered over-panel (rounded N2 series) with vertical conduits.

Can be installed on top of any straight panel or straight over-panel with conduits. Connectors NOT included.

Panels have two conduits (one at each end), except panels 18" wide that have one central conduit.

Vertical conduits allow vertical wiring to pass from ceiling to Media panel or from ceiling to base panel.

*** 90° Oriented fabric ("Railroad"):** On panels 66" & 72" wide, fabric is automatically oriented at 90°.

To ensure uniformity, all panels & over-panels 60" wide or less can be ordered with 90° oriented fabric. For information on this option (no charge), refer to p.24.

Dimensions		Code	Price					Specifications	
A	B		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
24	72	EE2472 *	416	436	457	490	521	3.7	35
24	66	EE2466 *	399	418	439	454	469	3.4	33
24	60	EE2460	323	348	354	360	371	3.1	31
24	54	EE2454	314	338	342	348	360	2.8	28
24	48	EE2448	303	326	331	342	354	2.5	25
24	42	EE2442	294	316	321	333	345	2.2	22
24	36	EE2436	270	290	296	307	319	1.9	19
24	30	EE2430	241	259	265	277	289	1.6	16
24	24	EE2424	228	244	251	263	275	1.3	13
24	18	EE2418	202	217	223	229	241	1.0	10
16	72	EE1672 *	386	405	425	455	485	2.5	25
16	66	EE1666 *	370	388	406	421	437	2.3	23
16	60	EE1660	303	325	330	337	349	2.1	21
16	54	EE1654	288	310	317	322	334	1.9	19
16	48	EE1648	270	290	296	309	321	1.7	17
16	42	EE1642	257	277	283	289	301	1.5	15
16	36	EE1636	241	260	266	278	290	1.3	13
16	30	EE1630	189	202	209	221	233	1.1	11
16	24	EE1624	173	186	191	204	216	0.9	9
16	18	EE1618	152	163	168	175	187	0.7	7
8	72	EE0872 *	364	382	399	431	464	1.3	17
8	66	EE0866 *	336	352	370	384	399	1.2	13
8	60	EE0860	233	250	256	263	288	1.1	12
8	54	EE0854	221	238	245	252	265	1.0	11
8	48	EE0848	207	222	229	241	254	0.9	10
8	42	EE0842	195	210	216	229	241	0.8	9
8	36	EE0836	183	197	204	216	229	0.7	8
8	30	EE0830	168	182	186	199	211	0.6	7
8	24	EE0824	132	143	150	162	175	0.5	6
8	18	EE0818	117	125	138	149	161	0.3	5


S SPECIFY

N2 - -

S Code: Consult the product code above.

Fabric: Specify the code, refer to the current Artopex panel fabric card.

transparent over-panels



Transparent straight over-panel (rounded N2 series), available in Frosted or Clear acrylic finish. Can be installed on top of any straight panel or straight over-panel. Connectors NOT included.

Dimensions			Specifications		
A	B	Code	Price	Cu.Ft.	lb
24	72	PET2472	640	3.7	33
24	66	PET2466	587	3.4	31
24	60	PET2460	557	3.1	29
24	54	PET2454	536	2.8	27
24	48	PET2448	492	2.5	26
24	42	PET2442	450	2.2	24
24	36	PET2436	426	1.9	22
24	30	PET2430	381	1.6	20
24	24	PET2424	342	1.3	18
24	18	PET2418	320	1.0	15
24	12	PET2412	310	0.7	13

16	72	PET1672	557	2.5	28
16	66	PET1666	510	2.3	27
16	60	PET1660	484	2.1	25
16	54	PET1654	465	1.9	22
16	48	PET1648	427	1.7	20
16	42	PET1642	392	1.5	18
16	36	PET1636	370	1.3	16
16	30	PET1630	331	1.1	14
16	24	PET1624	297	0.9	12
16	18	PET1618	278	0.7	10
16	12	PET1612	270	0.4	8

8	72	PET0872	407	1.3	23
8	66	PET0866	396	1.2	21
8	60	PET0860	385	1.1	19
8	54	PET0854	374	1.0	17
8	48	PET0848	319	0.9	16
8	42	PET0842	290	0.8	14
8	36	PET0836	275	0.7	12
8	30	PET0830	264	0.6	10
8	24	PET0824	255	0.5	9
8	18	PET0818	251	0.3	7
8	12	PET0812	248	0.2	5

S SPECIFY


N2 - Code - Trim - Acrylic

S Code: Consult the product code above.

Trim: Uni-T finishes / N2, see p.27.

Acrylic: Frosted (G) or Clear (CL).

over-panels - laminate 2 sides



Straight base panel (rounded N2 series), with laminate finish (T.F.L. or H.P.L.) and cable access on both sides. Can be installed on top of any straight panel or straight over-panel. Connectors NOT included. The wood grain is positioned horizontally.

Dimensions		Code	Price		Specifications	
A	B		T.F.L.	H.P.L.	Cu.Ft.	lb
24	72	PEY2472	430	624	3.7	63
24	66	PEY2466	414	600	3.4	59
24	60	PEY2460	338	490	3.1	54
24	54	PEY2454	328	476	2.8	49
24	48	PEY2448	317	460	2.5	46
24	42	PEY2442	308	447	2.2	41
24	36	PEY2436	278	403	1.9	37
24	30	PEY2430	250	363	1.6	32
24	24	PEY2424	237	344	1.3	27
24	18	PEY2418	221	320	1.0	23
24	12	PEY2412	209	303	0.7	18

16	72	PEY1672	418	606	2.5	48
16	66	PEY1666	402	583	2.3	45
16	60	PEY1660	332	481	2.1	41
16	54	PEY1654	319	463	1.9	37
16	48	PEY1648	301	436	1.7	34
16	42	PEY1642	288	418	1.5	30
16	36	PEY1636	276	400	1.3	26
16	30	PEY1630	222	322	1.1	22
16	24	PEY1624	207	300	0.9	19
16	18	PEY1618	194	281	0.7	15
16	12	PEY1612	174	252	0.4	11

8	72	PEY0872	398	577	1.3	33
8	66	PEY0866	370	537	1.2	30
8	60	PEY0860	266	386	1.1	27
8	54	PEY0854	256	371	1.0	25
8	48	PEY0848	241	349	0.9	22
8	42	PEY0842	229	332	0.8	20
8	36	PEY0836	220	319	0.7	17
8	30	PEY0830	207	300	0.6	15
8	24	PEY0824	171	248	0.5	12
8	18	PEY0818	161	233	0.3	9
8	12	PEY0812	152	220	0.2	7

S SPECIFY



N2 - -

S Code: Consult the product code above.

Laminate: Specify the finish, see p.40.

The laminate is available in either Thermally Fused Laminate (T.F.L.) or High Pressure Laminate (H.P.L.). Refer to the finishes table, p.40.

over-panels - laminate 1 side, fabric 1 side



Over-panel (rounded N2 series) with laminate finish (T.F.L. or H.P.L.) on 1 side, non tackable fabric-covered on the other. Can be installed on top of any straight panel or straight over-panel. Connectors NOT included. The wood grain is positioned horizontally.

*** 90° Oriented fabric ("Railroad"):** On panels 66" & 72" wide, fabric is automatically oriented at 90°.

To ensure uniformity, all panels & over-panels 60" wide or less can be ordered with 90° oriented fabric. For information on this option (no charge), refer to p.24.

Dimensions		Code	T.F.L. Price					H.P.L. Price					Specifications	
A	B		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
24	72	PEYT2472 *	391	410	432	465	498	508	528	550	583	616	3.7	48
24	66	PEYT2466 *	374	394	414	430	447	486	506	526	542	559	3.4	45
24	60	PEYT2460	298	321	329	336	349	387	411	418	425	438	3.1	42
24	54	PEYT2454	288	311	318	323	337	374	398	404	410	423	2.8	38
24	48	PEYT2448	277	299	306	319	332	360	382	389	402	415	2.5	36
24	42	PEYT2442	270	292	297	310	323	351	373	378	391	404	2.2	32
24	36	PEYT2436	245	265	272	284	297	319	339	345	357	371	1.9	29
24	30	PEYT2430	217	234	241	254	267	282	299	306	319	332	1.6	26
24	24	PEYT2424	204	219	227	240	253	265	280	288	301	314	1.3	22
24	18	PEYT2418	185	199	205	211	223	241	255	260	267	279	1.0	19
24	12	PEYT2412	173	186	191	204	215	225	238	243	255	266	0.7	16

16	72	PEYT1672 *	382	396	411	438	464	497	511	526	552	579	2.5	38
16	66	PEYT1666 *	365	380	393	405	416	475	489	502	514	525	2.3	36
16	60	PEYT1660	296	315	317	320	329	385	403	406	409	418	2.1	33
16	54	PEYT1654	283	300	303	306	315	368	385	387	391	400	1.9	30
16	48	PEYT1648	265	279	283	292	300	345	359	362	371	380	1.7	27
16	42	PEYT1642	252	266	270	272	281	328	342	345	347	356	1.5	24
16	36	PEYT1636	237	250	252	261	270	308	321	323	332	341	1.3	21
16	30	PEYT1630	183	193	196	205	213	238	247	251	260	268	1.1	18
16	24	PEYT1624	167	176	178	187	196	217	226	228	237	246	0.9	15
16	18	PEYT1618	154	161	163	166	175	200	207	209	212	221	0.7	12
16	12	PEYT1612	134	140	149	157	167	174	180	189	198	207	0.4	9

over-panels - laminate 1 side, fabric 1 side [cont'd]

Dimensions			T.F.L. Price					H.P.L. Price					Specifications	
A	B	Code	COM/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	COM/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
8	72	PEYT0872 *	365	378	393	422	450	475	488	502	532	559	1.3	28
8	66	PEYT0866 *	337	349	361	376	386	438	450	462	477	487	1.2	25
8	60	PEYT0860	233	246	249	253	274	303	316	319	323	344	1.1	23
8	54	PEYT0854	223	234	239	243	251	290	301	306	310	318	1.0	21
8	48	PEYT0848	208	218	221	231	240	270	280	284	293	302	0.9	19
8	42	PEYT0842	196	205	208	219	227	255	263	267	278	285	0.8	17
8	36	PEYT0836	193	200	202	208	216	251	258	260	266	274	0.7	15
8	30	PEYT0830	179	185	186	191	198	233	239	240	245	252	0.6	12
8	24	PEYT0824	143	146	150	154	163	186	189	193	197	206	0.5	10
8	18	PEYT0818	133	135	145	146	154	173	175	185	186	194	0.3	8
8	12	PEYT0812	124	127	135	141	147	161	164	173	178	185	0.2	6

S SPECIFY

N2 - Code - Laminate - Fabric

S Code: Consult the product code above.


Laminate: Specify the finish, see p.40.

The laminate is available in either Thermally Fused Laminate (T.F.L) or High Pressure Laminate (H.P.L.). Refer to the finishes table, p.40.

Fabric: Specify the code, refer to the current Artopex panel fabric card.


media panels [doors on 2 sides]

16" & 8" Media over-panels with sliding doors on both sides. Can be installed on top of a 34" H. straight panel.
 Raceway 16" or 8" high x 4" wide accomodates communication wiring and 8 wire 4-circuit electrical cabling (not included).
 Hooks for communication wiring included.
 Optional Media data channel available, see p.118.



16"

Dimensions			Specifications	
A	B	Code	Price	Cu.Ft. lb
16	72	PELL1672	536	3.6 32
16	66	PELL1666	512	3.3 30
16	60	PELL1660	486	3.0 27
16	54	PELL1654	459	2.7 25
16	48	PELL1648	437	2.4 22
16	42	PELL1642	411	2.1 20
16	36	PELL1636	386	1.8 17
16	30	PELL1630	366	1.5 15
16	24	PELL1624	349	1.2 12
16	18	PELL1618	337	0.9 10
16	12	PELL1612	330	0.6 7



8"

8	72	PELL0872	437	1.9 24
8	66	PELL0866	415	1.7 21
8	60	PELL0860	394	1.6 19
8	54	PELL0854	373	1.4 16
8	48	PELL0848	352	1.3 14
8	42	PELL0842	330	1.1 11
8	36	PELL0836	310	1.0 10
8	30	PELL0830	290	0.8 9
8	24	PELL0824	284	0.7 8
8	18	PELL0818	277	0.6 7
8	12	PELL0812	271	0.5 6

S SPECIFY

N2 - -

S Code: Consult the product code above.
 Trim: Uni-T finishes / N2, see p.27.

media panels [doors on 2 sides] with vertical conduit openings

16" & 8" Media over-panels with sliding doors on both sides and vertical conduit openings.

Can be installed on top of a 34" H. straight panel.


1" wide by 4" long openings allow access to the 8 wire 4-circuit electrical system and communication wiring raceway (16" or 8" high x 4" wide, electrical system & wiring not included).

Panels have two openings (one at each end), except panels 18" wide that have one central opening.

Openings allow vertical wiring to pass from ceiling to Media panel or from ceiling to base panel.


Hooks for communication wiring included. Optional Media data channel available, see p.118.

16"



Dimensions			Specifications	
A	B	Code	Price	Cu.Ft. lb
16	72	EELL1672	596	3.6 32
16	66	EELL1666	573	3.3 30
16	60	EELL1660	548	3.0 27
16	54	EELL1654	519	2.7 25
16	48	EELL1648	497	2.4 22
16	42	EELL1642	472	2.1 20
16	36	EELL1636	447	1.8 17
16	30	EELL1630	427	1.5 15
16	24	EELL1624	410	1.2 12
16	18	EELL1618	372	0.9 10

8"



8	72	EELL0872	497	1.9 24
8	66	EELL0866	476	1.7 21
8	60	EELL0860	455	1.6 19
8	54	EELL0854	433	1.4 16
8	48	EELL0848	413	1.3 14
8	42	EELL0842	392	1.1 11
8	36	EELL0836	372	1.0 10
8	30	EELL0830	352	0.8 9
8	24	EELL0824	345	0.7 8
8	18	EELL0818	312	0.6 7


S SPECIFY

N2 - Code - Trim

S **Code:** Consult the product code above.
Trim: Uni-T finishes / N2, see p.27.


media panels [door on 1 side]

16" & 8" Media over-panels with sliding door on one side (reversible). Can be installed on top of a 34" H. straight panel.
 Raceway 16" or 8" high x 3 1/4" wide accomodates communication wiring and 8 wire 4-circuit electrical cabling (not included).
 Hooks for communication wiring included.
 Optional Media data channel available, see p.118.



16"

Dimensions			Specifications	
A	B	Code	Price	Cu.Ft. lb
16	72	PELF1672	480	3.6 32
16	66	PELF1666	458	3.3 30
16	60	PELF1660	437	3.0 27
16	54	PELF1654	416	2.7 25
16	48	PELF1648	394	2.4 22
16	42	PELF1642	375	2.1 20
16	36	PELF1636	356	1.8 17
16	30	PELF1630	337	1.5 15
16	24	PELF1624	317	1.2 12
16	18	PELF1618	304	0.9 10
16	12	PELF1612	297	0.6 7



8"

8	72	PELF0872	384	1.9 24
8	66	PELF0866	376	1.7 21
8	60	PELF0860	370	1.6 19
8	54	PELF0854	356	1.4 16
8	48	PELF0848	337	1.3 14
8	42	PELF0842	314	1.1 11
8	36	PELF0836	297	1.0 10
8	30	PELF0830	284	0.8 9
8	24	PELF0824	271	0.7 8
8	18	PELF0818	257	0.6 7
8	12	PELF0812	251	0.5 6


S SPECIFY

N2 - Code - Trim

S Code: Consult the product code above.
 Trim: Uni-T finishes / N2, see p.27.


media panels [door on 1 side] with vertical conduit openings

16" & 8" Media over-panels with sliding door on one side (reversible) and vertical conduit openings. Can be installed on top of a 34" H. straight panel. 1" wide by 4" long openings allow access to the 8 wire 4-circuit electrical system and communication wiring raceway (16" or 8" high x 3¼" wide, electrical system & wiring not included). Panels have two openings (one at each end), except panels 18" wide that have one central opening. Openings allow vertical wiring to pass from ceiling to Media panel or from ceiling to base panel. Hooks for communication wiring included. Optional Media data channel available, see p.118.



16"

Dimensions			Specifications		
A	B	Code	Price	Cu.Ft.	lb
16	72	EELF1672	541	3.6	32
16	66	EELF1666	518	3.3	30
16	60	EELF1660	497	3.0	27
16	54	EELF1654	476	2.7	25
16	48	EELF1648	455	2.4	22
16	42	EELF1642	437	2.1	20
16	36	EELF1636	418	1.8	17
16	30	EELF1630	398	1.5	15
16	24	EELF1624	378	1.2	12
16	18	EELF1618	339	0.9	10



8"

8	72	EELF0872	444	1.9	24
8	66	EELF0866	438	1.7	21
8	60	EELF0860	431	1.6	19
8	54	EELF0854	418	1.4	16
8	48	EELF0848	398	1.3	14
8	42	EELF0842	374	1.1	11
8	36	EELF0836	359	1.0	10
8	30	EELF0830	345	0.8	9
8	24	EELF0824	332	0.7	8
8	18	EELF0818	292	0.6	7

S SPECIFY


N2 - Code - Trim

S **Code:** Consult the product code above.
Trim: Uni-T finishes / N2, see p.27.

panels with metallic surface on 2 sides


16" & 8" over-panels with metallic surface on both sides.
 Can be installed on top of a 34" H. straight panel.
 Hooks for communication wiring included.

16"



Dimensions			Specifications	
A	B	Code	Price	Cu.Ft. lb
16	72	PEFF1672	370	3.6 31
16	66	PEFF1666	356	3.3 29
16	60	PEFF1660	343	3.0 26
16	54	PEFF1654	330	2.7 24
16	48	PEFF1648	317	2.4 21
16	42	PEFF1642	304	2.1 19
16	36	PEFF1636	290	1.8 16
16	30	PEFF1630	277	1.5 14
16	24	PEFF1624	264	1.2 11
16	18	PEFF1618	251	0.9 9
16	12	PEFF 1612	244	0.6 6

8"



8	72	PEFF0872	300	1.9 23
8	66	PEFF0866	284	1.7 21
8	60	PEFF0860	277	1.6 18
8	54	PEFF0854	264	1.4 16
8	48	PEFF0848	257	1.3 13
8	42	PEFF0842	238	1.1 11
8	36	PEFF0836	231	1.0 10
8	30	PEFF0830	224	0.8 9
8	24	PEFF0824	218	0.7 8
8	18	PEFF0818	211	0.6 7
8	12	PEFF0812	205	0.5 6


S SPECIFY

N2 - Code - Trim

S Code: Consult the product code above.
 Trim: Uni-T finishes / N2, see p.27.


panels with metallic surface on 2 sides and vertical conduit openings

16" & 8" over-panels with metallic surface on both sides and vertical conduit openings.
 Can be installed on top of a 34" H. straight panel.
 1" wide by 4" long openings allow vertical wiring to pass from ceiling to panel or from panel to base.
 Panels have two openings (one at each end), except panels 18" wide that have one central opening.
 Hooks for communication wiring included.



16"

Dimensions			Specifications		
A	B	Code	Price	Cu.Ft.	lb
16	72	EEFF1672	431	3.6	31
16	66	EEFF1666	418	3.3	29
16	60	EEFF1660	405	3.0	26
16	54	EEFF1654	392	2.7	24
16	48	EEFF1648	378	2.4	21
16	42	EEFF1642	365	2.1	19
16	36	EEFF1636	352	1.8	16
16	30	EEFF1630	339	1.5	14
16	24	EEFF1624	326	1.2	11
16	18	EEFF1618	285	0.9	9



8"


8	72	EEFF0872	361	1.9	23
8	66	EEFF0866	345	1.7	21
8	60	EEFF0860	339	1.6	18
8	54	EEFF0854	326	1.4	16
8	48	EEFF0848	319	1.3	13
8	42	EEFF0842	298	1.1	11
8	36	EEFF0836	292	1.0	10
8	30	EEFF0830	285	0.8	9
8	24	EEFF0824	278	0.7	8
8	18	EEFF0818	245	0.6	7

S SPECIFY

N2 - Code - Trim

S Code: Consult the product code above.
 Trim: Uni-T finishes / N2, see p.27.

base panels



Straight base panel (square N7 series), fabric-covered.

Base raceway 5½" high x 2½" wide accomodates communication wiring and 8 wire 4-circuit electrical cabling (not included).

Raceway cover is made of painted steel.

Connectors NOT included.

*** 90° Oriented fabric ("Railroad"):** On panels 66" & 72" wide, fabric is automatically oriented at 90°.


To ensure uniformity, all panels & over-panels 60" wide or less (except 82" high panels) can be ordered with 90° oriented fabric. For information on this option (no charge), refer to p.24.

Dimensions		Code	Price					Specifications	
A	B		C.O.M/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
82	60	P8260	849	913	935	977	1040	10.3	86
82	54	P8254	783	843	867	954	969	9.2	78
82	48	P8248	716	770	793	882	895	8.2	70
82	42	P8242	648	697	719	760	824	7.2	62
82	36	P8236	584	627	650	690	752	6.2	54
82	30	P8230	514	552	569	585	639	5.2	46
82	24	P8224	449	483	497	510	548	4.2	38
82	18	P8218	386	415	427	447	480	3.2	30
82	12	P8212	318	342	353	375	407	2.2	22

66	72	P6672 *	880	930	976	992	1008	9.9	88
66	66	P6666 *	824	870	914	945	975	9.1	79
66	60	P6660	769	826	851	881	948	8.3	72
66	54	P6654	711	763	785	818	884	7.5	65
66	48	P6648	650	699	719	741	809	6.6	58
66	42	P6642	589	633	652	670	705	5.8	51
66	36	P6636	532	572	590	605	638	5.0	44
66	30	P6630	469	504	518	535	550	4.2	37
66	24	P6624	409	440	454	468	484	3.4	30
66	18	P6618	353	380	392	403	414	2.6	23
66	12	P6612	294	316	325	336	344	1.8	16

50	72	P5072 *	736	792	834	887	938	7.5	74
50	66	P5066 *	689	740	779	828	877	6.9	68
50	60	P5060	647	708	730	768	831	6.3	62
50	54	P5054	597	655	675	694	739	5.7	56
50	48	P5048	549	601	619	637	674	5.2	50
50	42	P5042	496	543	560	576	616	4.4	44
50	36	P5036	450	493	508	521	559	3.8	38
50	30	P5030	396	433	447	460	474	3.2	32
50	24	P5024	347	381	393	404	426	2.6	26
50	18	P5018	300	330	341	352	374	2.0	20
50	12	P5012	252	276	284	292	301	1.3	14

base panels (cont'd)



Dimensions		Code	Price					Specifications	
A	B		C.O.M/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
42	72	P4272 *	669	706	741	795	846	6.4	59
42	66	P4266 *	627	662	696	748	801	5.8	55
42	60	P4260	587	631	649	669	695	5.3	50
42	54	P4254	542	583	601	618	647	4.8	46
42	48	P4248	497	535	551	568	600	4.3	41
42	42	P4242	450	484	498	516	528	3.7	37
42	36	P4236	409	440	453	472	504	3.2	32
42	30	P4230	360	386	397	409	429	2.7	28
42	24	P4224	316	339	350	360	382	2.2	23
42	18	P4218	273	295	303	316	327	1.7	19
42	12	P4212	229	245	252	259	270	1.1	14

34	72	P3472 *	601	634	666	713	758	5.2	50
34	66	P3466 *	570	598	626	674	721	4.7	46
34	60	P3460	529	569	584	625	681	4.3	42
34	54	P3454	490	526	542	558	590	3.9	38
34	48	P3448	450	484	498	516	548	3.5	34
34	42	P3442	407	438	451	470	502	3.0	30
34	36	P3436	371	398	411	430	462	2.6	26
34	30	P3430	327	351	362	383	416	2.2	22
34	24	P3424	288	309	319	330	351	1.8	18
34	18	P3418	252	270	281	292	312	1.3	14
34	12	P3412	211	227	233	241	250	0.9	10

S SPECIFY


N7 - Code - Trim - Fabric

S Code: Consult the product code above.

Trim: Uni-T finishes / N7, see p.28.

Fabric: Specify the code, refer to the current Artopex panel fabric card.

base panels with vertical conduits



Straight base panel (square N7 series) with vertical conduits, fabric-covered. Raceway cover is made of painted steel. Base raceway 5½" high x 2½" wide accommodates communication wiring and 8 wire 4-circuit electrical cabling (not included). Vertical conduits allow wiring to pass from over-panel or Media panel to base or from ceiling to base. Panels have two conduits (one at each end), except panels 18" wide that have one central conduit. Connectors NOT included.

* 90° Oriented fabric ("Railroad"): On panels 66" & 72" wide, fabric is automatically oriented at 90°.

To ensure uniformity, all panels & over-panels 60" wide or less (except 82" high panels) can be ordered with 90° oriented fabric. For information on this option (no charge), refer to p.24.




Attention:

Order a special Top Cap ONLY when the Vertical Conduit Cable Pole is used (see "Cable Poles" & "Top Caps" on (see p.29).

Dimensions		Code	Price					Specifications	
A	B		C.O.M/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
82	60	E8260	857	921	942	981	1042	10.3	86
82	54	E8254	793	854	877	960	974	9.2	78
82	48	E8248	730	784	807	892	905	8.2	70
82	42	E8242	666	716	736	776	836	7.2	62
82	36	E8236	603	649	670	708	768	6.2	54
82	30	E8230	537	576	594	608	660	5.2	46
82	24	E8224	475	510	526	538	572	4.2	38
82	18	E8218	393	422	435	453	484	3.2	30
66	72	E6672 *	858	905	952	968	981	9.9	88
66	66	E6666 *	805	850	894	924	950	9.1	79
66	60	E6660	756	813	836	864	925	8.3	72
66	54	E6654	701	754	774	805	867	7.5	65
66	48	E6648	645	693	713	734	796	6.6	58
66	42	E6642	587	631	650	667	700	5.8	51
66	36	E6636	535	575	591	606	637	5.0	44
66	30	E6630	475	510	524	540	553	4.2	37
66	24	E6624	420	451	465	477	493	3.4	30
66	18	E6618	351	377	388	399	409	2.6	23
50	72	E5072	734	774	814	864	912	7.5	74
50	66	E5066	688	726	762	810	854	6.9	68
50	60	E5060	648	697	717	752	810	6.3	62
50	54	E5054	602	647	667	684	725	5.7	56
50	48	E5048	554	596	614	630	664	5.2	50
50	42	E5042	505	542	559	573	612	4.4	44
50	36	E5036	461	496	510	523	558	3.8	38
50	30	E5030	409	440	453	465	479	3.2	32
50	24	E5024	363	392	402	413	431	2.6	26
50	18	E5018	305	328	338	349	370	2.0	20

base panels with vertical conduits (cont'd)



Dimensions		Code	Price					Specifications	
A	B		C.O.M/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
42	72	E4272 *	671	708	744	795	845	6.4	59
42	66	E4266 *	630	666	700	750	801	5.8	55
42	60	E4260	593	638	656	673	700	5.3	50
42	54	E4254	550	591	608	625	652	4.8	46
42	48	E4248	506	546	560	576	607	4.3	41
42	42	E4242	461	496	510	527	538	3.7	37
42	36	E4236	422	453	466	484	515	3.2	32
42	30	E4230	374	402	413	425	443	2.7	28
42	24	E4224	332	356	367	376	398	2.2	23
42	18	E4218	279	300	308	321	331	1.7	19

34	72	E3472 *	607	640	673	718	762	5.2	50
34	66	E3466 *	572	603	634	681	726	4.7	46
34	60	E3460	538	579	594	634	688	4.3	42
34	54	E3454	501	538	553	569	600	3.9	38
34	48	E3448	462	497	510	528	559	3.5	34
34	42	E3442	421	453	465	484	515	3.0	30
34	36	E3436	384	414	426	444	475	2.6	26
34	30	E3430	343	369	378	399	430	2.2	22
34	24	E3424	304	327	337	348	369	1.8	18
34	18	E3418	259	277	288	298	319	1.3	14

S SPECIFY

N7 - Code - Trim - Fabric

S Code: Consult the product code above.

Trim: Uni-T finishes / N7, see p.28.

Fabric: Specify the code, refer to the current Artopex panel fabric card.

transparent base panels



Transparent straight base panel (square N7 series), available in Clear or Frosted acrylic finish.

Raceway cover is made of painted steel.

Base raceway 5½" high x 2½" wide accommodates communication wiring and 8 wire 4-circuit electrical cabling (not included).

Connectors NOT included.

Dimensions			Specifications	
A	B	Code	Price	Cu.Ft. lb
82	48	PT8248	1196	8.2 66
82	42	PT8242	1112	7.2 60
82	36	PT8236	1007	6.2 53
82	30	PT8230	901	5.2 47
82	24	PT8224	794	4.2 40
82	18	PT8218	703	3.2 33
82	12	PT8212	601	2.2 27
66	48	PT6648	1086	6.6 55
66	42	PT6642	901	5.8 50
66	36	PT6636	858	5.0 45
66	30	PT6630	776	4.2 39
66	24	PT6624	679	3.4 33
66	18	PT6618	598	2.6 28
66	12	PT6612	518	1.8 22
50	48	PT5048	899	5.2 45
50	42	PT5042	828	4.4 41
50	36	PT5036	760	3.8 36
50	30	PT5030	689	3.2 31
50	24	PT5024	617	2.6 27
50	18	PT5018	507	2.0 22
50	12	PT5012	431	1.3 17
42	48	PT4248	832	4.3 40
42	42	PT4242	760	3.7 36
42	36	PT4236	691	3.2 32
42	30	PT4230	602	2.7 27
42	24	PT4224	527	2.2 23
42	18	PT4218	462	1.7 19
42	12	PT4212	396	1.1 15
34	48	PT3448	734	3.5 34
34	42	PT3442	674	3.0 31
34	36	PT3436	615	2.6 27
34	30	PT3430	538	2.2 24
34	24	PT3424	462	1.8 20
34	18	PT3418	402	1.3 16
34	12	PT3412	344	0.9 13

S SPECIFY


N7 - Code - Trim - Acrylic

S Code: Consult the product code above.

Trim: Uni-T finishes / N7, see p.28.

Acrylic: Frosted (Gi) or Clear (CL).

doors - with frame



Door with frame, can be installed to open left or right.
 When manufactured, the door is positioned to open left or right but can be reversed on site or during a reconfiguration.
 Doorknob and lock included. The painted metal sill is height-adjustable.
 Door with frame has the dimensions of a 82" x 42" straight panel.

OPENS LEFT



Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
82	42		DOOR8242L	2496	8.7	80

OPENS RIGHT



82	42		DOOR8242R	2496	8.7	80
----	----	--	-----------	------	-----	----

S SPECIFY


N7 - Code - Trim - Surface

S Code: Consult the product code above.

Trim: Uni-T finishes / N7, see p.28.

Surface: Specify a surface color (H.P.L. only), see p.40.

sliding door



Sliding door (on casters), can be installed on a straight base panel or panel combination of the same width ("B" dimension).
 Must be installed on a base panel or panel combination of the same height or more as the sliding door in order to install the upper door guide, included with the door.

It is possible to install over-panels on top of the base panel on which the sliding door is installed .

Can be installed to slide either left or right (universal mounting).

Overhead storage cannot be installed on the back of the base panel on which the sliding door is installed.

Panel configuration on which the door is installed must be stable to ensure the smooth operation of the open-close system.

A rolling sill can be installed to prevent wear of the flooring (see below).

66	48	42	DONSL6642	1620	5.8	48
66	42	36	DONSL6636	1560	5.0	44
50	48	42	DONSL5042	1470	4.4	39
50	42	36	DONSL5036	1423	3.8	36

C: Approximate interior space between two base panels.

S SPECIFY


N7 - Code - Trim - Acrylic

S Code: Consult the product code above.

Trim: Uni-T finishes / N7, see p.28.

Acrylic: Frosted (G) or Clear (CL).



sliding door sill



Rolling sill to prevent wear of the flooring. Aluminum finish.

For 42" door	N5-DOTR42-W	150	4.8	20
For 36" door	N5-DOTR36-W	141	4.2	17

base panels - laminate 2 sides



Straight base panel (square N7 series), with laminate finish (T.F.L.) and cable access on both sides.

The wood grain is positioned horizontally. Both sides have the same laminate finish.

Raceway cover is made of painted steel.

Base raceway 5½" high x 2½" wide accommodates communication wiring and 8 wire 4-circuit electrical cabling (not included).

Connectors NOT included.

Dimensions		Code	Price		Specifications	
A	B		T.F.L.	H.P.L.	Cu.Ft.	lb
50	72	PYEE5072	844	1224	7.5	128
50	66	PYEE5066	792	1148	6.9	118
50	60	PYEE5060	746	1082	6.3	107
50	54	PYEE5054	692	1003	5.7	97
50	48	PYEE5048	639	927	5.2	86
50	42	PYEE5042	582	844	4.4	76
50	36	PYEE5036	532	771	3.8	65
50	30	PYEE5030	474	687	3.2	55
50	24	PYEE5024	420	609	2.6	44
50	18	PYEE5018	370	537	2.0	33
50	12	PYEE5012	317	460	1.3	23
42	72	PYEE4272	766	1111	6.4	104
42	66	PYEE4266	719	1043	5.8	95
42	60	PYEE4260	675	979	5.3	87
42	54	PYEE4254	626	908	4.8	79
42	48	PYEE4248	576	835	4.3	71
42	42	PYEE4242	525	761	3.7	62
42	36	PYEE4236	475	689	3.2	54
42	30	PYEE4230	421	610	2.7	46
42	24	PYEE4224	373	541	2.2	38
42	18	PYEE4218	326	473	1.7	30
42	12	PYEE4212	277	402	1.1	21
34	72	PYEE3472	697	1011	5.2	85
34	66	PYEE3466	662	960	4.7	78
34	60	PYEE3460	617	895	4.3	71
34	54	PYEE3454	573	831	3.9	64
34	48	PYEE3448	529	767	3.5	57
34	42	PYEE3442	482	699	3.0	50
34	36	PYEE3436	437	634	2.6	43
34	30	PYEE3430	388	563	2.2	36
34	24	PYEE3424	345	500	1.8	29
34	18	PYEE3418	305	442	1.3	23
34	12	PYEE3412	260	377	0.9	16

S SPECIFY

N7 - Code - Trim - Laminate


S Code: Consult the product code above.

Trim: Uni-T finishes / N7, see p.28.

Laminate: Specify the finish, see p.40.

The laminate is available in either Thermally Fused Laminate (T.F.L.) or High Pressure Laminate (H.P.L.). Refer to the finishes table, p.40.

base panels - laminate 2 sides



Straight base panel (square N7 series), with laminate finish (T.F.L. or H.P.L.) and cable access on both sides.

The wood grain is positioned horizontally. Both sides have the same laminate finish.

Raceway cover is made of painted steel.

Base raceway 5½" high x 2½" wide accommodates communication wiring and 8 wire 4-circuit electrical cabling (not included).

To provide electricity to this panel, use the harness for media panels **HSS**, p.110.

Connectors NOT included.

Dimensions		Code	Price		Specifications	
A	B		T.F.L.	H.P.L.	Cu.Ft.	lb
50	72	PYE5072	779	1130	7.5	132
50	66	PYE5066	729	1057	6.9	121
50	60	PYE5060	685	993	6.3	110
50	54	PYE5054	634	919	5.7	100
50	48	PYE5048	583	845	5.2	89
50	42	PYE5042	528	766	4.4	78
50	36	PYE5036	494	716	3.8	67
50	30	PYE5030	438	635	3.2	56
50	24	PYE5024	386	560	2.6	45
50	18	PYE5018	338	490	2.0	34
50	12	PYE5012	287	416	1.3	24
42	72	PYE4272	717	1040	6.4	107
42	66	PYE4266	673	976	5.8	99
42	60	PYE4260	631	915	5.3	90
42	54	PYE4254	584	847	4.8	82
42	48	PYE4248	537	779	4.3	73
42	42	PYE4242	487	706	3.7	64
42	36	PYE4236	442	641	3.2	56
42	30	PYE4230	391	567	2.7	47
42	24	PYE4224	344	499	2.2	39
42	18	PYE4218	299	434	1.7	30
42	12	PYE4212	253	367	1.1	22
34	72	PYE3472	649	941	5.2	88
34	66	PYE3466	616	893	4.7	81
34	60	PYE3460	573	831	4.3	74
34	54	PYE3454	531	770	3.9	67
34	48	PYE3448	490	711	3.5	59
34	42	PYE3442	444	644	3.0	52
34	36	PYE3436	404	586	2.6	45
34	30	PYE3430	358	519	2.2	38
34	24	PYE3424	317	460	1.8	31
34	18	PYE3418	278	403	1.3	23
34	12	PYE3412	235	341	0.9	16

S SPECIFY

N7 - - -



S Code: Consult the product code above.

Trim: Uni-T finishes / N7, see p.28.

Laminate: Specify the finish, see p.40.

The laminate is available in either Thermally Fused Laminate (T.F.L.) or High Pressure Laminate (H.P.L.). Refer to the finishes table, p.40.

base panels - laminate 2 sides [to the floor]



Straight base panel (square N7 series), with laminate finish (T.F.L. or H.P.L) and cable access on both sides.
The wood grain is positioned horizontally. Both sides have the same laminate finish.
 Connectors NOT included.

Dimensions		Code	Price		Specifications	
A	B		T.F.L.	H.P.L.	Cu.Ft.	lb
50	72	PY5072	703	1019	7.5	136
50	66	PY5066	661	958	6.9	125
50	60	PY5060	625	906	6.3	113
50	54	PY5054	583	845	5.7	102
50	48	PY5048	542	786	5.2	91
50	42	PY5042	497	721	4.4	80
50	36	PY5036	459	666	3.8	69
50	30	PY5030	409	593	3.2	58
50	24	PY5024	364	528	2.6	46
50	18	PY5018	322	467	2.0	35
50	12	PY5012	278	403	1.3	24
42	72	PY4272	696	1009	6.4	111
42	66	PY4266	649	941	5.8	102
42	60	PY4260	604	876	5.3	93
42	54	PY4254	556	806	4.8	84
42	48	PY4248	507	735	4.3	75
42	42	PY4242	457	663	3.7	67
42	36	PY4236	405	587	3.2	58
42	30	PY4230	360	522	2.7	49
42	24	PY4224	320	464	2.2	40
42	18	PY4218	282	409	1.7	31
42	12	PY4212	242	351	1.1	22
34	72	PY3472	628	911	5.2	92
34	66	PY3466	592	858	4.7	84
34	60	PY3460	546	792	4.3	77
34	54	PY3454	503	729	3.9	69
34	48	PY3448	460	667	3.5	62
34	42	PY3442	414	600	3.0	54
34	36	PY3436	366	531	2.6	47
34	30	PY3430	327	474	2.2	39
34	24	PY3424	293	425	1.8	32
34	18	PY3418	261	378	1.3	24
34	12	PY3412	224	325	0.9	17



S SPECIFY

N7 - - -

- S** Code: Consult the product code above.
- Trim:** Uni-T finishes / N7, see p.28.
- Laminate:** Specify the finish, see p.40.

The laminate is available in either Thermally Fused Laminate (T.F.L) or High Pressure Laminate (H.P.L.). Refer to the finishes table, p.40.

base panels - laminate 1 side (to the floor), fabric 1 side



Straight base panel (square N7 series), with laminate finish (T.F.L. or H.P.L.) on 1 side and non tackable fabric-covered on the other, with cable access on the fabric side.

The wood grain is positioned horizontally. Connectors NOT included.

Raceway cover is made of painted steel.

Base raceway 5½" high x 2½" wide accommodates communication wiring and 8 wire 4-circuit electrical cabling (not included).

To provide electricity to this panel, use the harness for media panels **HSS**, see p.110.

*** 90° Oriented fabric ("Railroad"):** On panels 66" & 72" wide, fabric is automatically oriented at 90°.

To ensure uniformity, all panels & over-panels 60" wide or less can be ordered with 90° oriented fabric. For information on this option (no charge), refer to p.24.

Dimensions		Code	T.F.L. Price					H.P.L. Price					Specifications	
A	B		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
50	72	PYTE5072 *	703	738	780	833	884	914	949	991	1044	1095	7.5	105
50	66	PYTE5066 *	655	685	724	773	822	852	882	920	970	1018	6.9	96
50	60	PYTE5060	612	652	674	712	774	796	836	858	895	958	6.3	88
50	54	PYTE5054	561	597	618	637	682	729	766	787	805	850	5.7	79
50	48	PYTE5048	512	542	561	579	616	666	696	715	732	770	5.2	71
50	42	PYTE5042	458	484	501	517	557	595	621	638	654	694	4.4	62
50	36	PYTE5036	410	432	448	461	498	533	555	571	584	621	3.8	53
50	30	PYTE5030	355	372	385	398	413	462	478	492	505	519	3.2	45
50	24	PYTE5024	305	318	330	341	363	397	409	422	433	455	2.6	36
50	18	PYTE5018	257	266	277	288	310	334	343	354	365	387	2.0	28
50	12	PYTE5012	208	211	219	227	237	270	274	281	289	299	1.3	19

42	72	PYTE4272 *	641	679	714	768	818	833	871	906	960	1011	6.4	85
42	66	PYTE4266 *	598	634	668	719	772	777	813	847	899	952	5.8	78
42	60	PYTE4260	558	602	619	639	666	725	769	787	807	833	5.3	72
42	54	PYTE4254	512	552	570	587	616	666	706	723	741	770	4.8	65
42	48	PYTE4248	465	503	519	536	568	605	642	659	675	707	4.3	58
42	42	PYTE4242	417	451	465	483	495	542	576	590	608	620	3.7	52
42	36	PYTE4236	375	406	419	438	470	488	518	532	550	582	3.2	45
42	30	PYTE4230	325	351	362	374	394	423	448	459	472	491	2.7	38
42	24	PYTE4224	279	303	314	323	345	363	386	397	407	429	2.2	32
42	18	PYTE4218	235	257	265	278	289	306	328	336	349	360	1.7	25
42	12	PYTE4212	190	207	213	220	231	247	264	270	277	288	1.1	18

base panels - laminate 1 side [to the floor], fabric 1 side [cont'd]

Dimensions		Code	T.F.L. Price					H.P.L. Price					Specifications	
A	B		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
34	72	PYTE3472 *	573	606	638	685	730	745	778	810	857	902	5.2	71
34	66	PYTE3466 *	541	570	597	646	692	703	732	760	808	854	4.7	65
34	60	PYTE3460	499	539	554	595	651	649	689	704	745	801	4.3	59
34	54	PYTE3454	459	495	512	527	559	597	633	649	665	697	3.9	54
34	48	PYTE3448	418	452	466	484	516	543	578	592	609	641	3.5	48
34	42	PYTE3442	374	405	418	437	469	486	517	530	549	581	3.0	42
34	36	PYTE3436	337	364	377	396	428	438	465	478	497	529	2.6	36
34	30	PYTE3430	292	316	327	348	381	380	403	414	435	468	2.2	31
34	24	PYTE3424	252	273	283	294	315	328	348	358	369	390	1.8	25
34	18	PYTE3418	215	232	243	254	275	280	297	308	319	340	1.3	19
34	12	PYTE3412	173	188	195	202	211	225	240	247	254	263	0.9	13

S SPECIFY

N7 - Code - Trim - Laminate - Fabric

S Code: Consult the product code above.



Trim: Uni-T finishes / N7, see p.28.

Laminate: Specify the finish, see p.40.

The laminate is available in either Thermally Fused Laminate (T.F.L.) or High Pressure Laminate (H.P.L.). Refer to the finishes table, p.40.

Fabric: Specify the code, refer to the current Artopex panel fabric card.

base panels - laminate 1 side, fabric 1 side



Straight base panel (square N7 series), with laminate finish (T.F.L.) on 1 side and non tackable fabric-covered on the other, with cable access on both sides.

The wood grain is positioned horizontally.

Raceway cover is made of painted steel.

Base raceway 5½" high x 2½" wide accommodates communication wiring and 8 wire 4-circuit electrical cabling (not included). Connectors NOT included.

*** 90° Oriented fabric ("Railroad"):** On panels 66" & 72" wide, fabric is automatically oriented at 90°.

To ensure uniformity, all panels & over-panels 60" wide or less can be ordered with 90° oriented fabric. For information on this option (no charge), refer to p.24.

Dimensions		Code	T.F.L. Price					H.P.L. Price					Specifications	
A	B		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
50	72	PYTEE5072 *	774	799	823	858	888	1006	1031	1055	1090	1120	7.5	101
50	66	PYTEE5066 *	729	750	771	803	829	948	969	990	1022	1048	6.9	93
50	60	PYTEE5060	690	722	726	746	787	897	929	933	953	994	6.3	85
50	54	PYTEE5054	642	672	678	681	706	835	865	870	874	899	5.7	76
50	48	PYTEE5048	596	623	628	633	652	775	801	807	811	831	5.2	68
50	42	PYTEE5042	546	570	575	581	605	710	734	739	745	769	4.4	60
50	36	PYTEE5036	502	524	530	535	559	653	674	681	685	709	3.8	52
50	30	PYTEE5030	450	469	475	482	485	585	604	610	617	620	3.2	43
50	24	PYTEE5024	403	420	428	435	448	524	541	549	555	569	2.6	35
50	18	PYTEE5018	359	374	383	392	407	467	482	491	499	515	2.0	27
50	12	PYTEE5012	312	325	332	340	345	406	418	426	434	439	1.3	18

42	72	PYTEE4272 *	707	711	730	767	795	919	923	943	979	1007	6.4	81
42	66	PYTEE4266 *	668	670	689	723	754	868	870	889	923	954	5.8	75
42	60	PYTEE4260	630	642	645	647	651	819	831	834	836	840	5.3	69
42	54	PYTEE4254	586	598	603	605	614	762	774	779	781	790	4.8	62
42	48	PYTEE4248	542	554	560	563	578	705	717	723	726	740	4.3	56
42	42	PYTEE4242	496	508	514	520	523	645	657	663	669	671	3.7	49
42	36	PYTEE4236	457	469	475	485	509	594	606	612	622	646	3.2	43
42	30	PYTEE4230	408	419	426	431	446	530	542	548	554	568	2.7	37
42	24	PYTEE4224	365	376	385	391	409	475	486	495	500	519	2.2	30
42	18	PYTEE4218	323	337	344	355	365	420	434	441	452	462	1.7	24
42	12	PYTEE4212	281	292	300	307	319	365	376	385	391	403	1.1	18

base panels - laminate 1 side, fabric 1 side [cont'd]

Dimensions		Code	T.F.L. Price					H.P.L. Price					Specifications	
A	B		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
34	72	PYTEE3472 *	631	636	655	684	707	820	825	844	874	897	5.2	67
34	66	PYTEE3466 *	601	604	618	649	673	781	784	799	829	854	4.7	62
34	60	PYTEE3460	572	578	580	603	637	744	749	751	774	809	4.3	56
34	54	PYTEE3454	534	539	545	550	557	694	699	705	710	717	3.9	51
34	48	PYTEE3448	495	502	507	512	526	644	650	656	660	674	3.5	46
34	42	PYTEE3442	453	460	466	474	491	589	596	602	610	627	3.0	40
34	36	PYTEE3436	418	425	433	443	462	543	550	559	569	587	2.6	35
34	30	PYTEE3430	375	382	391	405	427	488	494	503	517	539	2.2	29
34	24	PYTEE3424	338	344	354	361	373	439	446	456	462	474	1.8	24
34	18	PYTEE3418	303	309	322	331	345	394	400	413	422	436	1.3	18
34	12	PYTEE3412	263	271	282	289	299	342	350	361	368	378	0.9	13

S SPECIFY

N7 - - - -

S Code: Consult the product code above.


Trim: Uni-T finishes / N7, see p.28.

Laminate: Specify the finish, see p.40.

The laminate is available in either Thermally Fused Laminate (T.F.L) or High Pressure Laminate (H.P.L.). Refer to the finishes table, p.40.

Fabric: Specify the code, refer to the current Artopex panel fabric card.

over-panels



Fabric-covered over-panel (square N7 series).

Can be installed on top of any straight panel or straight over-panel. Connectors NOT included.

*** 90° Oriented fabric ("Railroad"):** On panels 66" & 72" wide, fabric is automatically oriented at 90°.

To ensure uniformity, all panels & over-panels 60" wide or less can be ordered with 90° oriented fabric. For information on this option (no charge), refer to p.24.

Dimensions		Code	Price					Specifications	
A	B		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
24	72	PE2472 *	391	409	430	462	494	3.7	35
24	66	PE2466 *	374	393	411	427	442	3.4	33
24	60	PE2460	298	320	327	332	344	3.1	31
24	54	PE2454	288	310	316	320	332	2.8	28
24	48	PE2448	277	298	304	316	328	2.5	25
24	42	PE2442	268	289	294	306	318	2.2	22
24	36	PE2436	244	263	268	279	292	1.9	19
24	30	PE2430	216	232	238	250	262	1.6	16
24	24	PE2424	202	217	223	235	248	1.3	13
24	18	PE2418	187	201	207	213	226	1.0	10
24	12	PE2412	175	188	194	206	217	0.7	7

16	72	PE1672 *	366	384	403	432	462	2.5	25
16	66	PE1666 *	350	367	384	399	414	2.3	23
16	60	PE1660	281	303	308	315	327	2.1	21
16	54	PE1654	267	288	294	300	312	1.9	19
16	48	PE1648	250	267	274	286	298	1.7	17
16	42	PE1642	237	254	261	266	278	1.5	15
16	36	PE1636	221	238	243	255	267	1.3	13
16	30	PE1630	167	180	187	199	211	1.1	11
16	24	PE1624	152	164	169	182	194	0.9	9
16	18	PE1618	139	149	154	161	173	0.7	7
16	12	PE1612	119	128	140	152	165	0.4	5

8	72	PE0872 *	347	364	382	414	446	1.3	17
8	66	PE0866 *	318	334	350	367	382	1.2	13
8	60	PE0860	215	232	238	244	270	1.1	12
8	54	PE0854	205	220	228	234	246	1.0	11
8	48	PE0848	189	204	210	222	235	0.9	10
8	42	PE0842	177	190	197	210	222	0.8	9
8	36	PE0836	165	178	185	197	210	0.7	8
8	30	PE0830	152	163	167	180	193	0.6	7
8	24	PE0824	116	124	131	143	157	0.5	6
8	18	PE0818	106	113	127	135	149	0.3	5
8	12	PE0812	97	105	117	130	142	0.2	4


S SPECIFY

N7 - -

S Code: Consult the product code above.

Fabric: Specify the code, refer to the current Artopex panel fabric card.

over-panels with vertical conduits



Fabric-covered over-panel (square N7 series) with vertical conduits.
 Can be installed on top of any straight panel or straight over-panel with conduits. Connectors NOT included.
 Panels have two conduits (one at each end), except panels 18" wide that have one central conduit.
 Perforations allow vertical wiring from ceiling to Media panel or from ceiling to base panel.

* 90° Oriented fabric ("Railroad"): On panels 66" & 72" wide, fabric is automatically oriented at 90°.

To ensure uniformity, all panels & over-panels 60" wide or less can be ordered with 90° oriented fabric. For information on this option (no charge), refer to p.24.


Dimensions		Code	Price					Specifications	
A	B		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
24	72	EE2472 *	416	436	457	490	521	3.7	35
24	66	EE2466 *	399	418	439	454	469	3.4	33
24	60	EE2460	323	348	354	360	371	3.1	31
24	54	EE2454	314	338	342	348	360	2.8	28
24	48	EE2448	303	326	331	342	354	2.5	25
24	42	EE2442	294	316	321	333	345	2.2	22
24	36	EE2436	270	290	296	307	319	1.9	19
24	30	EE2430	241	259	265	277	289	1.6	16
24	24	EE2424	228	244	251	263	275	1.3	13
24	18	EE2418	202	217	223	229	241	1.0	10
16	72	EE1672 *	386	405	425	455	485	2.5	25
16	66	EE1666 *	370	388	406	421	437	2.3	23
16	60	EE1660	303	325	330	337	349	2.1	21
16	54	EE1654	288	310	317	322	334	1.9	19
16	48	EE1648	270	290	296	309	321	1.7	17
16	42	EE1642	257	277	283	289	301	1.5	15
16	36	EE1636	241	260	266	278	290	1.3	13
16	30	EE1630	189	202	209	221	233	1.1	11
16	24	EE1624	173	186	191	204	216	0.9	9
16	18	EE1618	152	163	168	175	187	0.7	7
8	72	EE0872 *	364	382	399	431	464	1.3	17
8	66	EE0866 *	336	352	370	384	399	1.2	13
8	60	EE0860	233	250	256	263	288	1.1	12
8	54	EE0854	221	238	245	252	265	1.0	11
8	48	EE0848	207	222	229	241	254	0.9	10
8	42	EE0842	195	210	216	229	241	0.8	9
8	36	EE0836	183	197	204	216	229	0.7	8
8	30	EE0830	168	182	186	199	211	0.6	7
8	24	EE0824	132	143	150	162	175	0.5	6
8	18	EE0818	117	125	138	149	161	0.3	5

S SPECIFY

N2 - -

S Code: Consult the product code above.
 Fabric: Specify the code, refer to the current Artopex panel fabric card.

transparent over-panels



Transparent straight over-panel (square N7 series), available in Frosted or Clear acrylic finish.
Can be installed on top of any straight panel or straight over-panel. Connectors NOT included.

Dimensions			Specifications		
A	B	Code	Price	Cu.Ft.	lb
24	72	PET2472	640	3.7	33
24	66	PET2466	587	3.4	31
24	60	PET2460	557	3.1	29
24	54	PET2454	536	2.8	27
24	48	PET2448	492	2.5	26
24	42	PET2442	450	2.2	24
24	36	PET2436	426	1.9	22
24	30	PET2430	381	1.6	20
24	24	PET2424	342	1.3	18
24	18	PET2418	320	1.0	15
24	12	PET2412	310	0.7	13

16	72	PET1672	557	2.5	28
16	66	PET1666	510	2.3	27
16	60	PET1660	484	2.1	25
16	54	PET1654	465	1.9	22
16	48	PET1648	427	1.7	20
16	42	PET1642	392	1.5	18
16	36	PET1636	370	1.3	16
16	30	PET1630	331	1.1	14
16	24	PET1624	297	0.9	12
16	18	PET1618	278	0.7	10
16	12	PET1612	270	0.4	8


8	72	PET0872	407	1.3	23
8	66	PET0866	396	1.2	21
8	60	PET0860	385	1.1	19
8	54	PET0854	374	1.0	17
8	48	PET0848	319	0.9	16
8	42	PET0842	290	0.8	14
8	36	PET0836	275	0.7	12
8	30	PET0830	264	0.6	10
8	24	PET0824	255	0.5	9
8	18	PET0818	251	0.3	7
8	12	PET0812	248	0.2	5

S SPECIFY

N7 - Code - Trim - Acrylic

- S** Code: Consult the product code above.
- Trim: Uni-T finishes / N7, see p.28.
- Acrylic: Clear (CL) or Frosted (Gi).

over-panels - laminate 2 sides



Over-panel (square N7 series) with laminate finish (T.F.L.) on both sides.
 Can be installed on top of any straight panel or straight over-panel. Connectors NOT included.
The wood grain is positioned horizontally.

Dimensions		Code	Price		Specifications	
A	B		T.F.L.	H.P.L.	Cu.Ft.	lb
24	72	PEY2472	430	624	3.7	63
24	66	PEY2466	414	600	3.4	59
24	60	PEY2460	338	490	3.1	54
24	54	PEY2454	328	476	2.8	49
24	48	PEY2448	317	460	2.5	46
24	42	PEY2442	308	447	2.2	41
24	36	PEY2436	278	403	1.9	37
24	30	PEY2430	250	363	1.6	32
24	24	PEY2424	237	344	1.3	27
24	18	PEY2418	221	320	1.0	23
24	12	PEY2412	209	303	0.7	18
16	72	PEY1672	418	606	2.5	48
16	66	PEY1666	402	583	2.3	45
16	60	PEY1660	332	481	2.1	41
16	54	PEY1654	319	463	1.9	37
16	48	PEY1648	301	436	1.7	34
16	42	PEY1642	288	418	1.5	30
16	36	PEY1636	276	400	1.3	26
16	30	PEY1630	222	322	1.1	22
16	24	PEY1624	207	300	0.9	19
16	18	PEY1618	194	281	0.7	15
16	12	PEY1612	174	252	0.4	11
8	72	PEY0872	398	577	1.3	33
8	66	PEY0866	370	537	1.2	30
8	60	PEY0860	266	386	1.1	27
8	54	PEY0854	256	371	1.0	25
8	48	PEY0848	241	349	0.9	22
8	42	PEY0842	229	332	0.8	20
8	36	PEY0836	220	319	0.7	17
8	30	PEY0830	207	300	0.6	15
8	24	PEY0824	171	248	0.5	12
8	18	PEY0818	161	233	0.3	9
8	12	PEY0812	152	220	0.2	7

S SPECIFY

Code Laminate



N7 - -

S Code: Consult the product code above.

Laminate: Specify the finish, see p.40.

The laminate is available in either Thermally Fused Laminate (T.F.L) or High Pressure Laminate (H.P.L.). Refer to the finishes table, p.40.

over-panels - laminate 1 side, fabric 1 side



Over-panel (square N7 series) with laminate finish (T.F.L. or H.P.L.) on 1 side and non tackable fabric-covered on the other. Can be installed on top of any straight panel or straight over-panel. Connectors NOT included.

The wood grain is positioned horizontally.

*** 90° Oriented fabric ("Railroad"): On panels 66" & 72" wide, fabric is automatically oriented at 90°.**

To ensure uniformity, all panels & over-panels 60" wide or less can be ordered with 90° oriented fabric. For information on this option (no charge), refer to p.24.

Dimensions		Code	T.F.L. Price					H.P.L. Price					Specifications	
A	B		COM/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	COM/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
24	72	PEYT2472 *	391	410	432	465	498	508	528	550	583	616	3.7	48
24	66	PEYT2466 *	374	394	414	430	447	486	506	526	542	559	3.4	45
24	60	PEYT2460	298	321	329	336	349	387	411	418	425	438	3.1	42
24	54	PEYT2454	288	311	318	323	337	374	398	404	410	423	2.8	38
24	48	PEYT2448	277	299	306	319	332	360	382	389	402	415	2.5	36
24	42	PEYT2442	270	292	297	310	323	351	373	378	391	404	2.2	32
24	36	PEYT2436	245	265	272	284	297	319	339	345	357	371	1.9	29
24	30	PEYT2430	217	234	241	254	267	282	299	306	319	332	1.6	26
24	24	PEYT2424	204	219	227	240	253	265	280	288	301	314	1.3	22
24	18	PEYT2418	185	199	205	211	223	241	255	260	267	279	1.0	19
24	12	PEYT2412	173	186	191	204	215	225	238	243	255	266	0.7	16

16	72	PEYT1672 *	382	396	411	438	464	497	511	526	552	579	2.5	38
16	66	PEYT1666 *	365	380	393	405	416	475	489	502	514	525	2.3	36
16	60	PEYT1660	296	315	317	320	329	385	403	406	409	418	2.1	33
16	54	PEYT1654	283	300	303	306	315	368	385	387	391	400	1.9	30
16	48	PEYT1648	265	279	283	292	300	345	359	362	371	380	1.7	27
16	42	PEYT1642	252	266	270	272	281	328	342	345	347	356	1.5	24
16	36	PEYT1636	237	250	252	261	270	308	321	323	332	341	1.3	21
16	30	PEYT1630	183	193	196	205	213	238	247	251	260	268	1.1	18
16	24	PEYT1624	167	176	178	187	196	217	226	228	237	246	0.9	15
16	18	PEYT1618	154	161	163	166	175	200	207	209	212	221	0.7	12
16	12	PEYT1612	134	140	149	157	167	174	180	189	198	207	0.4	9

over-panels - laminate 1 side, fabric 1 side (cont'd)

Dimensions			T.F.L. Price					H.P.L. Price					Specifications	
A	B	Code	COM/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	COM/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
8	72	PEYT0872 *	365	378	393	422	450	475	488	502	532	559	1.3	28
8	66	PEYT0866 *	337	349	361	376	386	438	450	462	477	487	1.2	25
8	60	PEYT0860	233	246	249	253	274	303	316	319	323	344	1.1	23
8	54	PEYT0854	223	234	239	243	251	290	301	306	310	318	1.0	21
8	48	PEYT0848	208	218	221	231	240	270	280	284	293	302	0.9	19
8	42	PEYT0842	196	205	208	219	227	255	263	267	278	285	0.8	17
8	36	PEYT0836	193	200	202	208	216	251	258	260	266	274	0.7	15
8	30	PEYT0830	179	185	186	191	198	233	239	240	245	252	0.6	12
8	24	PEYT0824	143	146	150	154	163	186	189	193	197	206	0.5	10
8	18	PEYT0818	133	135	145	146	154	173	175	185	186	194	0.3	8
8	12	PEYT0812	124	127	135	141	147	161	164	173	178	185	0.2	6

S SPECIFY

N7 - - -

S Code: Consult the product code above.


Laminate: Specify the finish, see p.40.

The laminate is available in either Thermally Fused Laminate (T.F.L) or High Pressure Laminate (H.P.L.). Refer to the finishes table, p.40.

Fabric: Specify the code, refer to the current Artopex panel fabric card.


media panels [doors on 2 sides]

16" & 8" Media over-panels with sliding doors on both sides. Can be installed on top of a 34" H. straight panel.
 Raceway 16" or 8" high x 4" wide accomodates communication wiring and 8 wire 4-circuit electrical cabling (not included).
 Hooks for communication wiring included.
 Optional Media data channel available, see p.118.



16"

Dimensions			Specifications		
A	B	Code	Price	Cu.Ft.	lb
16	72	PELL1672	536	3.6	32
16	66	PELL1666	512	3.3	30
16	60	PELL1660	486	3.0	27
16	54	PELL1654	459	2.7	25
16	48	PELL1648	437	2.4	22
16	42	PELL1642	411	2.1	20
16	36	PELL1636	386	1.8	17
16	30	PELL1630	366	1.5	15
16	24	PELL1624	349	1.2	12
16	18	PELL1618	337	0.9	10
16	12	PELL1612	330	0.6	7



8"

8	72	PELL0872	437	1.9	24
8	66	PELL0866	415	1.7	21
8	60	PELL0860	394	1.6	19
8	54	PELL0854	373	1.4	16
8	48	PELL0848	352	1.3	14
8	42	PELL0842	330	1.1	11
8	36	PELL0836	310	1.0	10
8	30	PELL0830	290	0.8	9
8	24	PELL0824	284	0.7	8
8	18	PELL0818	277	0.6	7
8	12	PELL0812	271	0.5	6


S SPECIFY

N7 - Code - Trim

S **Code:** Consult the product code above.
Trim: Uni-T finishes / N7, see p.28.


media panels (doors on 2 sides) with vertical conduit openings

16" & 8" Media over-panels with sliding doors on both sides and vertical conduit openings. Can be installed on top of a 34" H. straight panel. 1" wide by 4" long openings allow access to the 8 wire 4-circuit electrical system and communication wiring raceway (16" or 8" high x 4" wide, electrical system & wiring not included). Panels have two openings (one at each end), except panels 18" wide that have one central opening. Openings allow vertical wiring to pass from ceiling to media panel or from ceiling to base panel. Hooks for communication wiring included. Optional Media data channel available, see p.118.



16"

Dimensions			Specifications	
A	B	Code	Price	Cu.Ft. lb
16	72	EELL1672	596	3.6 32
16	66	EELL1666	573	3.3 30
16	60	EELL1660	548	3.0 27
16	54	EELL1654	519	2.7 25
16	48	EELL1648	497	2.4 22
16	42	EELL1642	472	2.1 20
16	36	EELL1636	447	1.8 17
16	30	EELL1630	427	1.5 15
16	24	EELL1624	410	1.2 12
16	18	EELL1618	372	0.9 10



8"

8	72	EELL0872	497	1.9 24
8	66	EELL0866	476	1.7 21
8	60	EELL0860	455	1.6 19
8	54	EELL0854	433	1.4 16
8	48	EELL0848	413	1.3 14
8	42	EELL0842	392	1.1 11
8	36	EELL0836	372	1.0 10
8	30	EELL0830	352	0.8 9
8	24	EELL0824	345	0.7 8
8	18	EELL0818	312	0.6 7

S SPECIFY


Code Trim

N7 - -

S Code: Consult the product code above.
Trim: Uni-T finishes / N7, see p.28.


media panels [door on 1 side]

16" & 8" Media over-panels with sliding door on one side (reversible). Can be installed on top of a 34" H. straight panel.
 Raceway 16" or 8" high x 3¼" wide accomodates communication wiring and 8 wire 4-circuit electrical cabling (not included).
 Hooks for communication wiring included.
 Optional Media data channel available, see p.118.



16"

Dimensions			Specifications		
A	B	Code	Price	Cu.Ft.	lb
16	72	PELF1672	480	3.6	32
16	66	PELF1666	458	3.3	30
16	60	PELF1660	437	3.0	27
16	54	PELF1654	416	2.7	25
16	48	PELF1648	394	2.4	22
16	42	PELF1642	375	2.1	20
16	36	PELF1636	356	1.8	17
16	30	PELF1630	337	1.5	15
16	24	PELF1624	317	1.2	12
16	18	PELF1618	304	0.9	10
16	12	PELF1612	297	0.6	7



8"

8	72	PELF0872	384	1.9	24
8	66	PELF0866	376	1.7	21
8	60	PELF0860	370	1.6	19
8	54	PELF0854	356	1.4	16
8	48	PELF0848	337	1.3	14
8	42	PELF0842	314	1.1	11
8	36	PELF0836	297	1.0	10
8	30	PELF0830	284	0.8	9
8	24	PELF0824	271	0.7	8
8	18	PELF0818	257	0.6	7
8	12	PELF0812	251	0.5	6


S SPECIFY

N7 - Code - Trim

S **Code:** Consult the product code above.
Trim: Uni-T finishes / N7, see p.28.


media panels (door on 1 side) with vertical conduit openings

16" & 8" Media over-panels with sliding door on one side (reversible) and vertical conduit openings. Can be installed on top of a 34" H. straight panel. 1" wide by 4" long openings allow access to the 8 wire 4-circuit electrical system and communication wiring raceway (16" or 8" high x 3/4" wide, electrical system & wiring not included). Panels have two openings (one at each end), except panels 18" wide that have one central opening. Openings allow vertical wiring to pass from ceiling to media panel or from ceiling to base panel. Hooks for communication wiring included. Optional Media data channel available, see p.118.



16"

Dimensions			Specifications	
A	B	Code	Price	Cu.Ft. lb
16	72	EELF1672	541	3.6 32
16	66	EELF1666	518	3.3 30
16	60	EELF1660	497	3.0 27
16	54	EELF1654	476	2.7 25
16	48	EELF1648	455	2.4 22
16	42	EELF1642	437	2.1 20
16	36	EELF1636	418	1.8 17
16	30	EELF1630	398	1.5 15
16	24	EELF1624	378	1.2 12
16	18	EELF1618	339	0.9 10



8"

8	72	EELF0872	444	1.9 24
8	66	EELF0866	438	1.7 21
8	60	EELF0860	431	1.6 19
8	54	EELF0854	418	1.4 16
8	48	EELF0848	398	1.3 14
8	42	EELF0842	374	1.1 11
8	36	EELF0836	359	1.0 10
8	30	EELF0830	345	0.8 9
8	24	EELF0824	332	0.7 8
8	18	EELF0818	292	0.6 7

S SPECIFY

Code Trim


N7 - -

S Code: Consult the product code above.
Trim: Uni-T finishes / N7, see p.28.

panels with metallic surface on 2 sides


16" & 8" over-panels with metallic surface on both sides.
 Can be installed on top of a 34" H. straight panel.
 Hooks for communication wiring included.

16"



Dimensions			Specifications		
A	B	Code	Price	Cu.Ft.	lb
16	72	PEFF1672	370	3.6	31
16	66	PEFF1666	356	3.3	29
16	60	PEFF1660	343	3.0	26
16	54	PEFF1654	330	2.7	24
16	48	PEFF1648	317	2.4	21
16	42	PEFF1642	304	2.1	19
16	36	PEFF1636	290	1.8	16
16	30	PEFF1630	277	1.5	14
16	24	PEFF1624	264	1.2	11
16	18	PEFF1618	251	0.9	9
16	12	PEFF1612	244	0.6	6

8"



8	72	PEFF0872	300	1.9	23
8	66	PEFF0866	284	1.7	21
8	60	PEFF0860	277	1.6	18
8	54	PEFF0854	264	1.4	16
8	48	PEFF0848	257	1.3	13
8	42	PEFF0842	238	1.1	11
8	36	PEFF0836	231	1.0	10
8	30	PEFF0830	224	0.8	9
8	24	PEFF0824	218	0.7	8
8	18	PEFF0818	211	0.6	7
8	12	PEFF0812	205	0.5	6

S SPECIFY


Code Trim
 N7 - -

S **Code:** Consult the product code above.
Trim: Uni-T finishes / N7, see p.28.

panels with metallic surface on 2 sides and vertical conduit openings


16" & 8" over-panels with metallic surface on both sides and vertical conduit openings.
 Can be installed on top of a 34" H. straight panel.
 1" wide by 4" long openings allow vertical wiring to pass from ceiling to panel or from panel to base.
 Panels have two openings (one at each end), except panels 18" wide that have one central opening.
 Hooks for communication wiring included.

16"



Dimensions			Specifications	
A	B	Code	Price	Cu.Ft. lb
16	72	EEFF1672	431	3.6 31
16	66	EEFF1666	418	3.3 29
16	60	EEFF1660	405	3.0 26
16	54	EEFF1654	392	2.7 24
16	48	EEFF1648	378	2.4 21
16	42	EEFF1642	365	2.1 19
16	36	EEFF1636	352	1.8 16
16	30	EEFF1630	339	1.5 14
16	24	EEFF1624	326	1.2 11
16	18	EEFF1618	285	0.9 9

8"



8	72	EEFF0872	361	1.9 23
8	66	EEFF0866	345	1.7 21
8	60	EEFF0860	339	1.6 18
8	54	EEFF0854	326	1.4 16
8	48	EEFF0848	319	1.3 13
8	42	EEFF0842	298	1.1 11
8	36	EEFF0836	292	1.0 10
8	30	EEFF0830	285	0.8 9
8	24	EEFF0824	278	0.7 8
8	18	EEFF0818	245	0.6 7


S SPECIFY

Code Trim

N7 - -

S Code: Consult the product code above.
 Trim: Uni-T finishes / N7, see p.28.

connectors and connector covers



"S" Connector joins panels together at 180°. Leveling glide included on base panel connector.

FOR BASE PANELS

Code	Price	Specifications	
		Cu.Ft.	lb
C82S	66	0.6	10
C66S	56	0.5	9
C50S	46	0.4	7
C42S	44	0.3	6
C34S	40	0.2	5

FOR OVER-PANELS




CE48S	52	0.4	7
CE40S	50	0.3	6
CE32S	45	0.3	5
CE24S	42	0.2	4
CE16S	36	0.2	3
CE08S	35	0.1	2

S SPECIFY

Code
N2 -

S Code: Consult the product code above.




1 1/8" Connector with included filler to match wall mounts.

FOR BASE PANELS

Code	Price	Specifications	
		Cu.Ft.	lb
C82W	122	0.6	10
C66W	107	0.5	9
C50W	94	0.4	7
C42W	85	0.3	6
C34W	78	0.2	5

FOR OVER-PANELS



CE48W	79	0.3	7
CE40W	78	0.3	6
CE32W	66	0.2	5
CE24W	59	0.2	4
CE16W	50	0.1	3
CE08W	42	0.1	2


S SPECIFY

Code Trim
N2 - -

S Code: Consult the product code above.

Trim: Uni-T finishes / N2, see p.27.

connectors and connector covers (cont'd)



Connector joins panels together in an "X" shape. Leveling glide included on base panel connector.
A plastic top cap is included with the connector.

FOR BASE PANELS

Code	Price	Specifications	
		Cu.Ft.	lb
C82X	264	0.6	30
C66X	222	0.5	26
C50X	196	0.4	16
C42X	162	0.3	14
C34X	134	0.2	10




FOR OVER-PANELS

CE48X	230	0.4	7
CE40X	202	0.3	6
CE32X	190	0.3	5
CE24X	164	0.2	4
CE16X	143	0.2	3
CE08X	125	0.1	2

Connector joins together Media panels or Media panels to base and over-panels.
These connectors allow for in-line running of electricity and communication wiring in Media panels (see left image).

FOR MEDIA PANELS




Code	Price	Specifications	
		Cu.Ft.	lb
CEL82X	355	0.6	30
CEL66X	305	0.5	26
CEL50X	262	0.4	16
CEL42X	234	0.3	14

S SPECIFY


N2 - -

S Code: Consult the product code above.
Trim: Uni-T finishes / N2, see p.27.

connectors and connector covers [cont'd]




"B" Connector joins panels together at 180°. Allows for a 2 1/2" gap between 2 panels when necessary for workstation layout.
 "K" Connector kit includes : connector, 2 metal connector covers with plastic base and a plastic top cap. Each component is available individually.
 Leveling glide included on base panel connector.



FOR BASE PANELS

Code	Connector Kit (K)	Connector Cover (C)	Connector (Q)	Specifications	
				Cu.Ft.	lb
C82B	263	94	187	0.6	15
C66B	223	88	158	0.5	13
C50B	193	67	131	0.4	8
C42B	176	59	121	0.3	7
C34B	146	50	105	0.2	5



FOR OVER-PANELS


CE48B	207	74	151	0.4	8
CE40B	183	59	129	0.3	7
CE32B	174	56	124	0.3	6
CE24B	146	47	102	0.2	5
CE16B	124	42	89	0.2	4
CE08B	113	36	81	0.1	3

S SPECIFY


N2 - Code - Compon. - Trim

S Code: Consult the product code above.
Components: Connector Kit (K), Connector Cover (C) or Connector only (Q).
Trim: Uni-T finishes / N2, see p.27

connectors and connector covers (cont'd)




"L" Connector joins panels together at 90°. Leveling glide included on base panel connector.
 "K" Connector kit includes : connector, 1 metal connector cover with plastic base and a plastic top cap.
 Each component is available individually.



FOR BASE PANELS

Code	Connector Kit (K)	Connector Cover (C)	Connector (Q)	Specifications	
				Cu.Ft.	lb
C82L	240	57	199	0.6	15
C66L	202	50	168	0.5	13
C50L	167	37	133	0.4	8
C42L	153	34	124	0.3	7
C34L	127	30	100	0.2	5



FOR OVER-PANELS

CE48L	183	43	153	0.4	8
CE40L	160	36	132	0.3	7
CE32L	151	34	125	0.3	6
CE24L	134	28	110	0.2	5
CE16L	113	24	90	0.2	4
CE08L	111	23	87	0.1	3

S SPECIFY

O OPTION





S Code: Consult the product code above.

Components: Connector Kit (K), Connector Cover (C) or Connector only (Q).

Trim (K and C components): Uni-T finishes / N2, see p.27

O Cover (over-panel): For the longer cover, specify (Z).

connectors and connector covers (cont'd)




"T" Connector joins panels together, in a "T" shape, at 90°. Leveling glide included on base panel connector.

"K" Connector kit includes : connector, 1 metal connector cover with plastic base and a plastic top cap. Each component is available individually.

FOR BASE PANELS

Code	Connector Kit (K)	Connector Cover (C)	Connector (Q)	Specifications	
				Cu.Ft.	lb
C82T	296	46	255	0.6	20
C66T	245	43	210	0.5	15
C50T	207	40	173	0.4	10
C42T	189	35	160	0.3	8
C34T	157	30	131	0.2	6


FOR OVER-PANELS



Code	Connector Kit (K)	Connector Cover (C)	Connector (Q)	Specifications	
				Cu.Ft.	lb
CE48T	238	36	206	0.4	8
CE40T	210	34	180	0.3	7
CE32T	198	33	172	0.3	6
CE24T	180	32	154	0.2	5
CE16T	151	24	132	0.2	4
CE08T	138	21	117	0.1	3

Connector joins together Media panels or Media panels to base and over-panels.

These connectors allow for in-line running of electricity and communication wiring in Media panels (see left image).



Media Connector
IE-J21

FOR MEDIA PANELS

Code	Connector Kit (K)	Connector Cover (C)	Connector (Q)	Specifications	
				Cu.Ft.	lb
CEL82T	314	47	272	0.6	20
CEL66T	275	44	240	0.5	15
CEL50T	233	41	200	0.4	10
CEL42T	210	36	182	0.3	8

S SPECIFY


N2 - Code - Compon. - Trim

S Code: Consult the product code above.

Components: Connector Kit (K), Connector Cover (C) or Connector only (Q).

Trim (K and C components): Uni-T finishes / N2, see p.27

connectors and connector covers (cont'd)



"C" Connector used for end-of-panel-run. Leveling glide included on base panel connector.

"K" Connector kit includes : connector, 1 metal connector cover with plastic base and a plastic top cap. Each component is available individually.

FOR BASE PANELS

Code	Connector Kit (K)	Connector Cover (C)	Connector (Q)	Specifications	
				Cu.Ft.	lb
C82C	168	74	94	0.6	11
C66C	144	64	79	0.5	9
C50C	116	52	64	0.4	7
C42C	101	43	56	0.3	6
C34C	96	41	53	0.2	5



FOR OVER-PANELS


Code	Connector Kit (K)	Connector Cover (C)	Connector (Q)	Specifications	
				Cu.Ft.	lb
CE48C	113	54	61	0.4	8
CE40C	103	43	59	0.3	7
CE32C	95	41	53	0.3	6
CE24C	80	35	44	0.2	5
CE16C	67	30	37	0.2	4
CE08C	59	25	33	0.1	3



Regular cover


The regular cover is shorter due to its position over the adjacent panel's top cap.

Examples:
"L" and "C" when panel height changes



Longer cover "Z"

Examples :
"L" on top of "L"
"C" on top of "C"



S SPECIFY

O OPTION




S Code: Consult the product code above.

Components: Connector Kit (K), Connector Cover (C) or Connector only (Q).

Trim (K and C components): Uni-T finishes / N2, see p.27

O Cover (over-panel): For the longer cover, specify (Z).


off-module connectors

The "Off-Module" connector joins 2 panels (or combination of stacked panels) of the same height together perpendicularly. Black finish (not visible).


	Code	Price	Specifications	
			Cu.Ft.	lb
Connector perpendicularly installed on an 82" H panel	N5-COM82T-N	186	0.5	5
Connector perpendicularly installed on an 66" H panel	N5-COM66T-N	166	0.4	4
Connector perpendicularly installed on an 50" H panel	N5-COM50T-N	153	0.3	3
Connector perpendicularly installed on an 42" H panel	N5-COM42T-N	147	0.2	3
Connector perpendicularly installed on an 34" H panel	N5-COM34T-N	141	0.2	2

connectors and connector covers

RIGHT "S"



Joins 2 panels at
180°



'S' Connector joins panels together at 180°. Leveling glide included on base panel connector.

FOR BASE PANELS

Code	Price	Specifications	
		Cu.Ft.	lb
C82S	66	0.6	10
C66S	56	0.5	9
C50S	46	0.4	7
C42S	44	0.3	6
C34S	40	0.2	5

FOR OVER-PANELS

CE48S	52	0.4	7
CE40S	50	0.3	6
CE32S	45	0.3	5
CE24S	42	0.2	4
CE16S	36	0.2	3
CE08S	35	0.1	2



S SPECIFY

Code

N7 -

S Code: Consult the product code above.

WALL "W"

1 1/8" Connector with included filler to match wall mounts.

FOR BASE PANELS

Code	Price	Specifications	
		Cu.Ft.	lb
C82W	122	0.6	10
C66W	107	0.5	9
C50W	94	0.4	7
C42W	85	0.3	6
C34W	78	0.2	5

FOR OVER-PANELS

CE48W	79	0.3	7
CE40W	78	0.3	6
CE32W	66	0.2	5
CE24W	59	0.2	4
CE16W	50	0.1	3
CE08W	42	0.1	2

S SPECIFY


Code Trim

N7 - -

S Code: Consult the product code above.

Trim: Uni-T finishes / N7, see p.28.

connectors and connector covers [cont'd]



Connector joins panels together in an "X" shape. Leveling glide included on base panel connector.
A plastic top cap is included with the connector.

FOR BASE PANELS


Code	Price	Specifications	
		Cu.Ft.	lb
C82X	264	0.6	30
C66X	222	0.5	26
C50X	196	0.4	16
C42X	162	0.3	14
C34X	134	0.2	10

FOR OVER-PANELS

CE48X	230	0.4	7
CE40X	202	0.3	6
CE32X	190	0.3	5
CE24X	164	0.2	4
CE16X	143	0.2	3
CE08X	125	0.1	2

Connector joins together Media panels or Media panels to base and over-panels.
These connectors allow for in-line running of electricity and communication wiring in Media panels (see left image).

FOR MEDIA PANELS




Code	Price	Specifications	
		Cu.Ft.	lb
CEL82X	355	0.6	30
CEL66X	305	0.5	26
CEL50X	262	0.4	16
CEL42X	234	0.3	14

S SPECIFY


N7 - Code - Trim

S Code: Consult the product code above.
Trim: Uni-T finishes / N7, see p.28.

connectors and connector covers (cont'd)




"B" Connector joins panels together at 180°. Allows for a 2 1/2" gap between 2 panels when necessary for workstation layout.
"K" Connector kit includes : connector, 2 metal connector covers and a plastic top cap. Each component is available individually.
Leveling glide included on base panel connector.



FOR BASE PANELS

Code	Connector Kit (K)	Connector Cover (C)	Connector(Q)	Specifications	
				Cu.Ft.	lb
C82B	229	56	187	0.6	15
C66B	191	53	158	0.5	13
C50B	167	41	131	0.4	8
C42B	154	36	121	0.3	7
C34B	128	30	105	0.2	5



FOR OVER-PANELS

CE48B	182	45	151	0.4	8
CE40B	161	36	129	0.3	7
CE32B	153	34	124	0.3	6
CE24B	129	29	102	0.2	5
CE16B	109	25	89	0.2	4
CE08B	100	22	81	0.1	3

S SPECIFY


N7 - Code - Compon. - Trim

S Code: Consult the product code above.

Components: Connector Kit (K), Connector Cover (C) or Connector only (Q).

Trim: Uni-T finishes / N7, see p.28.

connectors and connector covers (cont'd)




"L" Connector joins panels together at 90°. Leveling glide included on base panel connector.

"K" Connector kit includes: connector, 1 metal connector cover and a plastic top cap. Each component is available individually.

FOR BASE PANELS

Code	Connector Kit (K)	Connector Cover (C)	Connector (Q)	Specifications	
				Cu.Ft.	lb
C82L	235	52	199	0.6	15
C66L	199	45	168	0.5	13
C50L	165	34	133	0.4	8
C42L	151	31	124	0.3	7
C34L	125	28	100	0.2	5

FOR OVER-PANELS



Code	Connector Kit (K)	Connector Cover (C)	Connector (Q)	Specifications	
				Cu.Ft.	lb
CE48L	180	40	153	0.4	8
CE40L	157	33	132	0.3	7
CE32L	149	31	125	0.3	6
CE24L	133	25	110	0.2	5
CE16L	112	22	90	0.2	4
CE08L	107	21	87	0.1	3

S SPECIFY

O OPTION

N7 - - - -


S Code: Consult the product code above.

Components: Connector Kit (K), Connector Cover (C) or Connector only (Q).

Trim (K and C components): Uni-T finishes / N7, see p.28.

O Cover (over-panel): For the longer cover, specify (Z).

connectors and connector covers [cont'd]



"T" Connector joins panels together, in a "T" shape, at 90°. Leveling glide included on base panel connector.


"K" Connector kit includes: connector, 1 metal connector cover and a plastic top cap. Each component is available individually.

FOR BASE PANELS

Code	Connector Kit (K)	Connector Cover (C)	Connector (Q)	Specifications	
				Cu.Ft.	lb
C82T	293	42	255	0.6	20
C66T	243	40	210	0.5	15
C50T	205	36	173	0.4	10
C42T	187	32	160	0.3	8
C34T	156	28	131	0.2	6

FOR OVER-PANELS

Code	Connector Kit (K)	Connector Cover (C)	Connector (Q)	Specifications	
				Cu.Ft.	lb
CE48T	235	33	206	0.4	8
CE40T	208	31	180	0.3	7
CE32T	196	30	172	0.3	6
CE24T	179	28	154	0.2	5
CE16T	150	22	132	0.2	4
CE08T	136	20	117	0.1	3




Connector joins together Media panels or Media panels to base and over-panels.

These connectors allow for in-line running of electricity and communication wiring in Media panels (see left image).

FOR MEDIA PANELS

Code	Connector Kit (K)	Connector Cover (C)	Connector (Q)	Specifications	
				Cu.Ft.	lb
CEL82T	310	43	272	0.6	20
CEL66T	272	40	240	0.5	15
CEL50T	231	37	200	0.4	10
CEL42T	208	33	182	0.3	8



IE-J21
Media Connector

S SPECIFY



N27 - Code - Compon. - Trim

S Code: Consult the product code above.

Components: Connector Kit (K), Connector Cover (C) or Connector only (Q).

Trim (K and C components): Uni-T finishes / N7, see p.28.

connectors and connector covers (cont'd)




"C" Connector used for end-of-panel-run. Leveling glide included on base panel connector.

"K" Connector kit includes: connector, 1 metal connector cover and a plastic top cap. Each component is available individually.

FOR BASE PANELS

Code	Connector Kit (K)	Connector Cover (C)	Connector (Q)	Specifications	
				Cu.Ft.	lb
C82C	154	59	94	0.6	11
C66C	132	52	79	0.5	9
C50C	106	42	64	0.4	7
C42C	94	35	56	0.3	6
C34C	88	33	53	0.2	5

FOR OVER-PANELS




CE48C	105	44	61	0.4	8
CE40C	96	35	59	0.3	7
CE32C	87	33	53	0.3	6
CE24C	74	29	44	0.2	5
CE16C	62	24	37	0.2	4
CE08C	55	21	33	0.1	3

Regular cover

The regular cover is shorter due to its positioning over the adjacent panel's top cap.

Examples:

"L" and "C" when panel height changes




Longer cover "Z"

Examples:

"L" on top of "L"

"C" on top of "C"



S SPECIFY

O OPTION

N7 - Code - Compon. - Trim - Cover


S Code: Consult the product code above.

Components: Connector Kit (K), Connector Cover (C) or Connector only (Q).

Trim (K and C components): Uni-T finishes / N7, see p.28.


O Cover (over-panel): For the longer cover, specify (Z).

connectors and connector covers (cont'd)




"U" Connector used for end-of-panel run to ensure visual continuity when panel height changes.
 "K" Connector Kit includes: connector, 1 metal connector cover and a plastic top cap.
 Connector covers are available separately.


FOR HEIGHT CHANGE



Code	Connector Kit (K)	Connector Cover (C)	Specifications	
			Cu.Ft.	lb
C48U	149	97	2.8	7
C40U	141	92	2.4	7
C32U	123	83	2.0	5
C24U	109	72	1.6	4
C16U	94	65	1.1	2
C08U	86	62	0.7	1



"L" configuration example



"T" configuration example

S SPECIFY

N7 - Code - Compon. - Trim

S Code: Consult the product code above.


Components: Connector Kit (K), Connector Cover (C) or Connector only (Q).

Trim: Black (N), Charcoal (F), Frost (A), Polar White (H) or Frost / Silver (AW).

connector covers with notch[es]


Connector with a notch at one end or at both ends.
Installs on top of an N7 base panel or over-panel in a layout when panel height changes.

NOTCH AT ONE END





Code	Price	Specifications	
		Cu.Ft.	lb
ENJ72A	64	0.5	1
ENJ66A	63	0.4	1
ENJ60A	59	0.4	1
ENJ54A	57	0.4	1
ENJ48A	50	0.3	1
ENJ42A	49	0.3	1
ENJ36A	47	0.2	1
ENJ30A	44	0.2	1
ENJ24A	40	0.2	1
ENJ18A	39	0.1	1
ENJ12A	37	0.1	1

NOTCH AT BOTH ENDS



ENJ72B	64	0.5	1
ENJ66B	63	0.4	1
ENJ60B	59	0.4	1
ENJ54B	57	0.4	1
ENJ48B	50	0.3	1
ENJ42B	49	0.3	1
ENJ36B	47	0.2	1
ENJ30B	44	0.2	1
ENJ24B	40	0.2	1
ENJ18B	39	0.1	1
ENJ12B	37	0.1	1




S SPECIFY

N7 - -

S Code: Consult the product code above.
Trim: Black (N), Charcoal (F), Frost (A), Polar White (H) or Frost / Silver (AW).

off-module connectors





The "Off-Module" connector joins 2 panels (or combination of stacked panels) of the same height together perpendicularly. Black finish (not visible).

	Code	Price	Specifications	
			Cu.Ft.	lb
Connector perpendicularly installed on an 82" H panel	N5-COM82T-N	186	0.5	5
Connector perpendicularly installed on an 66" H panel	N5-COM66T-N	166	0.4	4
Connector perpendicularly installed on an 50" H panel	N5-COM50T-N	153	0.3	3
Connector perpendicularly installed on an 42" H panel	N5-COM42T-N	147	0.2	3
Connector perpendicularly installed on an 34" H panel	N5-COM34T-N	141	0.2	2

harnesses for straight base panels

Harnesses for base panels 24" to 72" wide.
 30" to 72": Supports up to 4 duplex outlets. 24": Supports up to 2 duplex outlets.
 Requires jumpers to link adjacent (wired) panels, see p.111-112.
 2 jumper entries at each end.
 Panels 18" & 12" wide: Use a CONDUIT PANEL JUMPER (see next page).



	Code	Price	Specifications	
			Cu.Ft.	lb
For 72" wide panel	iE-H72	202	0.8	5
For 66" wide panel	iE-H66	196	0.8	5
For 60" wide panel	iE-H60	190	0.7	4
For 54" wide panel	iE-H54	185	0.7	4
For 48" wide panel	iE-H48	178	0.6	3
For 42" wide panel	iE-H42	167	0.6	3
For 36" wide panel	iE-H36	155	0.5	2
For 30" wide panel	iE-H30	144	0.5	2
For 24" wide panel	iE-H24	133	0.4	1

harnesses for media and base panels – laminate 1 side [to the floor]

Harnesses for Media panels and base panels with laminate on 1 side (to the floor), 24" to 72" wide.


42" to 72" : Supports up to 4 duplex outlets (Media panel) and up to 2 duplex outlets (Base panel laminate 1 side to the floor).

30" to 36" : Supports up to 2 duplex outlets.


24" : Supports 1 duplex outlet.

Requires jumpers to link adjacent (wired) panels, see p.111-112.


1 jumper entry at each end. For 2 jumper entries, install iE-Y coupling (see next page), for media panels only and not laminate (to the floor).



	Code	Price	Specifications	
			Cu.Ft.	lb
For 72" wide panel	iE-HSS72	261	0.8	5
For 66" wide panel	iE-HSS66	254	0.8	5
For 60" wide panel	iE-HSS60	250	0.7	4
For 54" wide panel	iE-HSS54	243	0.7	4
For 48" wide panel	iE-HSS48	229	0.6	3
For 42" wide panel	iE-HSS42	224	0.6	3



For 36" wide panel	iE-HSS36	178	0.5	2
For 30" wide panel	iE-HSS30	174	0.4	2



For 24" wide panel	iE-HSS24	165	0.3	1
--------------------	----------	-----	-----	---


conduit panel jumpers

Runs power through base panels or Media panels.

The iE-i coupling (female-female) must be used to connect 2 panel jumpers (male-male) end-to-end.


The EJS42 jumper can be used to carry power from a Media panel to the base panel.

It can be installed in the cable pole or in the vertical conduits of panels 34" high.



	Dimensions			Specifications	
	Actual length	Code	Price	Cu.Ft.	lb
To skip a 60" wide panel or other panel combination	82½"	E2-EJS60	272	0.2	4
To skip a 54" wide panel or other panel combination	76½"	E2-EJS54	267	0.2	4
To skip a 48" wide panel or other panel combination	70½"	E2-EJS48	261	0.2	4
To skip a 42" wide panel or other panel combination	64½"	E2-EJS42	236	0.2	3
To skip a 36" wide panel or other panel combination	58"	E2-EJS36	230	0.2	3
To skip a 30" wide panel or other panel combination	52"	E2-EJS30	225	0.2	3
To skip a 24" wide panel or other panel combination	46"	E2-EJS24	223	0.2	3
To skip a 18" wide panel	38"	iE-H18	193	0.2	2
To skip a 12" wide panel	35"	iE-H12	187	0.2	2


jumper for straight base panels or media panels




Runs power through regular panel or Media over-panel.

	21½"	iE-J21	101	0.1	1
--	------	--------	-----	-----	---

couplings for media panels




"I" coupling connects 2 jumpers end-to-end.	iE-i	64	0.1	1
---	------	----	-----	---



"Y" coupling connects a single harness to 2 jumpers.	iE-Y	88	0.1	1
--	------	----	-----	---


duplex outlets - 4-circuit electrical system



Duplex and USB outlet. Fastened to the power distribution harness by a spring latch.
For protection against induced voltage variations, circuit #4 is a dedicated circuit with its own neutral and ground conductors.

	Code	Price	Specifications	
			Cu.Ft.	lb
Duplex outlet for circuit #1	iE-DO1	25	0.2	1
Duplex outlet for circuit #2	iE-DO2	25	0.2	1
Duplex outlet for circuit #3	iE-DO3	25	0.2	1
Duplex outlet for circuit #4 (independent)	iE-DO4	25	0.2	1
USB charger outlet	E2-USB	227	0.2	1

direct connect power feed [floor]



A watertight power source at floor level connected to a panel harness through a duplex opening at the base of a panel. No cable pole required.




IMPORTANT:

The direct connect power feed eliminates a duplex outlet access.

6' long	iE-HDCPF	223	0.6	3
---------	----------	-----	-----	---

wall and ground power connector



To distribute current from the junction box to the power distribution harnesses. It is fitted with a male plug which connects to a power distribution harness.

	Code	Price	Specifications	
			Cu.Ft.	lb
Length 60"	E2-ECJO	179	0.1	3


ceiling power connectors

Le raccord de plafond est un conduit flexible blindé.

Le raccord iE-EC15 doit être raccordé sur place par un électricien conformément au code du bâtiment.

Il se branche au bloc terminal d'un harnais de distribution (à l'intérieur de la canalisation située à la base du panneau).

Le raccord iE-EC18 peut être raccordé à la prise d'alimentation lors d'un réaménagement par l'utilisateur.



Longueur 180" (15')	iE-EC15	218	0.6	3
Longueur 216" (18')	iE-EC18	384	0.7	4


iE-EC15

To be plugged into the terminal block (supplied by the electrician)

iE-EC18

To be plugged into the Outlet for Ceiling Power Feed Connectors E2-ECWD

outlet for power feed connectors



Outlet for the iE-EC18 Ceiling power feed connector for easy plugging/unplugging by user into a junction box.

The box (not included) can be installed on the wall (at an approximate height of 20")


or on the ceiling, near the top of the Cable Pole.

Must be installed on-site by a certified electrician in accordance with local building codes.

Afterwards, the iE-EC18 Ceiling power feed connector can be plugged into it.


E2-ECWD	257	0.1	1
---------	-----	-----	---

cable pole – N2 series [rounded]



Cable pole to contain the Power feed connector and communication wiring running from the ceiling to the base of the panel.
Connects to "B" (bridge), "T", "L", "C" or "X" connectors.

12' long	CPNH	308	0.8	7
----------	------	-----	-----	---



Cable pole for the N2 Series panels with vertical conduits.
Can contain the Power feed connector and communication wiring running from the ceiling to the top of the panel.
Order the corresponding Top Cap Kit for the width of the panel on which the Cable Pole is installed (see next item).
Cable pole is height-adjustable. Ceiling tile adapter is white.

CABLE POLE

10' long	TFCP23	286	0.7	8
----------	--------	-----	-----	---

Top caps for panels with vertical conduits.
Order when the cable pole is installed on a panel with vertical conduits.

TOP CAP


For 72" panel	ENJ72	86	0.4	3
For 66" panel	ENJ66	85	0.3	3
For 60" panel	ENJ60	79	0.3	3
For 54" panel	ENJ54	77	0.3	2
For 48" panel	ENJ48	75	0.3	2
For 42" panel	ENJ42	69	0.2	2
For 36" panel	ENJ36	67	0.2	2
For 30" panel	ENJ30	64	0.2	2
For 24" panel	ENJ24	63	0.1	1
For 18" panel	ENJ18	62	0.1	1

S SPECIFY

N2 - -

S Code: Consult the product code above.
Trim: Uni-T finishes / N2, see p.27

cable poles for media panels – N2 series (rounded)




Full height cable pole (12') for 8" or 16" Media panel.
 Used to run the ceiling power feed connector iE-EC15 (not-included, see p.113) from the ceiling to Media panel or the raceway of a base panel.
 This cable pole is equipped with a cover (black) allowing Power feed connector and communication cables to access Media panel raceway at mid-height.

From ceiling to Media panel	CPMEDC	353	0.8	7
-----------------------------	---------------	-----	-----	---

Half height cable pole (50") for 8" or 16" Media panel.
 Used to run the ceiling power feed connector iE-EC15 or the direct connect power feed iE-HDCPF (not included, see p.113) from the floor to Media panel. This cable pole is equipped with a cover (black) allowing Power feed connector and communication cables to access Media panel raceway.


Du plancher au panneau Média	CPMEDF	212	0.5	4
------------------------------	---------------	-----	-----	---

connector wire manager for media panels – N2 series (rounded)



Exterior corner cover for "L" connector (Media panels at 90°).

For "L" connector, 16" Media panel	GR16L	25	0.2	2
For "L" connector, 8" Media panel	GR08L	24	0.1	1



Exterior in-line cover for "B" or "T" connectors (Media panels at 180°).


For "B" or "T" connector, 16" Media panel	GR16BT	21	0.2	2
For "B" or "T" connector, 8" Media panel	GR08BT	18	0.1	1

S SPECIFY

N2 - -

S Code: Consult the product code above.
 Trim: Uni-T finishes / N2, see p.27

cable pole – N7 series [square]



Full height cable pole (12') used to contain the Power feed connector and communication wiring running from the ceiling to the raceway of a base panel or a Media panel of the N7 series.

Used to contain the Ceiling power feed connector iE-EC15 (not-included, see p.113).

This cable pole is equipped with a cover (black) allowing Power feed connector and communication cables to access Media panel raceway.

Connects to "B" (bridge), "T", "C" or "X" connectors.


12' long

CPNH

353

0.8

7



Half-height cable pole (50") for Media panels, from floor to Media panels of the N7 series.

Used to contain the Power feed connector iE-EC15 or iE-HDCPF (not-included, see p.113).

This cable pole is equipped with a cover (black) allowing Power feed connector and communication cables to access Media panel raceway.

From floor to Media panel


CPMEDF

212

0.5

4

connector wire manager for media panels – N7 series [square]



180°

Exterior in-line cover for "B" or "T" connectors (Media panels at 180°).

For "B" or "T" connector, 16" Media panel

GR16BT

22

0.2

2

For "B" or "T" connector, 8" Media panel

GR08BT

20

0.1

1


S SPECIFY

N7 - -

S Code: Consult the product code above.

Trim: Uni-T finishes / N7, see p.28.

cable pole and top cap for panels - N7 series [square]



Cable pole for the N7 Series panels with vertical conduits.
 To run the Power feed connector and communication wiring coming from the ceiling to the top of the panel.
 Order the corresponding Top Cap Kit fitting the width of the panel on which the Cable pole is installed (see next item).
 Cable pole is height-adjustable. Ceiling tile adapter is white.

CABLE POLE

10' long	TFCP23	286	0.7	8
----------	--------	-----	-----	---

Top caps for panels with vertical conduits.
 Order when the Cable pole is installed on a panel with vertical conduits.

TOP CAP


For 72" panel	ENJ72	86	0.4	3
For 66" panel	ENJ66	85	0.3	3
For 60" panel	ENJ60	79	0.3	3
For 54" panel	ENJ54	77	0.3	2
For 48" panel	ENJ48	75	0.3	2
For 42" panel	ENJ42	69	0.2	2
For 36" panel	ENJ36	67	0.2	2
For 30" panel	ENJ30	64	0.2	2
For 24" panel	ENJ24	63	0.1	1
For 18" panel	ENJ18	62	0.1	1

S SPECIFY

N7 - -

S Code: Consult the product code above.
Trim: Uni-T finishes / N7, see p.28.

media data channel




Media channel to separate communication cabling from the electrical system and to hold excess cables. Installs inside 8" and 16" high Media panels near top of raceway. Possible to install 2 channels on top of each other in the 16" high Media panel. Channels 30" and over include 2 openings for installing optional Amp Flex-Mode MD communication modules. Hooks available for excess wiring underneath channel. Black finish.

Dimensions				Specifications			
A	B	C	D	Code	Price	Cu.Ft.	lb
65½	2½	¾	72	N1-DAT72	55	0.4	2
59½	2½	¾	66	N1-DAT66	54	0.4	2
53½	2½	¾	60	N1-DAT60	53	0.4	2
47½	2½	¾	54	N1-DAT54	52	0.3	1
41½	2½	¾	48	N1-DAT48	51	0.3	1
35½	2½	¾	42	N1-DAT42	48	0.2	1
29½	2½	¾	36	N1-DAT36	46	0.2	1
23½	2½	¾	30	N1-DAT30	44	0.2	1
17½	2½	¾	24	N1-DAT24	32	0.1	1
11½	2½	¾	18	N1-DAT18	31	0.1	1
5½	2½	¾	12	N1-DAT12	30	0.1	1

D: Width of the panel


vertical cable manager



Vertical cable manager, Black finish. Attaches underneath the surface, with screws. Telescopic adjustment to adapt to surfaces installed at various height.

N1-VCM-N	74	0.1	3
----------	----	-----	---

electrical consolidation towers



Electrical consolidation towers, 25½" or 66" in height. The low tower can be installed under surfaces 27" H. The tower is made of molded steel. Cable clips included and can be used to tidy up and identify wiring.

- Tall tower:** - comes with a small aluminum column that is 59" high and a ceiling tile adaptor to provide a finished effect.
 - can accommodate 2 harnesses iE-HSS42 for 4 duplexes (total 8).
- Low tower :** - can accommodate 2 harnesses iE-HSS30 for 2 duplexes (total 4).

- The harnesses can be connected to:
- the Direct power feed connector iE-HDCPF source from the floor.
 - or 2 harnesses iE-HSS30 for 2 duplexes (total 4).
 - or the Direct power feed connector iE-EC15 source from the ceiling.

Dimensions			Code	Price	Specifications		
A	B	C			Cu.Ft.	lb	
11¼	66	5¼	66" Tower	AC-ETC66	728	2.9	50
11¼	25½	5¼	25½" Tower	AC-ETC25	459	1.0	44

S SPECIFY


Code Metal

N7 - -

S Code: Consult the product code above.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

rectangular surfaces



Rectangular surface, panel-attached. Surfaces 42" wide or less have 1 centered grommet.
It is recommended to use the intermediate support NL-SSUPi (see p.146) under any surface 48" wide or more.
For 66" and 72" wide surfaces, the N1-SSUBL center support bracket is included.
Standard multi-outlet option available.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	SSi3672	396	515	442	617	4.9	71	111
36	66	SSi3666	367	479	414	573	4.5	65	102
36	60	SSi3660	332	433	375	521	4.1	59	92
36	18	SSi3654	311	407	352	488	3.8	54	81
36	12	SSi3648	292	380	329	457	3.4	48	72
30	72	SSi3072	361	457	400	547	4.1	59	92
30	66	SSi3066	332	419	374	507	3.8	54	85
30	60	SSi3060	297	383	342	463	3.5	49	77
30	54	SSi3054	276	352	317	426	3.1	45	69
30	48	SSi3048	255	323	293	389	2.8	40	62
30	42	SSi3042	226	278	253	338	2.5	35	54
30	36	SSi3036	205	250	229	300	2.1	30	46
30	30	SSi3030	184	220	204	265	1.8	25	39
30	24	SSi3024	162	198	194	242	1.1	20	30
24	72	SSi2472	310	389	353	470	3.4	47	74
24	66	SSi2466	289	361	327	433	3.1	43	68
24	60	SSi2460	268	331	299	396	2.8	40	62
24	54	SSi2454	248	309	287	374	2.5	36	56
24	48	SSi2448	226	287	267	345	2.3	32	49
24	42	SSi2442	198	242	226	294	2.0	28	43
24	36	SSi2436	184	213	199	257	1.7	24	37
24	30	SSi2430	162	198	194	242	1.1	20	31
24	24	SSi2424	149	191	188	227	0.9	16	25
18	72	SSi1872	289	359	330	433	2.0	36	54
18	66	SSi1866	276	330	308	398	1.8	33	50
18	60	SSi1860	248	300	276	361	1.7	30	45
18	54	SSi1854	233	278	262	338	1.5	27	41
18	48	SSi1848	212	250	233	300	1.3	24	36
18	42	SSi1842	191	220	207	265	1.2	21	32
18	36	SSi1836	168	205	193	250	1.0	18	27
18	30	SSi1830	155	191	186	227	0.9	15	23
18	24	SSi1824	141	176	180	213	0.7	12	18

S SPECIFY

O OPTION

N Serie - Code - Surface / Edge - Grommet - M-Outlet

S Serie: L or M (specifications p.32).

Code: Consult the product code above.

Surface / Edge: Uni-T finishes, see p.41.


Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, see p.33.

O Multi-outlet: Option of standard multi-outlet (UC...) at left ...L, centered ...C and / or at right ...R, add \$213 each, see p.33.

On surfaces 36" wide or less, only the center multi-outlet (UCC) can be installed.


connecting surfaces

Connecting surface, panel-attached. The 42" wide surface has 1 centered grommet.
 It is recommended to use the intermediate support NL-SSUPi (see p.146) under any surface 48" wide or more.
 For 66" and 72" wide surfaces, the N1-SSUBL center support bracket is included.
 Standard multi-outlet option available.



LEFT

Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	24	72	24	SSV36247224	446	565	502	677	4.9	61	92
36	24	66	24	SSV36246624	416	530	473	633	4.5	56	85
36	24	60	24	SSV36246024	382	485	436	581	4.1	52	80
30	18	72	21	SSV30187221	410	507	459	605	4.1	48	73
30	18	72	18	SSV30187218	410	507	459	605	4.1	48	72
30	18	66	21	SSV30186621	383	470	432	565	3.8	45	67
30	18	66	18	SSV30186618	383	470	432	565	3.8	44	66
30	18	60	21	SSV30186021	347	433	400	521	3.5	41	64
30	18	60	18	SSV30186018	347	433	400	521	3.5	40	63
30	18	48	21	SSV30184821	304	374	351	448	2.8	34	52
30	18	48	18	SSV30184818	304	374	351	448	2.8	33	51
24	18	42	18	SSV24184218	248	294	284	352	2.0	23	35



RIGHT

24	36	72	24	SSV24367224	446	565	502	677	4.9	61	92
24	36	66	24	SSV24366624	416	530	473	633	4.5	56	85
24	36	60	24	SSV24366024	382	485	436	581	4.1	52	80
18	30	72	21	SSV18307221	410	507	459	605	4.1	48	73
18	30	72	18	SSV18307218	410	507	459	605	4.1	48	72
18	30	66	21	SSV18306621	383	470	432	565	3.8	45	67
18	30	66	18	SSV18306618	383	470	432	565	3.8	44	66
18	30	60	21	SSV18306021	347	433	400	521	3.5	41	64
18	30	60	18	SSV18306018	347	433	400	521	3.5	40	63
18	30	48	21	SSV18304821	304	374	351	448	2.8	34	52
18	30	48	18	SSV18304818	304	374	351	448	2.8	33	51
18	24	42	18	SSV18244218	248	294	284	352	2.0	23	35

S SPECIFY

O OPTION

N Serie - Code - Surface / Edge - Grommet - M-Outlet

S Serie: L or M (specifications p.32).

Code: Consult the product code above.

Surface / Edge: Uni-T finishes, see p.41.


Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, see p.33.

O Multi-outlet: Option of standard multi-outlet (UC...) at left ...L, centered ...C and / or at right ...R, add \$213 each, see p.33.

On surfaces 36" wide or less, only the center multi-outlet (UCC) can be installed.

dual-depth surfaces

Dual-depth surface, panel-attached. Surfaces 42" wide or less have 1 centered grommet.
 It is recommended to use the intermediate support NL-SSUPi (see p.146) under any surface 48" wide or more.
 For 66" and 72" wide surfaces, the N1-SSUBL center support bracket is included.
 Standard multi-outlet option available.




LEFT

Dimensions				L Lima 1"		M Mike 1½"		Specifications			
A	B	C	D	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	24	72	55½	SSW302472	396	492	449	595	4.1	57	89
30	24	66	49½	SSW302466	367	457	419	552	3.8	52	82
30	24	60	43½	SSW302460	332	419	387	507	3.5	48	74
30	24	54	37½	SSW302454	310	389	362	470	3.1	43	67
30	24	48	31½	SSW302448	289	361	337	433	2.8	38	59
30	24	42	25½	SSW302442	262	316	298	383	2.5	33	51
30	24	36	19½	SSW302436	240	287	273	345	2.1	28	44
30	24	30	16	SSW302430	219	257	250	309	1.8	23	36
30	24	24	10	SSW302424	197	235	240	287	1.1	18	28

24	18	72	55½	SSW241872	347	426	398	515	3.4	46	72
24	18	66	49½	SSW241866	326	396	372	479	3.1	42	65
24	18	60	43½	SSW241860	304	367	343	441	2.8	38	59
24	18	54	37½	SSW241854	283	345	331	419	2.5	34	53
24	18	48	31½	SSW241848	262	323	311	389	2.3	30	47
24	18	42	25½	SSW241842	233	278	271	338	2.0	26	41
24	18	36	19½	SSW241836	219	250	242	300	1.7	22	35
24	18	30	16	SSW241830	198	235	239	287	1.1	18	29
24	18	24	10	SSW241824	184	229	233	272	0.9	14	22

dual-depth surfaces (cont'd)



RIGHT

Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D		T.F.L.	H.P.L..	T.F.L.	H.P.L..	Cu.Ft.	lb (L)	lb (M)
24	30	72	55½	SSW243072	396	492	449	595	4.1	57	89
24	30	66	49½	SSW243066	367	457	419	552	3.8	52	82
24	30	60	43½	SSW243060	332	419	387	507	3.5	48	74
24	30	54	37½	SSW243054	310	389	362	470	3.1	43	67
24	30	48	31½	SSW243048	289	361	337	433	2.8	38	59
24	30	42	25½	SSW243042	262	316	298	383	2.5	33	51
24	30	36	19½	SSW243036	240	287	273	345	2.1	28	44
24	30	30	16	SSW243030	219	257	250	309	1.8	23	36
24	30	24	10	SSW243024	197	235	240	287	1.1	18	28

18	24	72	55½	SSW182472	347	426	398	515	3.4	46	72
18	24	66	49½	SSW182466	326	396	372	479	3.1	42	65
18	24	60	43½	SSW182460	304	367	343	441	2.8	38	59
18	24	54	37½	SSW182454	283	345	331	419	2.5	34	53
18	24	48	31½	SSW182448	262	323	311	389	2.3	30	47
18	24	42	25½	SSW182442	233	278	271	338	2.0	26	41
18	24	36	19½	SSW182436	219	250	242	300	1.7	22	35
18	24	30	16	SSW182430	198	235	239	287	1.1	18	29
18	24	24	10	SSW182424	184	229	233	272	0.9	14	22

S SPECIFY

O OPTION

N Serie - Code - Surface / Edge - Grommet - M-Outlet

S Serie: L or M (specifications p.32).

Code: Consult the product code above.

Surface / Edge: Uni-T finishes, see p.41.


Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, see p.32.

O Multi-outlet: Option of standard multi-outlet (UC...) at left ...L, centered ...C and / or at right ...R, add \$213 each, see p.32.

On surfaces 36" wide or less, only the center multi-outlet (UCC) can be installed.

corner surfaces 90° with straight interior access (symmetrical)


Corner surface 90° with straight interior access, panel-attached. Corner support bracket included.
SCS3042 & SCS2436 surfaces have a 17 inch "C" dimension which limits the choice of keyboard shelf.
Wood grain is positioned at 45° on these surfaces.
Standard multi-outlet option available.



Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D		T.F.L.	H.P.L..	T.F.L.	H.P.L..	Cu.Ft.	lb (L)	lb (M)
30	48	25½		SCS3048	488	655	601	854	4.4	59	92
30	42	17		SCS3042	431	573	538	743	3.4	46	72
24	48	34		SCS2448	446	611	575	809	4.4	56	87
24	42	25½		SCS2442	389	530	515	700	3.4	44	68
24	36	17		SCS2436	332	448	442	589	2.5	34	52
18	36	25½		SCS1836	304	411	417	543	2.5	31	48


corner surfaces 90° with straight interior access (extended)

Corner surface 90° extended, panel-attached. Corner support bracket included.
It is recommended to use the intermediate support NL-SSUPi (see p.146) under these surfaces.
For 66" and 72" wide surfaces, the N1-SSUBL center support bracket is included.
Standard multi-outlet option available.



RIGHT

24	24	36	72	SCS24243672	446	565	502	677	4.9	59	92
24	24	36	66	SCS24243666	417	530	473	633	4.5	53	83
24	24	36	60	SCS24243660	383	485	436	581	4.1	51	77
21	21	36	72	SCS21213672	446	565	502	677	4.9	55	85
21	21	36	66	SCS21213666	417	530	473	633	4.5	49	76
21	21	36	60	SCS21213660	383	485	436	581	4.1	47	71



LEFT

24	24	72	36	SCS24247236	446	565	502	677	4.9	59	92
24	24	66	36	SCS24246636	417	530	473	633	4.5	53	83
24	24	60	36	SCS24246036	383	485	436	581	4.1	51	77
21	21	72	36	SCS21217236	446	565	502	677	4.9	55	85
21	21	66	36	SCS21216636	417	530	473	633	4.5	49	76
21	21	60	36	SCS21216036	383	485	436	581	4.1	47	71

S SPECIFY

O OPTION

Serie - Code - Surface / Edge - Grommet - M-Outlet

S Serie: L or M (specifications p.32).

Code: Consult the product code above.


Surface / Edge: Uni-T finishes, see p.41.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, see p.33.

O Multi-outlet: Option of standard multi-outlet (UC...) at left ...L, centered ...C and / or at right ...R, add \$213 each, see p.33.

corner surfaces 90° with curved interior access [symmetrical]

Corner surface 90° with curved interior access, panel-attached. Corner support bracket included.
Wood grain is positioned at 45° on these surfaces.
Standard multi-outlet option available.



Dimensions				L Lima 1"		M Mike 1½"		Specifications			
A	B	C	D	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	30	48	48	SCO30304848	488	655	601	854	4.4	57	88
30	24	48	48	SCO30244848	474	639	585	838	4.4	54	84
24	30	48	48	SCO24304848	474	639	585	838	4.4	54	84
24	24	48	48	SCO24244848	446	611	575	809	4.4	50	78
24	24	42	42	SCO24244242	389	530	515	700	3.4	42	65
24	24	36	36	SCO24243636	353	443	464	596	2.5	29	45
18	18	36	36	SCO18183636	283	374	395	521	2.5	29	45

S SPECIFY

O OPTION

N Serie - Code - Surface / Edge - Grommet - M-Outlet

S Serie: L or M (specifications p.32).

Code: Consult the product code above.

Surface / Edge: Uni-T finishes, see p.41.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, see p.33.

O Multi-outlet: Option of standard multi-outlet (UC...) at left ...L, centered ...C and / or at right ...R, add \$213 each, see p.33.


corner surfaces 90° with curved interior access [right extended]

Corner surface 90° with curved interior access (right extended), panel-attached. The 60" or longer side has 2 aligned grommets. Corner support bracket included.

It is recommended to use the intermediate support NL-SSUPi (see p.146) under a 60" or longer side.

For 66" and 72" wide surfaces, the N1-SSUBL center support bracket is included.

Standard multi-outlet option available.



Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	30	48	72	SCO30304872	524	700	679	912	6.5	77	119
30	30	48	66	SCO30304866	488	655	639	854	6.0	72	112
30	30	48	60	SCO30304860	452	603	592	787	5.4	67	104
30	30	48	54	SCO30304854	438	581	583	758	4.9	62	96

30	24	48	72	SCO30244872	509	684	664	898	6.5	70	109
30	24	48	66	SCO30244866	474	639	624	838	6.0	66	103
30	24	48	60	SCO30244860	438	589	579	772	5.4	62	96
30	24	48	54	SCO30244854	425	565	568	743	4.9	58	90
30	24	42	72	SCO30244272	460	617	605	809	5.7	65	101
30	24	42	66	SCO30244266	431	581	573	758	5.2	61	94
30	24	42	60	SCO30244260	417	559	553	728	4.8	57	88
30	24	42	54	SCO30244254	404	537	547	706	4.3	53	82
30	24	42	48	SCO30244248	396	530	540	700	3.8	49	76

24	30	48	72	SCO24304872	509	684	664	898	6.5	74	115
24	30	48	66	SCO24304866	474	639	624	838	6.0	69	107
24	30	48	60	SCO24304860	438	589	579	772	5.4	64	99
24	30	48	54	SCO24304854	425	565	568	743	4.9	59	91

24	24	48	72	SCO24244872	481	655	634	867	6.5	66	103
24	24	48	66	SCO24244866	446	611	595	809	6.0	62	97
24	24	48	60	SCO24244860	410	559	548	743	5.4	58	90
24	24	48	54	SCO24244854	396	537	538	713	4.9	54	84
24	24	42	72	SCO24244272	431	589	575	780	5.7	62	96
24	24	42	66	SCO24244266	404	552	543	728	5.2	58	90
24	24	42	60	SCO24244260	389	530	525	700	4.8	54	84
24	24	42	54	SCO24244254	374	507	517	677	4.3	50	77
24	24	42	48	SCO24244248	367	499	512	669	3.8	46	71

S SPECIFY

O OPTION

N Serie - Code - Surface / Edge - Grommet - M-Outlet

S Serie: L or M (specifications p.32).

Code: Consult the product code above.

Surface / Edge: Uni-T finishes, see p.41.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, see p.33.

O Multi-outlet: Option of standard multi-outlet (UC...) at left ...L, centered ...C and / or at right ...R, add \$213 each, see p.33.


corner surfaces 90° with curved interior access (left extended)

Corner surface 90° with curved interior access (left extended), panel-attached. The 60" or longer side has 2 aligned grommets. Corner support bracket included.

It is recommended to use the intermediate support NL-SSUPi (see p.146) under a 60" or longer side.

For 66" and 72" wide surfaces, the N1-SSUBL center support bracket is included.

Standard multi-outlet option available.



Dimensions				L Lima 1"		M Mike 1½"		Specifications			
A	B	C	D	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	30	72	48	SCO30307248	524	700	679	912	6.5	77	119
30	30	66	48	SCO30306648	488	655	639	854	6.0	72	112
30	30	60	48	SCO30306048	452	603	592	787	5.4	67	104
30	30	54	48	SCO30305448	438	581	583	758	4.9	62	96

30	24	72	48	SCO30247248	509	684	664	898	6.5	74	115
30	24	66	48	SCO30246648	474	639	624	838	6.0	69	107
30	24	60	48	SCO30246048	438	589	579	772	5.4	64	99
30	24	54	48	SCO30245448	425	565	568	743	4.9	59	91

24	30	72	48	SCO24307248	509	684	664	898	6.5	70	109
24	30	72	42	SCO24307242	460	617	605	809	5.7	65	101
24	30	66	48	SCO24306648	474	639	624	838	6.0	66	103
24	30	66	42	SCO24306642	431	581	573	758	5.2	61	94
24	30	60	48	SCO24306048	438	589	579	772	5.4	62	96
24	30	60	42	SCO24306042	417	559	553	728	4.8	57	88
24	30	54	48	SCO24305448	425	565	568	743	4.9	58	90
24	30	54	42	SCO24305442	404	537	547	706	4.3	53	82
24	30	48	42	SCO24304842	396	530	540	700	3.8	49	76

24	24	72	48	SCO24247248	481	655	634	867	6.5	66	103
24	24	72	42	SCO24247242	431	589	575	780	5.7	62	96
24	24	66	48	SCO24246648	446	611	594	809	6.0	62	97
24	24	66	42	SCO24246642	404	552	543	728	5.2	58	90
24	24	60	48	SCO24246048	410	559	548	743	5.4	58	90
24	24	60	42	SCO24246042	389	530	525	700	4.8	54	84
24	24	54	48	SCO24245448	396	537	538	713	4.9	54	84
24	24	54	42	SCO24245442	374	507	517	677	4.3	50	77
24	24	48	42	SCO24244842	367	499	512	669	3.8	46	71

S SPECIFY

O OPTION

N Serie - Code - Surface / Edge - Grommet - M-Outlet

S Serie: L or M (specifications p.32).

Code: Consult the product code above.


Surface / Edge: Uni-T finishes, see p.41.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, see p.33.

O Multi-outlet: Option of standard multi-outlet (UC...) at left ...L, centered ...C and / or at right ...R, add \$213 each, see p.33.


corner surfaces 90° with ergonomic interior access

Corner surface 90° with ergonomic interior access (left and right extended), panel-attached. Corner support bracket included. It is recommended to use the intermediate support NL-SSUPi (see p.146) under these surfaces. For 66" and 72" wide surfaces, the N1-SSUBL center support bracket is included. Use rounded keyboard shelf such as the KRFC with these corner surfaces, please refer to the current Accessories price list. Plan a minimum of 16" ("E" dimension) to install a pedestal. Standard multi-outlet option available.



LEFT

Dimensions						L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	18	72	36	23	SCE24187236	468	589	531	706	4.9	54	84
24	18	66	36	17	SCE24186636	438	552	502	661	4.5	48	74
24	18	60	36	17	SCE24186036	404	507	464	611	4.1	44	65



RIGHT

18	24	36	72	23	SCE18243672	468	589	531	706	4.9	54	84
18	24	36	66	17	SCE18243666	438	552	502	661	4.5	48	74
18	24	36	60	17	SCE18243660	404	507	464	611	4.1	44	65

S SPECIFY

O OPTION

N Serie - Code - Surface / Edge - Grommet - M-Outlet

S Serie: L or M (specifications p.32).

Code: Consult the product code above.

Surface / Edge: Uni-T finishes, see p.41.


Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, see p.33.

O Multi-outlet: Option of standard multi-outlet (UC...) at left ...L, centered ...C and / or at right ...R, add \$213 each, see p.33.

D-shaped tables


D-shaped table, rounded, arched or rectangular, panel-attached. Support brackets included.
 4" diameter telescopic metal leg.
 Modesty panel not included, can be ordered separately, please refer to the current Take Off price list.
 Standard multi-outlet option available.

ROUNDED




Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	SDSS3672A	666	875	871	1046	5.1	76	115
30	72	SDSS3072A	628	799	810	956	4.4	64	97
30	66	SDSS3066A	613	774	790	923	4.1	59	89
30	60	SDSS3060A	590	750	769	889	3.9	54	81
30	48	SDSS3048A	561	703	712	807	3.3	44	66

ARCHED



36	72	SDSA3672A	666	875	871	1046	5.1	76	115
30	72	SDSA3072A	628	799	810	956	4.4	64	97
30	66	SDSA3066A	613	774	790	923	4.1	59	89
30	60	SDSA3060A	590	750	769	889	3.9	54	81
30	48	SDSA3048A	561	703	712	807	3.3	44	66

RECTANGULAR



36	72	SDSi3672A	644	853	849	1024	5.1	76	115
30	72	SDSi3072A	606	777	788	934	4.4	64	97
30	66	SDSi3066A	591	752	768	901	4.1	59	89
30	60	SDSi3060A	568	728	747	867	3.9	54	81
30	48	SDSi3048A	539	681	690	785	3.3	44	66

S SPECIFY

O OPTION

N Serie - Code - Surface / Edge - Grommet - M-Outlet

S Serie: L or M (specifications p.32).

Code: Consult the product code above.

Surface / Edge: Uni-T finishes, see p.41.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, see p.33.

O Multi-outlet: Option of standard multi-outlet (UC...) at left ...L, centered ...C and / or at right ...R, add \$213 each, see p.33.

D-shaped tables [cont'd]


D-shaped table, rounded, arched or rectangular, panel-attached. Support brackets included.

Leg choices : tubular legs 4" diameter with round or square base plate.

Modesty panel not included, can be ordered separately, please refer to the current Take Off price list.


Standard multi-outlet option available.

ROUNDED




Dimensions		Code		L Lima 1"		M Mike 1½"		Specifications		
A	B	Round base plate	Square base plate	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	SDSS3672C	SDSS3672D	655	864	860	1035	9.5	82	121
30	72	SDSS3072C	SDSS3072D	617	788	799	945	8.9	70	103
30	66	SDSS3066C	SDSS3066D	602	763	779	912	8.6	65	95
30	60	SDSS3060C	SDSS3060D	579	739	758	878	8.4	60	87
30	48	SDSS3048C	SDSS3048D	550	692	701	796	7.8	50	72

ARCHED



36	72	SDSA3672C	SDSA3672D	655	864	860	1035	9.5	82	121
30	72	SDSA3072C	SDSA3072D	617	788	799	945	8.9	70	103
30	66	SDSA3066C	SDSA3066D	602	763	779	912	8.6	65	95
30	60	SDSA3060C	SDSA3060D	579	739	758	878	8.4	60	87
30	48	SDSA3048C	SDSA3048D	550	692	701	796	7.8	50	72

RECTANGULAR



36	72	SDSi3672C	SDSi3672D	633	842	838	1013	9.5	82	121
30	72	SDSi3072C	SDSi3072D	595	766	777	923	8.9	70	103
30	66	SDSi3066C	SDSi3066D	580	741	757	890	8.6	65	95
30	60	SDSi3060C	SDSi3060D	557	717	736	856	8.4	60	87
30	48	SDSi3048C	SDSi3048D	528	670	679	774	7.8	50	72

S SPECIFY

O OPTION

N Serie - Code - Surface / Edge - Grommet - M-Outlet

S Serie: L or M (specifications p.32).

Code: Consult the product code above.

Surface / Edge: Uni-T finishes, see p.41.


Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, see p.33.

O Multi-outlet: Option of standard multi-outlet (UCC) centered, add \$213, see p.33.

D-shaped tables [cont'd]


D-shaped table, rounded, arched or rectangular, panel-attached. Support brackets included.
 Leg choices : 2 round tubular legs of 2 1/2" dia. or 2 square tubular legs of 2 1/2".
 Modesty panel not included, can be ordered separately, please refer to the current Take Off price list.
 Standard multi-outlet option available.

ROUNDED




Dimensions		Code		L Lima 1"		M Mike 1 1/2"		Specifications		
A	B	Round legs	Square legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	SDSS3672E	SDSS3672F	628	837	834	1009	5.1	82	121
30	72	SDSS3072E	SDSS3072F	591	761	772	919	4.4	70	103
30	66	SDSS3066E	SDSS3066F	575	737	752	886	4.1	65	95
30	60	SDSS3060E	SDSS3060F	552	713	732	851	3.9	60	87
30	48	SDSS3048E	SDSS3048F	524	666	674	770	3.3	50	72

ARCHED



36	72	SDSA3672E	SDSA3672F	628	837	834	1009	5.1	82	121
30	72	SDSA3072E	SDSA3072F	591	761	772	919	4.4	70	103
30	66	SDSA3066E	SDSA3066F	575	737	752	886	4.1	65	95
30	60	SDSA3060E	SDSA3060F	552	713	732	851	3.9	60	87
30	48	SDSA3048E	SDSA3048F	524	666	674	770	3.3	50	72

RECTANGULAR



36	72	SDSi3672E	SDSi3672F	606	815	812	987	5.1	82	121
30	72	SDSi3072E	SDSi3072F	569	739	750	897	4.4	70	103
30	66	SDSi3066E	SDSi3066F	553	715	730	864	4.1	65	95
30	60	SDSi3060E	SDSi3060F	530	691	710	829	3.9	60	87
30	48	SDSi3048E	SDSi3048F	502	644	652	748	3.3	50	72

S SPECIFY

O OPTION

N Serie - Code - Surface / Edge - Grommet - M-Outlet

S Serie: L or M (specifications p.32).

Code: Consult the product code above.

Surface / Edge: Uni-T finishes, see p.41.


Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, see p.33.

O Multi-outlet: Option of standard multi-outlet (UCC) centered, add \$213, see p.33.

D-shaped tables [cont'd]


D-shaped table, rounded, arched or rectangular, panel-attached. Support brackets included.
 4" x 12" laminate leg.
 Modesty panel not included, can be ordered separately, please refer to the current Take Off price list.
 Standard multi-outlet option available.

ROUNDED




Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	SDSS3672G	690	899	895	1070	5.1	88	127
30	72	SDSS3072G	652	823	834	980	4.4	76	109
30	66	SDSS3066G	637	799	814	947	4.1	71	101
30	60	SDSS3060G	614	774	793	913	3.9	66	93
30	48	SDSS3048G	585	727	736	832	3.3	56	78

ARCHED



36	72	SDSA3672G	690	899	895	1070	5.1	88	127
30	72	SDSA3072G	652	823	834	980	4.4	76	109
30	66	SDSA3066G	637	799	814	947	4.1	71	101
30	60	SDSA3060G	614	774	793	913	3.9	66	93
30	48	SDSA3048G	585	727	736	832	3.3	56	78

RECTANGULAR



36	72	SDSi3672G	668	877	873	1048	5.1	88	127
30	72	SDSi3072G	630	801	812	958	4.4	76	109
30	66	SDSi3066G	615	777	792	925	4.1	71	101
30	60	SDSi3060G	592	752	771	891	3.9	66	93
30	48	SDSi3048G	563	705	714	810	3.3	56	78

S SPECIFY

O OPTION

N Serie - Code - Surface / Edge - Grommet - M-Outlet

S Serie: L ou M (spécifications p.33).

Code: Consult the product code above.

Surface / Edge: Uni-T finishes, see p.41.


Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, see p.33.

O Multi-outlet: Option of standard multi-outlet (UCC) centered, add \$213, see p.33.

L-shaped tables


L-shaped table, panel-attached. Support brackets included.
 4" diameter telescopic metal leg.
 Modesty panel not included, can be ordered separately, please refer to the current Take Off price list.
 Standard multi-outlet option available.

LEFT



Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D		T.F.L.	H.P.L..	T.F.L.	H.P.L..	Cu.Ft.	lb (L)	lb (M)
48	30	72	24	SSLSL487224	892	1103	1090	1323	8.3	113	169
48	30	66	24	SSLSL486624	862	1058	1069	1273	7.7	102	152
48	30	60	24	SSLSL486024	828	1008	1020	1206	7.2	91	135
42	30	72	24	SSLSL427224	862	1058	1068	1273	7.5	101	151
42	30	66	24	SSLSL426624	828	1008	1020	1206	7.0	93	137
42	30	60	24	SSLSL426024	792	956	978	1147	6.5	84	124

RIGHT



48	30	72	24	SSLSR487224	892	1103	1090	1323	8.3	113	169
48	30	66	24	SSLSR486624	862	1058	1069	1273	7.7	102	152
48	30	60	24	SSLSR486024	828	1008	1020	1206	7.2	91	135
42	30	72	24	SSLSR427224	862	1058	1068	1273	7.5	101	151
42	30	66	24	SSLSR426624	828	1008	1020	1206	7.0	93	137
42	30	60	24	SSLSR426024	792	956	978	1147	6.5	84	124

S SPECIFY

O OPTION

N Serie - Code - Surface / Edge - Metal - Grommet - M-Outlet

S Serie: L ou M (spécifications p.32).

Code: Consult the product code above.

Surface / Edge: Uni-T finishes, see p.41.


Metal (brackets, leg): Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, see p.33.

O Multi-outlet: Option of standard multi-outlet (UCC) centered, add \$213, see p.33.


shared conference surfaces

Semi-circular shared conference surface installs at the end of 2 panel-attached surfaces. Attaches to the adjacent supports. Telescopic metal leg. Hardware and support brackets included.



Dimensions				N2	N7	L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D	Round notch	Square notch	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	30	62	36	SSXC62N2	SSXC62N7	650	849	782	933	6.0	63	91
24	24	50	30	SSXC50N2	SSXC50N7	575	725	673	772	4.7	47	66

N2



N7

Wood grain direction



SSXC62



SSXC50

S SPECIFY

N Serie - Code - Surface / Edge - Metal

S Serie: L or M (specifications p.32).


Code: Consult the product code above.

Surface / Edge: Finis Uni-T, voir p.40.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



counter tops

Rectangular counter top for straight panel.
Assembly hardware included.




Dimensions		Code		L Lima 1"		M Mike 1½"		Specifications		
A	B	N2	N7	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
15	72	SCTi72N2	SCTi72N7	262	338	347	419	2.2	30	46
15	66	SCTi66N2	SCTi66N7	248	316	330	396	2.0	27	42
15	60	SCTi60N2	SCTi60N7	233	294	315	374	1.8	25	39
15	54	SCTi54N2	SCTi54N7	219	277	297	351	1.7	22	35
15	48	SCTi48N2	SCTi48N7	205	261	285	334	1.5	20	31
15	42	SCTi42N2	SCTi42N7	191	242	274	316	1.3	17	27
15	36	SCTi36N2	SCTi36N7	178	218	250	285	1.1	15	23
15	30	SCTi30N2	SCTi30N7	171	202	240	268	0.9	12	19
15	24	SCTi24N2	SCTi24N7	162	186	227	251	0.8	10	16

Rectangular counter top with a notch at one end, for straight panel.
Used when the counter top is attached next to a straight panel configuration of greater height on one side (see drawing).
Assembly hardware included.



		Round notch	Square notch							
15	72	SCTi72AN2	SCTi72AN7	262	338	347	419	2.2	30	46
15	66	SCTi66AN2	SCTi66AN7	248	316	330	396	2.0	27	42
15	60	SCTi60AN2	SCTi60AN7	233	294	315	374	1.8	25	39
15	54	SCTi54AN2	SCTi54AN7	219	277	297	351	1.7	22	35
15	48	SCTi48AN2	SCTi48AN7	205	261	285	334	1.5	20	31
15	42	SCTi42AN2	SCTi42AN7	191	242	274	316	1.3	17	27
15	36	SCTi36AN2	SCTi36AN7	178	218	250	285	1.1	15	23
15	30	SCTi30AN2	SCTi30AN7	171	202	240	268	0.9	12	19
15	24	SCTi24AN2	SCTi24AN7	162	186	227	251	0.8	10	16

Rectangular counter top with a notch at both ends, for straight panel.
Used when the counter top is attached next to a panel configuration of greater height on both sides (see drawing).
Assembly hardware included.



		Round notch	Square notch							
15	72	SCTi72ABN2	SCTi72ABN7	262	338	347	419	2.2	30	46
15	66	SCTi66ABN2	SCTi66ABN7	248	316	330	396	2.0	27	42
15	60	SCTi60ABN2	SCTi60ABN7	233	294	315	374	1.8	25	39
15	54	SCTi54ABN2	SCTi54ABN7	219	277	297	351	1.7	22	35
15	48	SCTi48ABN2	SCTi48ABN7	205	261	285	334	1.5	20	31
15	42	SCTi42ABN2	SCTi42ABN7	191	242	274	316	1.3	17	27
15	36	SCTi36ABN2	SCTi36ABN7	178	218	250	285	1.1	15	23
15	30	SCTi30ABN2	SCTi30ABN7	171	202	240	268	0.9	12	19
15	24	SCTi24ABN2	SCTi24ABN7	162	186	227	251	0.8	10	16


S SPECIFY

N Serie - Code - Surface / Edge - Metal

- S Serie: L or M (specifications p.32).
- Code: Consult the product code above.
- Surface / Edge: Uni-T finishes, see p.41.
- Metal (brackets): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).


counter tops (cont'd)

Rectangular counter top extended at one end (reversible) for straight panel.
Assembly hardware included.




Dimensions			Code		L Lima 1"		M Mike 1½"		Specifications		
A	B	C	N2	N7	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
15	72	79½	SCTL72N2	SCTL72N7	283	367	-	457	2.4	32	50
15	66	73½	SCTL66N2	SCTL66N7	268	345	-	433	2.2	30	46
15	60	67½	SCTL60N2	SCTL60N7	255	323	343	411	2.1	27	42
15	54	61½	SCTL54N2	SCTL54N7	240	308	330	388	1.9	25	39
15	48	55½	SCTL48N2	SCTL48N7	226	289	311	370	1.7	22	35
15	42	49½	SCTL42N2	SCTL42N7	212	272	304	352	1.5	20	31
15	36	43½	SCTL36N2	SCTL36N7	200	248	273	321	1.3	17	27
15	30	37½	SCTL30N2	SCTL30N7	193	231	266	305	1.2	15	23
15	24	31½	SCTL24N2	SCTL24N7	184	215	259	288	1.0	12	19

Rectangular counter top, extended at one end and with a notch at the other, for straight panel.
Used when the counter top is attached next to a straight panel configuration of greater height on one side (see drawing).
Assembly hardware included.



			Round notch	Square notch							
15	72	79½	SCTL72AN2	SCTL72AN7	283	367	-	457	2.4	32	50
15	66	73½	SCTL66AN2	SCTL66AN7	268	345	-	433	2.2	30	46
15	60	67½	SCTL60AN2	SCTL60AN7	255	323	343	411	2.1	27	42
15	54	61½	SCTL54AN2	SCTL54AN7	240	308	330	388	1.9	25	39
15	48	55½	SCTL48AN2	SCTL48AN7	226	289	311	370	1.7	22	35
15	42	49½	SCTL42AN2	SCTL42AN7	212	272	304	352	1.5	20	31
15	36	43½	SCTL36AN2	SCTL36AN7	200	248	273	321	1.3	17	27
15	30	37½	SCTL30AN2	SCTL30AN7	193	231	266	305	1.2	15	23
15	24	31½	SCTL24AN2	SCTL24AN7	184	215	259	288	1.0	12	19

Rectangular counter top extended on both end, for straight panel.
Assembly hardware included.



15	72	87	SCTLL72N2	SCTLL72N7	289	383	-	479	2.6	35	54
15	66	81	SCTLL66N2	SCTLL66N7	276	361	-	457	2.5	32	50
15	60	75	SCTLL60N2	SCTLL60N7	262	338	-	433	2.3	30	46
15	54	69	SCTLL54N2	SCTLL54N7	248	321	342	410	2.1	27	42
15	48	63	SCTLL48N2	SCTLL48N7	233	304	325	393	1.9	25	39
15	42	57	SCTLL42N2	SCTLL42N7	219	287	316	374	1.7	22	35
15	36	51	SCTLL36N2	SCTLL36N7	208	263	295	343	1.6	20	31
15	30	45	SCTLL30N2	SCTLL30N7	199	246	278	327	1.4	17	27
15	24	39	SCTLL24N2	SCTLL24N7	191	229	272	310	1.2	15	23

S SPECIFY

Serie Code Surface Edge Metal
 N - - / -

S Serie: L or M (specifications p.32).


Code: Consult the product code above.

Surface / Edge: Uni-T finishes, see p.41.

Metal (brackets): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).


counter tops [cont'd]

Rectangular counter top with a rounded end (reversible), for straight panel.
Assembly hardware included.




Dimensions			Code		L Lima 1"		M Mike 1½"		Specifications		
A	B	C	N2	N7	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
15	72	79½	SCTU72N2	SCTU72N7	283	367	-	457	2.4	32	50
15	66	73½	SCTU66N2	SCTU66N7	268	345	-	433	2.2	30	46
15	60	67½	SCTU60N2	SCTU60N7	255	323	-	411	2.1	27	42
15	54	61½	SCTU54N2	SCTU54N7	240	308	330	388	1.9	25	39
15	48	55½	SCTU48N2	SCTU48N7	226	289	311	370	1.7	22	35
15	42	49½	SCTU42N2	SCTU42N7	212	272	304	352	1.5	20	31
15	36	43½	SCTU36N2	SCTU36N7	200	248	273	321	1.3	17	27
15	30	37½	SCTU30N2	SCTU30N7	193	231	266	305	1.2	15	23
15	24	31½	SCTU24N2	SCTU24N7	184	215	259	288	1.0	12	19

Rectangular counter top with a rounded end, and a notched end (reversible), for straight panel.
Used when the counter top is attached next to a straight panel configuration of greater height on one side (see drawing).
Assembly hardware included.



			Round notch	Square notch							
15	72	79½	SCTU72AN2	SCTU72AN7	283	367	-	457	2.4	32	50
15	66	73½	SCTU66AN2	SCTU66AN7	268	345	-	433	2.2	30	46
15	60	67½	SCTU60AN2	SCTU60AN7	255	323	-	411	2.1	27	42
15	54	61½	SCTU54AN2	SCTU54AN7	240	308	330	388	1.9	25	39
15	48	55½	SCTU48AN2	SCTU48AN7	226	289	311	370	1.7	22	35
15	42	49½	SCTU42AN2	SCTU42AN7	212	272	304	352	1.5	20	31
15	36	43½	SCTU36AN2	SCTU36AN7	200	248	273	321	1.3	17	27
15	30	37½	SCTU30AN2	SCTU30AN7	193	231	266	305	1.2	15	23
15	24	31½	SCTU24AN2	SCTU24AN7	184	215	259	288	1.0	12	19

Rectangular counter top with rounded ends, for straight panel.
Assembly hardware included.



15	72	87	SCTO72N2	SCTO72N7	289	367	-	480	2.6	35	54
15	66	81	SCTO66N2	SCTO66N7	276	361	-	457	2.5	32	50
15	60	75	SCTO60N2	SCTO60N7	262	338	-	433	2.3	30	46
15	54	69	SCTO54N2	SCTO54N7	248	321	342	410	2.1	27	42
15	48	63	SCTO48N2	SCTO48N7	233	304	325	393	1.9	25	39
15	42	57	SCTO42N2	SCTO42N7	219	287	316	374	1.7	22	35
15	36	51	SCTO36N2	SCTO36N7	208	263	295	343	1.6	20	31
15	30	45	SCTO30N2	SCTO30N7	199	246	278	327	1.4	17	27
15	24	39	SCTO24N2	SCTO24N7	191	229	272	310	1.2	15	23

S SPECIFY

N Serie - Code - Surface / Edge - Metal

S Serie: L or M (specifications p.32).

Code: Consult the product code above.


Surface / Edge: Uni-T finishes, see p.41.

Metal (brackets): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

counter tops [cont'd]


Rectangular counter top with one 45° angled end, right or left, for straight panel.
Assembly hardware included.

LEFT



Dimensions			Code		L Lima 1"		M Mike 1½"		Specifications		
A	B	C	N2	N7	T.F.L.	H.P.L..	T.F.L.	H.P.L..	Cu.Ft.	lb (L)	lb (M)
15	72	80½	SCTiV72N2	SCTiV72N7	283	367	-	457	2.4	30	47
15	66	74½	SCTiV66N2	SCTiV66N7	268	345	-	433	2.2	28	43
15	60	68½	SCTiV60N2	SCTiV60N7	255	323	-	411	2.0	25	39
15	54	62½	SCTiV54N2	SCTiV54N7	240	308	330	388	1.9	23	35
15	48	56½	SCTiV48N2	SCTiV48N7	226	289	311	370	1.7	20	32
15	42	50½	SCTiV42N2	SCTiV42N7	212	272	304	352	1.5	18	28
15	36	44½	SCTiV36N2	SCTiV36N7	200	248	283	321	1.3	15	24
15	30	38½	SCTiV30N2	SCTiV30N7	193	231	266	305	1.1	13	20
15	24	32½	SCTiV24N2	SCTiV24N7	184	215	259	288	1.0	10	16

RIGHT



15	72	80½	SCTiV72N2	SCTiV72N7	283	367	-	457	2.4	30	47
15	66	74½	SCTiV66N2	SCTiV66N7	268	345	-	433	2.2	28	43
15	60	68½	SCTiV60N2	SCTiV60N7	255	323	-	411	2.0	25	39
15	54	62½	SCTiV54N2	SCTiV54N7	240	308	330	388	1.9	23	35
15	48	56½	SCTiV48N2	SCTiV48N7	226	289	311	370	1.7	20	32
15	42	50½	SCTiV42N2	SCTiV42N7	212	272	304	352	1.5	18	28
15	36	44½	SCTiV36N2	SCTiV36N7	200	248	283	321	1.3	15	24
15	30	38½	SCTiV30N2	SCTiV30N7	193	231	266	305	1.1	13	20
15	24	32½	SCTiV24N2	SCTiV24N7	184	215	259	288	1.0	10	16

S SPECIFY

N Serie - Code - Surface / Edge - Metal

S Serie: L or M (specifications p.32).

Code: Consult the product code above.


Surface / Edge: Uni-T finishes, see p.41.

Metal (brackets): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

counter tops [cont'd]


Rectangular counter top with one 45° angled end, right or left, and notched at the other end, for straight panel.
Used when the counter top is attached next to a straight panel configuration of greater height on one side (see drawing).

LEFT



Dimensions			Code		L Lima 1"		M Mike 1½"		Specifications		
A	B	C	N2	N7	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
15	72	80½	SCTiV72AN2	SCTiV72AN7	283	367	-	457	2.4	30	47
15	66	74½	SCTiV66AN2	SCTiV66AN7	268	345	-	433	2.2	28	43
15	60	68½	SCTiV60AN2	SCTiV60AN7	255	323	-	411	2.0	25	39
15	54	62½	SCTiV54AN2	SCTiV54AN7	240	308	330	388	1.9	23	35
15	48	56½	SCTiV48AN2	SCTiV48AN7	226	289	311	370	1.7	20	32
15	42	50½	SCTiV42AN2	SCTiV42AN7	212	272	304	352	1.5	18	28
15	36	44½	SCTiV36AN2	SCTiV36AN7	200	248	283	321	1.3	15	24
15	30	38½	SCTiV30AN2	SCTiV30AN7	193	231	266	305	1.1	13	20
15	24	32½	SCTiV24AN2	SCTiV24AN7	184	215	259	288	1.0	10	16

RIGHT



15	72	80½	SCTiV72AN2	SCTiV72AN7	283	367	-	457	2.4	30	47
15	66	74½	SCTiV66AN2	SCTiV66AN7	268	345	-	433	2.2	28	43
15	60	68½	SCTiV60AN2	SCTiV60AN7	255	323	-	411	2.0	25	39
15	54	62½	SCTiV54AN2	SCTiV54AN7	240	308	330	388	1.9	23	35
15	48	56½	SCTiV48AN2	SCTiV48AN7	226	289	311	370	1.7	20	32
15	42	50½	SCTiV42AN2	SCTiV42AN7	212	272	304	352	1.5	18	28
15	36	44½	SCTiV36AN2	SCTiV36AN7	200	248	283	321	1.3	15	24
15	30	38½	SCTiV30AN2	SCTiV30AN7	193	231	266	305	1.1	13	20
15	24	32½	SCTiV24AN2	SCTiV24AN7	184	215	259	288	1.0	10	16

S SPECIFY

Serie Code Surface Edge Metal
 N - - / -

S Serie: L or M (specifications p.32).

Code: Consult the product code above.


Surface / Edge: Uni-T finishes, see p.41.

Metal (brackets): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

counter tops [cont'd]


Rectangular counter top extended at one end and with a 45° angle end, right or left, for straight panel.
Assembly hardware included.

LEFT



Dimensions			Code		L Lima 1"		M Mike 1½"		Specifications		
A	B	C	N2	N7	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
15	72	88	SCTLV72N2	SCTLV72N7	289	383	-	479	2.6	33	51
15	66	82	SCTLV66N2	SCTLV66N7	276	361	-	457	2.4	30	47
15	60	76	SCTLV60N2	SCTLV60N7	262	338	-	433	2.3	28	43
15	54	70	SCTLV54N2	SCTLV54N7	248	321	342	410	2.1	25	39
15	48	64	SCTLV48N2	SCTLV48N7	233	304	325	393	1.9	23	35
15	42	58	SCTLV42N2	SCTLV42N7	219	287	316	374	1.7	20	31
15	36	52	SCTLV36N2	SCTLV36N7	208	263	295	343	1.5	18	28
15	30	46	SCTLV30N2	SCTLV30N7	199	246	278	327	1.4	15	24
15	24	40	SCTLV24N2	SCTLV24N7	191	229	272	310	1.2	13	20

RIGHT



15	72	88	SCTVL72N2	SCTVL72N7	289	383	-	479	2.6	33	51
15	66	82	SCTVL66N2	SCTVL66N7	276	361	-	457	2.4	30	47
15	60	76	SCTVL60N2	SCTVL60N7	262	338	-	433	2.3	28	43
15	54	70	SCTVL54N2	SCTVL54N7	248	321	342	410	2.1	25	39
15	48	64	SCTVL48N2	SCTVL48N7	233	304	325	393	1.9	23	35
15	42	58	SCTVL42N2	SCTVL42N7	219	287	316	374	1.7	20	31
15	36	52	SCTVL36N2	SCTVL36N7	208	263	295	343	1.5	18	28
15	30	46	SCTVL30N2	SCTVL30N7	199	246	278	327	1.4	15	24
15	24	40	SCTVL24N2	SCTVL24N7	191	229	272	310	1.2	13	20

S SPECIFY

Serie - Code - Surface / Edge - Metal

S Serie: L or M (specifications p.32).

Code: Consult the product code above.


Surface / Edge: Uni-T finishes, see p.41.

Metal (brackets): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

counter tops [cont'd]


Rectangular counter top with a 45° angled end, right or left, and a rounded end, for straight panel.
Assembly hardware included.

LEFT



Dimensions			Code		L Lima 1"		M Mike 1½"		Specifications		
A	B	C	N2	N7	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
15	72	88	SCTUV72N2	SCTUV72N7	289	383	-	479	2.6	33	51
15	66	82	SCTUV66N2	SCTUV66N7	276	361	-	457	2.4	30	47
15	60	76	SCTUV60N2	SCTUV60N7	262	338	-	433	2.3	28	43
15	54	70	SCTUV54N2	SCTUV54N7	248	321	342	410	2.1	25	39
15	48	64	SCTUV48N2	SCTUV48N7	233	304	325	393	1.9	23	35
15	42	58	SCTUV42N2	SCTUV42N7	219	287	316	374	1.7	20	31
15	36	52	SCTUV36N2	SCTUV36N7	208	263	295	343	1.5	18	28
15	30	46	SCTUV30N2	SCTUV30N7	199	246	278	327	1.4	15	24
15	24	40	SCTUV24N2	SCTUV24N7	191	229	272	310	1.2	13	20

RIGHT



15	72	88	SCTVU72N2	SCTVU72N7	289	383	-	479	2.6	33	51
15	66	82	SCTVU66N2	SCTVU66N7	276	361	-	457	2.4	30	47
15	60	76	SCTVU60N2	SCTVU60N7	262	338	-	433	2.3	28	43
15	54	70	SCTVU54N2	SCTVU54N7	248	321	342	410	2.1	25	39
15	48	64	SCTVU48N2	SCTVU48N7	233	304	325	393	1.9	23	35
15	42	58	SCTVU42N2	SCTVU42N7	219	287	316	374	1.7	20	31
15	36	52	SCTVU36N2	SCTVU36N7	208	263	295	343	1.5	18	28
15	30	46	SCTVU30N2	SCTVU30N7	199	246	278	327	1.4	15	24
15	24	40	SCTVU24N2	SCTVU24N7	191	229	272	310	1.2	13	20

S SPECIFY

N Serie - Code - Surface / Edge - Metal

S Serie: L or M (specifications p.32).


Code: Consult the product code above.

Surface / Edge: Uni-T finishes, see p.41.

Metal (brackets): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).


adjustable end gables

End gable, left or right, with rounded top, installs next to the work surface. Hardware included, Black finish.
 Surface support bracket is height-adjustable from 26" to 31".
 Supported surface will be height-adjustable from 27" to 32" (**L series**) or 27½" to 32½" (**M series**).



LEFT

Dimensions	Code	Price	Specifications	
			Cu.Ft.	lb
For 30" surfaces	SSUEL30	201	1.8	28
For 24" surfaces	SSUEL24	187	1.5	24
For 21" surfaces	SSUEL21	179	1.3	21
For 18" surfaces	SSUEL18	173	1.2	18



RIGHT

For 30" surfaces	SSUER30	201	1.8	28
For 24" surfaces	SSUER24	187	1.5	24
For 21" surfaces	SSUER21	179	1.3	21
For 18" surfaces	SSUER18	173	1.2	18

S SPECIFY


Code Base
 NL - -

S Code: Consult the product code above.
Base: Uni-T finishes, see p.41.

28" high laminate end panels


28" high laminate full floor support, left or right, for surfaces 29" (L series) or 29½" (M series) high.
Typically used as end supports, they are drilled on one side only for a finished look and are therefore not reversible.

LEFT




Dimensions			Specifications		
A	B	Code	Price	Cu.Ft.	lb
28	36	SSUL2836	165	2.0	27
28	30	SSUL2830	150	1.7	22
28	24	SSUL2824	133	1.4	18
28	21	SSUL2821	124	1.2	16
28	18	SSUL2818	120	1.1	13

RIGHT



28	36	SSUR2836	165	2.0	27
28	30	SSUR2830	150	1.7	22
28	24	SSUR2824	133	1.4	18
28	21	SSUR2821	124	1.2	16
28	18	SSUR2818	120	1.1	13

28" high laminate floor support, left or right, with a notch at the top, for surfaces 29" (L series) or 29½" (M series) high.
Typically used as end supports, they are drilled on one side only for a finished look and are therefore not reversible.



LEFT

28	12	SSUL2812	115	0.8	10
----	----	----------	-----	-----	----

RIGHT

28	12	SSUR2812	115	0.8	10
----	----	----------	-----	-----	----

S SPECIFY


Code Base
NL - -

S Code: Consult the product code above.
Base: Uni-T finishes, see p.41.

28" high end panels [cont'd]


28" H. combined-material (metal-laminate) full end panels, left or right, for surfaces 29" (L series) or 29½" (M series) high.

LEFT



Dimensions			Specifications		
A	B	Code	Price	Cu.Ft.	lb
28	36	SSUXL2836	292	2.0	27
28	30	SSUXL2830	275	1.7	22
28	24	SSUXL2824	253	1.4	18
28	21	SSUXL2821	242	1.2	16
28	18	SSUXL2818	209	1.1	13


RIGHT



28	36	SSUXR2836	292	2.0	27
28	30	SSUXR2830	275	1.7	22
28	24	SSUXR2824	253	1.4	18
28	21	SSUXR2821	242	1.2	16
28	18	SSUXR2818	209	1.1	13


28" H. perforated metal full end panels, left or right, for surfaces 29" (L series) or 29½" (M series) high.

LEFT



28	36	SSUML2836	292	2.0	27
28	30	SSUML2830	275	1.7	22
28	24	SSUML2824	253	1.4	18
28	21	SSUML2821	242	1.2	16
28	18	SSUML2818	209	1.1	13

RIGHT




28	36	SSUMR2836	292	2.0	27
28	30	SSUMR2830	275	1.7	22
28	24	SSUMR2824	253	1.4	18
28	21	SSUMR2821	242	1.2	16
28	18	SSUMR2818	209	1.1	13

28" high end panels [cont'd]


28" H. open metal full end panels, left or right, for surfaces 29" (L series) or 29½" (M series) high.

LEFT



Dimensions			Specifications		
A	B	Code	Price	Cu.Ft.	lb
28	36	SSUOL2836	220	2.0	11
28	30	SSUOL2830	209	1.7	9
28	24	SSUOL2824	198	1.4	8
28	21	SSUOL2821	187	1.2	8
28	18	SSUOL2818	182	1.1	7

RIGHT



28	36	SSUOR2836	220	2.0	11
28	30	SSUOR2830	209	1.7	9
28	24	SSUOR2824	198	1.4	8
28	21	SSUOR2821	187	1.2	8
28	18	SSUOR2818	182	1.1	7

S SPECIFY


NL - Code - Base - Metal

S Code: Consult the product code above.

Base: Uni-T finishes, see p.41.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

recessed surface supports 28" high



Recessed 28" H. open metal half support, left or right, for surfaces 29" (L series) or 29½" (M series) high.

LEFT

28	12	SSUOL2812	165	0.8	6
----	----	-----------	-----	-----	---

RIGHT


28	12	SSUOR2812	165	0.8	6
----	----	-----------	-----	-----	---

S SPECIFY

NL - -

S Code: Consult the product code above.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090), Polar White (3002).



Adjustable intermediate gable allows for various height adjustments for 2 adjacent surfaces. Surface support brackets are height-adjustable from 26" to 31".

Supported surfaces will be height-adjustable from 27" to 32" (L series) or 27½" to 32½" (M series).

Can be installed "Off-module". Junction plate included.

11		SSUA	263	0.7	12
----	--	------	-----	-----	----


S SPECIFY

NL - - -

S Code: Consult the product code above.

Base: Uni-T finishes, see p.41.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090), Polar White (3002).



Intermediate surface supports, for panel-attached surfaces 29" (L series) or 29½" (M series) high attached to a single panel. Recommended for all surfaces 48" or wider without a center support. Brackets included.

28	5	SSUPI28	72	0.4	4
----	---	---------	----	-----	---


S SPECIFY

NL - -

S Code: Consult the product code above.

Base: Uni-T finishes, see p.41.

assorted supports




Metal cantilever support.

LEFT

28	12	SSUCL	44	0.3	4
----	----	-------	----	-----	---

RIGHT

28	12	SSUCR	44	0.3	4
----	----	-------	----	-----	---



RIGHT

LEFT

RIGHT

Lateral support brackets. Used to attach the end of surface to a 90° return panel.

Can also be used as an intermediate support for a surface attached to a combination of two panels or as a corner support for a corner surface.

PAIRE


		SSUB	37	0.1	1
--	--	------	----	-----	---

LEFT

		SSUBL	25	0.1	1
--	--	-------	----	-----	---

RIGHT

		SSUBR	25	0.1	1
--	--	-------	----	-----	---




LEFT

S SPECIFY

N1 - -

S Code: Consult the product code above.


Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090), Polar White (3002).



Metal junction plates, used to join two adjacent surfaces. Black finish.


Package of 2		AC-FJP2	20	0.1	1
--------------	--	---------	----	-----	---

Metal stiffener, Charcoal finish. Suggested for work surfaces 54" or more. Installation hardware included.



For surface 72" or more	AC-RSTF64	97	0.5	5
For surface 60"	AC-RSTF52	81	0.5	4
For surface 54"	AC-RSTF46	75	0.5	3


wall mount bracket



Wall mount bracket, 56 1/2" H. Black finish. A cover is included and can be cut to desired length.
Mounting hardware NOT included.


56 1/2" high	N1-WMS	57	0.5	3
--------------	--------	----	-----	---

stabilizing floor bracket kit



Stabilizing floor brackets for base panels. Installs on both sides of the connector and covered by a steel cap.
Package of 2.

	2GL8	127	0.4	10
--	------	-----	-----	----



S SPECIFY



N1 - -

S Code: Consult the product code above.

Metal: Specify the finish: Black (3067), Charcoal (3064), Frost (3065), Silver (3090) or Polar White (3002).

support pedestals - metal

Metal support pedestal attached under the surface, central pull or full width pull, with 2 or 3 drawers.
 Pencil Tray included in the 6" top drawer. Lock & key included, NOKI lock or keyed-alike available as an option, will lock all drawers.
 Use 23½" deep pedestal under surfaces 24" and more deep.
 Use 29½" deep pedestal under surfaces 30" and more deep.
 Brackets are included to attach the back of the pedestal to the base panel (N2 or N7), if needed.
 For explanations on pedestal dimensions, refer to p.37.



45 SERIES

Dimensions						Specifications	
A	B	C	Drawers	Code	Price	Cu.Ft.	lb
15	29½	27½	3	NP45-30-6612	770	9.1	90
15	23½	27½	3	NP45-24-6612	748	6.8	75
15	29½	27½	2	NP45-30-1212	759	9.1	90
15	23½	27½	2	NP45-24-1212	693	6.8	75

47 SERIES

15	29½	27½	3	NP47-30-6612	803	9.1	90
15	23½	27½	3	NP47-24-6612	781	6.8	75
15	29½	27½	2	NP47-30-1212	792	9.1	90
15	23½	27½	2	NP47-24-1212	726	6.8	75

S SPECIFY O OPTION

Code Metal Lock
 - -


S Code: Consult the product code above.

Metal: Specify the enamel finish, refer to the current Artopex enamel sample color cards.
 For a metallic finish, add \$39 for the 1212 pedestal and \$44 for the 6612 pedestal.

O Lock: Noki electronic lock (LTI) or keyed-alike (K) options available (no upcharge).

Specify code K01 to the components in the first workstation; K02 to the components in the second workstation, and so on to identify the keyed-alike products.

bracket kit for laminate pedestals and storage



The bracket kit is used to attach the back of a pedestal or storage unit to the base panel (N2 or N7) to increase the stability of the panel.

The brackets attaches to the back (left or right) of a laminate pedestal or storage unit from the Take Off Freestanding price list.

N1-GSU	50	0.1	1
--------	----	-----	---

S SPECIFY

Code Metal
 N1 - -

S Code: Consult the product code above.

Metal: Specify the finish of the brackets: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).


open shelf units, stacked and attached to panels

8" H. laminate open shelf units with shared access and storage on both sides of the panel.
The shelves have an internal division (lengthwise) that can be specified in a contrasting color.
Cabinets 48" and over have a central division.



IMPORTANT:

Specify the corresponding series (N2 or N7) according to the type of panel used.



internal division

Dimensions				Specifications	
A	B	C	Code	Price	Cu.Ft. lb
72	19	7½	SUBOA0872	646	8.5 62
66	19	7½	SUBOA0866	601	7.9 57
60	19	7½	SUBOA0860	560	7.2 53
54	19	7½	SUBOA0854	541	6.5 48
48	19	7½	SUBOA0848	515	5.8 44
42	19	7½	SUBOA0842	508	5.1 37
36	19	7½	SUBOA0836	488	4.4 33
30	19	7½	SUBOA0830	463	3.7 28
24	19	7½	SUBOA0824	452	3.0 24

S SPECIFY

O OPTION

N - Serie - Code - Base - Metal - Division

S Serie: 2 (rounded) ou 7 (square).

Code: Consult the product code above.

Base: Uni-T finishes, see p.41.

Metal: Specify the finish of the supports: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

O Division: Option of contrasting color for the internal division: Charcoal (F) or White (BW), no charge.

open shelf units, stacked and attached to panels [cont'd]


16" H. laminate open shelf units with shared access, with one section of open storage on each side of the panel. It is possible to install a tackboard on the side that is not open, please refer to the current Take Off price list.



IMPORTANT:


Specify the corresponding series (N2 or N7) according to the type of panel used.

OPENING AT RIGHT



Dimensions				Specifications	
A	B	C	Code	Price	Cu.Ft. lb
72	15½	15½	SUBRO1672	648	13.9 91
66	15½	15½	SUBRO1666	592	12.8 85
60	15½	15½	SUBRO1660	553	11.6 79
54	15½	15½	SUBRO1654	536	10.5 73
48	15½	15½	SUBRO1648	510	9.4 62
42	15½	15½	SUBRO1642	496	8.3 56
36	15½	15½	SUBRO1636	477	7.1 50
30	15½	15½	SUBRO1630	454	6.0 44
24	15½	15½	SUBRO1624	446	4.9 38

OPENING AT LEFT



72	15½	15½	SUBOR1672	648	13.9 91
66	15½	15½	SUBOR1666	592	12.8 85
60	15½	15½	SUBOR1660	553	11.6 79
54	15½	15½	SUBOR1654	536	10.5 73
48	15½	15½	SUBOR1648	510	9.4 62
42	15½	15½	SUBOR1642	496	8.3 56
36	15½	15½	SUBOR1636	477	7.1 50
30	15½	15½	SUBOR1630	454	6.0 44
24	15½	15½	SUBOR1624	446	4.9 38

S SPECIFY

N - Serie - Code - Base - Metal

S Serie: 2 (rounded) ou 7 (square).

Code: Consult the product code above.

Base: Uni-T finishes, see p.41.

Metal: Specify the finish of the supports: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

sliding door cabinets, stacked and attached to panels


16" H. laminate sliding door cabinets with shared access and one frosted acrylic sliding door on each side of the panel.



IMPORTANT:


Specify the corresponding series (N2 or N7) according to the type of panel used.

DOOR AT RIGHT



Dimensions					Specifications	
A	B	C	Code	Price	Cu.Ft.	lb
72	15½	15½	SUBRGi1672	922	13.9	97
66	15½	15½	SUBRGi1666	897	12.8	91
60	15½	15½	SUBRGi1660	871	11.6	84
54	15½	15½	SUBRGi1654	846	10.5	78
48	15½	15½	SUBRGi1648	719	9.4	66
42	15½	15½	SUBRGi1642	668	8.3	60
36	15½	15½	SUBRGi1636	617	7.1	53
30	15½	15½	SUBRGi1630	567	6.0	47
24	15½	15½	SUBRGi1624	516	4.9	41

DOOR AT LEFT



72	15½	15½	SUBGiR1672	922	13.9	97
66	15½	15½	SUBGiR1666	897	12.8	91
60	15½	15½	SUBGiR1660	871	11.6	84
54	15½	15½	SUBGiR1654	846	10.5	78
48	15½	15½	SUBGiR1648	719	9.4	66
42	15½	15½	SUBGiR1642	668	8.3	60
36	15½	15½	SUBGiR1636	617	7.1	53
30	15½	15½	SUBGiR1630	567	6.0	47
24	15½	15½	SUBGiR1624	516	4.9	41

S SPECIFY

N - Serie - Code - Base - Metal - Pull

S Serie: 2 (rounded) ou 7 (square).


Code: Consult the product code above.

Base: Uni-T finishes, see p.41.

Metal: Specify the finish of the supports: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Pull: Handles included, specify type, see p.41.

flipper door cabinets



Flipper door cabinets with metal shelf, panel-attached.

Available with the standard closing mechanism or with the "Easy-Down" option for soft-closing of the door(s).

Noki lock and key lock not included, available as an option. 54" to 72" wide cabinets -2 locks; 48' and less -1 lock.

Dimensions				Code	Standard (TD)	Easy-Down (DW)	Specifications	
A	B	C	D				Cu.Ft.	lb
72	14	16	2	SUFD1672	894	1000	12.1	121
66	14	16	2	SUFD1666	884	990	11.1	112
60	14	16	2	SUFD1660	803	909	10.1	103
54	14	16	2	SUFD1654	796	902	9.2	94
48	14	16	1	SUFD1648	743	795	8.2	85
42	14	16	1	SUFD1642	572	625	7.2	76
36	14	16	1	SUFD1636	542	595	6.2	67
30	14	16	1	SUFD1630	506	559	5.2	58
24	14	16	1	SUFD1624	472	525	4.2	48

D: Number of doors

S SPECIFY

O OPTION

NL - Code - Mech. - Base / Fronts - Metal - Lock

S Code: Consult the product code above.

Mechanism: Specify door mechanism: Standard (TD) or "Easy-Down" soft-closing system (DW).

Base / Fronts: Uni-T finishes, see p.41.


Metal (shelf): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

O Lock: Noki electronic lock (L), key lock (LS) or keyed-alike (LSK) options, add \$66 per door, see p.24.


Specify code **LSK01** to the components in the 1st workstation; **LSK02** to the components in the 2nd workstation, and so on to identify the keyed-alike products.

open shelf units, panel-attached

Open shelf with laminate sides, metal shelf & back, panel-attached.



Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
72	13	16	SUOS1672	292	3.0	62
66	13	16	SUOS1666	283	2.8	57
60	13	16	SUOS1660	278	2.5	53
54	13	16	SUOS1654	272	2.3	48
48	13	16	SUOS1648	267	2.0	44
42	13	16	SUOS1642	253	1.8	39
36	13	16	SUOS1636	241	1.5	35
30	13	16	SUOS1630	238	1.3	31
24	13	16	SUOS1624	233	1.1	26



72	13	8	SUOS0872	260	3.0	54
66	13	8	SUOS0866	255	2.8	49
60	13	8	SUOS0860	251	2.5	45
54	13	8	SUOS0854	246	2.3	40
48	13	8	SUOS0848	242	2.0	36
42	13	8	SUOS0842	229	1.8	31
36	13	8	SUOS0836	216	1.5	27
30	13	8	SUOS0830	197	1.3	23
24	13	8	SUOS0824	171	1.1	18

S SPECIFY


NL - - -

S Code: Consult the product code above.

Base: Uni-T finishes, see p.41.

Metal (shelf): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).


dividers



Dividers, installs on metal shelf of overhead storage units, open or closed.

Set of 4	N1-ACDM	85	0.2	4
----------	----------------	----	-----	---


"off-module" adapters for overhead storage (open or closed)



The "Off-Module" adapters used to attach a storage shelf (open or closed) on top of a panel. Standard hardware and hooks must be removed from the storage unit and replaced by the "off-module" adapters during installation. Shipped in pairs.


For 16" H. shelves	N1-OMK16L	84	0.1	3
For 8" H. shelves	N1-OMK8L	77	0.1	2

coat hook & signage module (for panels)



Coat hook installed under the top cap at the top of the panel or between panels.

	N1-HK	43	0.5	1
--	--------------	----	-----	---



2" x 8" Signage module that pins to panel. For fabric-covered panels only.

	N1-IDTAG	34	0.1	1
--	-----------------	----	-----	---


S SPECIFY

NL - -

S Code: Consult the product code above.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

tackboards



Tackboard, panel-attached.
90o Oriented fabric ("Railroad") on the tackboards.

Dimensions		Code	Price					Specifications	
A	B		C.O.M/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
32	72	BT3272	283	300	318	344	370	6.0	31
32	66	BT3266	267	284	300	326	352	6.0	28
32	60	BT3260	261	281	294	319	345	5.0	26
32	54	BT3254	245	264	277	303	329	5.0	23
32	48	BT3248	228	245	259	284	309	4.0	21
32	42	BT3242	208	223	237	262	287	4.0	19
32	36	BT3236	198	212	226	252	277	3.0	16
32	30	BT3230	188	202	216	241	267	3.0	14
32	24	BT3224	174	187	200	226	252	2.0	12
32	18	BT3218	161	173	186	199	224	2.0	9

16	72	BT1672	206	218	231	244	256	2.7	15
16	66	BT1666	193	205	217	230	235	2.7	14
16	60	BT1660	188	202	209	216	228	2.3	13
16	54	BT1654	176	189	196	209	222	2.3	12
16	48	BT1648	167	179	186	199	211	1.8	11
16	42	BT1642	153	164	171	184	196	1.8	9
16	36	BT1636	142	153	158	172	185	1.4	8
16	30	BT1630	131	141	147	161	173	1.4	7
16	24	BT1624	121	131	136	150	163	1.0	6
16	18	BT1618	103	111	118	124	138	1.0	5

12	72	BT1272	154	164	173	186	199	2.7	12
12	66	BT1266	146	155	164	177	189	2.7	11
12	60	BT1260	142	153	158	165	178	2.3	10
12	54	BT1254	132	142	149	158	172	2.3	9
12	48	BT1248	124	133	140	153	165	1.8	8
12	42	BT1242	117	125	132	139	151	1.8	7
12	36	BT1236	106	113	121	133	146	1.4	6
12	30	BT1230	99	106	112	125	139	1.4	5
12	24	BT1224	91	98	105	118	131	1.0	5
12	18	BT1218	79	86	92	98	111	1.0	4


S SPECIFY

Code Fabric
 N1 - -

S Code: Consult the product code above.

Fabric: Specify the code, refer to the current Artopex panel fabric card.

markerboards



H.P.L. High-gloss white markerboard, panel-attached.
Includes a silver tray for markers (not included).




ATTENTION:
For use with dry-erase markers only.

Dimensions			Specifications		
A	B	Code	Price	Cu.Ft.	lb
32	72	N1-WB3272	565	8.7	48
32	66	N1-WB3266	524	8.0	44
32	60	N1-WB3260	482	7.3	41
32	54	N1-WB3254	443	6.6	37
32	48	N1-WB3248	402	5.9	33
32	42	N1-WB3242	356	5.2	29
32	36	N1-WB3236	314	4.5	25
32	30	N1-WB3230	272	3.8	21
32	24	N1-WB3224	231	3.1	17
32	18	N1-WB3218	189	2.4	14

16	72	N1-WB1672	330	4.6	25
16	66	N1-WB1666	308	4.2	23
16	60	N1-WB1660	283	3.8	21
16	54	N1-WB1654	256	3.5	19
16	48	N1-WB1648	233	3.0	17
16	42	N1-WB1642	208	2.8	15
16	36	N1-WB1636	182	2.3	13
16	30	N1-WB1630	156	2.0	11
16	24	N1-WB1624	131	1.6	9
16	18	N1-WB1618	111	1.2	7

off-module adapters for tackboards & markerboards



The "Off-Module" adapters used to attach a tackboard or markerboard on top of a panel.
Standard hardware and hooks must be removed from the tackboard or markerboard and replaced by the "off-module" adapters during installation.
Adaptors shipped in pairs.

Shipped in pairs	OMKMTK	19	0.1	1
------------------	--------	----	-----	---

S SPECIFY

Code Metal


N1 - -

S Code: Consult the product code above.
Metal: Specify the finish of the shelf: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

accessory bars

Painted metal accessory bar, panel attached.

For use with Artopex desk accessories, please refer to the current Accessories price list.



Dimensions			Specifications		
A	B	Code	Price	Cu.Ft.	lb
4	72	ACB72	174	0.5	9
4	66	ACB66	165	0.5	8
4	60	ACB60	156	0.4	7
4	54	ACB54	143	0.4	7
4	48	ACB48	133	0.4	6
4	42	ACB42	122	0.3	5
4	36	ACB36	108	0.3	4
4	30	ACB30	98	0.2	4
4	24	ACB24	90	0.2	3
4	18	ACB18	81	0.2	3

S SPECIFY



N1 - -

S Code: Consult the product code above.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

privacy panels

Clear glass or frosted finish (1 side) acrylic screen, 1/4" thick. Attaches to panel top cap of the Uni-T panel, N2 or N7 series.



Dimensions		Code	Specifications				
A	B		Glass	Acrylic	Cu.Ft.	lb (VG6)	lb (Gi)
16	72	VOGP1672	373	316	1.3	24	16
16	66	VOGP1666	353	298	1.2	22	14
16	60	VOGP1660	331	281	1.1	20	13
16	54	VOGP1654	311	262	1.0	18	12
16	48	VOGP1648	290	244	0.9	16	11
16	42	VOGP1642	266	223	0.8	14	9
16	36	VOGP1636	245	206	0.7	12	8
16	30	VOGP1630	219	183	0.6	10	6
16	24	VOGP1624	204	165	0.4	8	5
16	18	VOGP1618	195	146	0.3	6	4

8	72	VOGP0872	293	228	0.7	14	9
8	66	VOGP0866	278	218	0.6	12	8
8	60	VOGP0860	263	207	0.6	11	8
8	54	VOGP0854	249	197	0.5	10	7
8	48	VOGP0848	240	186	0.4	9	6
8	42	VOGP0842	229	173	0.4	8	5
8	36	VOGP0836	220	162	0.3	7	5
8	30	VOGP0830	206	146	0.3	5	4
8	24	VOGP0824	197	135	0.2	4	3
8	18	VOGP0818	188	124	0.2	3	2

S SPECIFY

Code Screen Metal

N1 - - -

S Code: Consult the product code above.

Screen: Specify the finish of the screen: Clear glass (VG6), or Frosted Acrylic (Gi).

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) Polar White (3002), Frost (3065), Champagne (3311) or Ashen (3370).

UPDATE SUMMARY

January 15th, 2017

PAGES	SECTION	PRODUCT	MODIFICATION
p.24	General info.	Railroad fabric	Revision of the code of a Railroad fabric.
p.38	General info.	Glass screen	Do not install a glass screen on a panel connected to a panel of a different height.
p.112	Electricity	USB charger outlet	New product.
p.147	Supports	Junction plate	Price adjustment.

November 15th 2017

PAGES	SECTION	PRODUCT	MODIFICATION
			Overall increase of 5% on the entire price list for QC-CAN only.
p.111-112-113	Electricity		Price adjustment for QC-CAN only.
p.111	Electricity	Harnesses for media and base panels - laminate 1 side (to the floor)	Text correction: Info for media panel only and not laminate to the floor.

May 1st 2018

PAGES	SECTION	PRODUCT	MODIFICATION
p.40-41	General info.	Finish choices chart	Laminate finishes updated. Refer to the new Artopex laminate cards for new finishes and corrections.
p.50 to 55 p.60-61 p.75 to 80 p.85-86	Panels	Panels laminate T.F.L.	List of finish choices deleted. Refer to the finish choices chart on p.26.
p.147	Supports	Stiffeners	Price adjustments.
	Appendix	H.P.L.laminate panels	List of finish choices deleted. Refer to the finish choices chart on p.26.

January 15th 2019

PAGES	SECTION	PRODUCT	MODIFICATION
		Conditions & Guarantees	Conditions & guarantees have been removed from the Uni-T price list. Please refer to the Artopex Warranty Guide in effect at artopex.com.
p.40-41		Finish choices chart	The panel finishes: Thermally Fused Laminate (T.F.L) and High Pressure Laminate (H.P.L) are separated in two sections.
P.113	Electricity	Wall or ground power connector	Adding a product.
		Appendix	The appendix has been removed from the Uni-T price list. The information regarding High Pressure Laminate products has been integrated into the corresponding Thermally Fused Laminate product.

March 15th 2019

PAGES	SECTION	PRODUCT	MODIFICATION
p.78	Pannels	Base panels - laminate 1 side (to the floor), fabric 1 side	Dimensions correction.
p.120	Surfaces	Rectangular surfaces	Dimensions correction.
p.155	Storage and complements	Coat hook	Description correction
P.159	Storage and complements	privacy panels	Code correction.

*Designing, manufacturing, advising, planning
and supporting: that's the art that
distinguishes our purpose at Artopex.*



ARTOPEX
Head Office
artopex.com

800 Vadnais Street
Granby, QC, Canada J2J 1A7
T 1 800 378 0189